Isotope Shifts in Beryllium-, Boron-, Carbon-, and Nitrogen-like Ions from Relativistic Configuration Interaction Calculations

C. Nazé[a,*], S. Verdebout[a], P. Rynkun[b], G. Gaigalas[b], M. Godefroid[a], P. Jönsson[c]

[a] *Service de Chimie Quantique et Photophysique, CP160/09, Université Libre de Bruxelles, Avenue F.D. Roosevelt 50, B 1050 Brussels, Belgium*
[b] *Vilnius University, Institute of Theoretical Physics and Astronomy, LT-01108 Vilnius, Lithuania*
[c] *Group for Materials Science and Applied Mathematics, Malmö University, 205-06 Malmö, Sweden*

arXiv:1406.1720v1 [physics.atom-ph] 6 Jun 2014

Abstract

Energy levels, normal and specific mass shift parameters as well as electronic densities at the nucleus are reported for numerous states along the beryllium, boron, carbon, and nitrogen isoelectronic sequences. Combined with nuclear data, these electronic parameters can be used to determine values of level and transition isotope shifts. The calculation of the electronic parameters is done using first-order perturbation theory with relativistic configuration interaction wave functions that account for valence, core-valence and core-core correlation effects as zero-order functions. Results are compared with experimental and other theoretical values, when available.

*Corresponding author.
Email address: mrgodef@ulb.ac.be (M. Godefroid)

Preprint submitted to Atomic Data and Nuclear Data Tables *16.12.2002*

Contents

1. Introduction . . . 3
2. Isotope shift theory . . . 3
   2.1. Mass shift . . . 4
   2.2. Field shift . . . 5
   2.3. Total line frequency shift . . . 6
3. Computational procedure . . . 6
   3.1. Multiconfiguration Dirac-Hartree-Fock . . . 6
   3.2. Computation of isotope shift parameters . . . 7
4. Generation of configurations expansions . . . 7
   4.1. Boron-, carbon-, and nitrogen-like systems . . . 7
   4.2. Beryllium-like systems . . . 8
5. Results and data evaluation . . . 9
   5.1. Beryllium-like ions . . . 9
   5.2. Boron-like ions . . . 10
   5.3. Carbon-like ions . . . 11
   5.4. Nitrogen-like ions . . . 12
6. Outlook and conclusion . . . 12

References . . . 13

Explanation of Tables . . . 16

Tables

1. Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\mathrm{GHz/fm}^2$) for levels in the beryllium isoelectronic sequence ($5 \leq Z \leq 74$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 16 for Explanation of Tables. . . . 19
2. Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\mathrm{GHz/fm}^2$) for levels in the boron isoelectronic sequence ($8 \leq Z \leq 30$ and $Z = 36, 42$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 17 for Explanation of Tables. . . . 33
3. Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\mathrm{GHz/fm}^2$) for levels in the carbon isoelectronic sequence ($7 \leq Z \leq 28$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 17 for Explanation of Tables. . . . 40
4. Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\mathrm{GHz/fm}^2$) for levels in the nitrogen isoelectronic sequence ($7 \leq Z \leq 36$ and $Z = 42, 74$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 18 for Explanation of Tables. . . . 49

1. Introduction

High resolution solar and stellar spectra reveal isotope shifts (IS) and hyperfine structures of many spectral lines. These small structures are not always completely resolved and instead they shift and broaden the atomic lines. To correctly interpret the spectra it is often necessary to include isotope shifts and hyperfine structures in a theoretical modeling of the line profiles [1, 2]. Hyperfine and isotope data are also needed for generating synthetic spectra to study isotope anomalies in astronomical objects [3] and for understanding nucleosynthesis mechanisms [4, 5]. In the last decade, several studies have shown that the typical isotope shifts may be of the same order of magnitude as the effects of the possible temporal and spatial variation of the fine-structure constant. In this framework, Kozlov *et al.* [6] proposed a method to exclude systematic effects caused by changes in the isotope abundances during the evolution of the universe, but there is a need to develop methods that can accurately estimate isotope shifts [7]. Isotope shifts of spectral lines are also used in nuclear physics to estimate the root-mean-square nuclear charge radii and mean-square radii changes $\delta\langle r^2\rangle^{A,A'}$ for which the electronic factors play a crucial role (see for example [8–12]).

Relativistic effects on the electronic structure are expected to increase with the nuclear charge. Shabaev [13, 14] and, in an independent way, Palmer [15], derived relativistic corrections to the mass shift. Since then several papers have shown the importance of relativistic effects on isotope shifts [16–20]. The development of experimental techniques allowing the accurate measurement of line IS enhances the need for accurate calculations of the relevant electronic parameters that account for both electron correlation and relativistic effects, especially for medium and heavy open-shell atoms [21, 22]. Amongst these techniques, the storage ring measurement of isotope shifts in the spectrum of resonant electron-ion recombination of heavy few-electron ions gives access to nuclear charge radii changes involving heavy stable and unstable nuclides, as demonstrated for three-electron Nd^{57+} isotopes produced at GSIs storage ring ESR [8]. Dielectronic recombination (DR) measurements have also been performed at the heavy-ion storage ring TSR in Heidelberg for Be-, B- and C-like ions relevant to astrophysics and plasma physics [23, 24], although no IS in the DR spectra have been reported so far. DR experiments are also envisaged at ISOLDE [25] where the availability of radioisotopes together with the TSR electron collision facilities will open up new opportunities.

GRASP2K [26] is a fully relativistic code based on the multiconfiguration Dirac-Hartree-Fock (MCDHF) method. Its latest release [27] includes a module, RIS3 [28], that evaluates the isotope shift parameters including the relativistic corrections to the recoil operator as derived by Shabaev [13, 14]. The purpose of the present work is to complement the available atomic data sets along the beryllium, boron, carbon and nitrogen isoelectronic sequences with accurate IS electronic parameters that can be used for modeling high resolution stellar spectra, and for interpreting future measurements of isotope effects that would require the knowledge of the electronic factors to access the nuclear charge radii.

2. Isotope shift theory

An atomic spectral line is characteristic of the element producing the spectrum. The frequency of a spectral line k connecting levels $\ell \leftrightarrow u$, with $E_u > E_\ell$, is given by

$$\nu_k = \frac{E_u - E_\ell}{h} \,, \tag{1}$$

and differs from one isotope to another. The line frequency isotope shift between isotopes A and A' (with $A > A'$) is

$$\delta\nu_k^{A,A'} \equiv \nu_k^A - \nu_k^{A'} = \frac{\delta E_u^{A,A'} - \delta E_\ell^{A,A'}}{h} \,, \tag{2}$$

with

$$\delta E_i^{A,A'} = E_i^A - E_i^{A'} \qquad (i = \ell, u) \,. \tag{3}$$

The isotope shift is made up of two effects: the mass shift (MS) and the field shift (FS). Generally, the FS dominates for heavy atoms whereas the MS plays a prominent role for light atoms. In the present work, both effects are expressed as expectation values of operators that are calculated through first-order perturbation theory [29] using approximate solutions of the fully relativistic Dirac-Hartree-Fock(-Breit) Hamiltonian as zero-order wave functions.

2.1. Mass shift

The finite mass of the nucleus gives rise to a recoil effect, called the mass shift. The nuclear recoil corrections within the $(\alpha Z)^4 m^2/M$ approximation are obtained by evaluating the expectation values of the operator [16, 30]

$$H_{\rm MS} \;=\; \frac{1}{2M} \sum_{i,j}^{N} \left(\mathbf{p}_i \cdot \mathbf{p}_j - \frac{\alpha Z}{r_i} \boldsymbol{\alpha}_i \cdot \mathbf{p}_j - \frac{\alpha Z}{r_i} \frac{(\boldsymbol{\alpha}_i \cdot \mathbf{r}_i)\, \mathbf{r}_i}{r_i^2} \cdot \mathbf{p}_j \right) \,. \tag{4}$$

Separating the one-body ($i = j$) and two-body terms ($i \neq j$) into the normal mass shift (NMS) and specific mass shift (SMS) respectively, the expression (4) splits in

$$H_{\rm MS} = H_{\rm NMS} + H_{\rm SMS} \,. \tag{5}$$

For a given atomic state i, the (mass-independent) normal mass shift $K_{\rm NMS}$ and specific mass shift $K_{\rm SMS}$ parameters are defined by the following expressions

$$K_{i,\rm NMS} \;\equiv\; M \langle \Psi_i | H_{\rm NMS} | \Psi_i \rangle \,, \tag{6}$$

$$K_{i,\rm SMS} \;\equiv\; M \langle \Psi_i | H_{\rm SMS} | \Psi_i \rangle \,. \tag{7}$$

These mean values can be expressed as

$$K_{\rm NMS} = K^1_{\rm NMS} + K^2_{\rm NMS} + K^3_{\rm NMS}$$

and

$$K_{\rm SMS} = K^1_{\rm SMS} + K^2_{\rm SMS} + K^3_{\rm SMS} \,,$$

where each contribution refers to one of the three terms appearing in (4). More complete developments, as well as the derivation of the tensorial form of (4), are detailed in the work of Gaidamaukas *et al.* [31].

The corresponding level mass shift between two isotopes A and A' with masses M and M', respectively, can be written

$$\delta E_{i,\rm MS}^{A,A'} = \left(\frac{1}{M} - \frac{1}{M'} \right) (K_{i,\rm NMS} + K_{i,\rm SMS}) \,, \quad \text{with} \quad A > A'. \tag{8}$$

In atomic units, the nuclear masses M and M' that are usually given in units of the unified atomic mass (u), must be converted to atomic units of mass (m_e) to be consistent with K factors expressed in $[m_e E_{\rm h}]$ units. For discussing the

transition isotope shift (2), one needs to consider the variation of the mass parameter from one level to another. The corresponding line frequency isotope mass shift is written as the sum of the NMS and SMS contributions:

$$\delta\nu_{k,\mathrm{MS}}^{A,A'} = \delta\nu_{k,\mathrm{NMS}}^{A,A'} + \delta\nu_{k,\mathrm{SMS}}^{A,A'} \ , \tag{9}$$

with

$$\delta\nu_{k,\mathrm{MS}}^{A,A'} \ = \ \left(\frac{M'-M}{MM'}\right)\frac{\Delta K_{\mathrm{MS}}}{h} = \left(\frac{M'-M}{MM'}\right)\Delta\widetilde{K}_{\mathrm{MS}}, \tag{10}$$

where $\Delta K_{\mathrm{MS}} = (K_{u,\mathrm{MS}} - K_{\ell,\mathrm{MS}})$ is the difference of the K_{MS} $(= K_{\mathrm{NMS}} + K_{\mathrm{SMS}})$ parameters of the upper (u) and lower (l) levels involved in the transition k. For $\Delta\widetilde{K}_{\mathrm{MS}}$, the unit (GHz u) is often used in the literature. As far the conversion factor is concerned, we use $\Delta K_{\mathrm{MS}}[m_e E_{\mathrm{h}}] = 3609.4824\ \Delta\widetilde{K}_{\mathrm{MS}}[\mathrm{GHz\ u}]$.

2.2. Field shift

The energy shift arising from the difference in nuclear charge distributions between two isotopes A and A' for a given atomic state i is called the level field shift. Neglecting higher order isotopic variation of the nuclear charge distribution, the level field shift can be written [29, 32]

$$\delta E_{i,\mathrm{FS}}^{A,A'} = (h\widetilde{\mathcal{F}}_i)\ \delta\langle r^2\rangle^{A,A'}, \tag{11}$$

where

$$\delta\langle r^2\rangle^{A,A'} = \langle r^2\rangle^{A} - \langle r^2\rangle^{A'} \tag{12}$$

is the difference of the nuclear root-mean-square (rms) charge radii involved. The level field shift electronic factor $\widetilde{\mathcal{F}}_i$ is given (in units of frequency divided by a length squared) by

$$\widetilde{\mathcal{F}}_i = \frac{2\pi}{3h}Z\left(\frac{e^2}{4\pi\epsilon_0}\right)\ |\Psi(0)|_i^2 \ , \tag{13}$$

where $|\Psi(0)|^2$ is the total probability density at the origin that can be estimated by taking the $(\mathbf{r}\to\mathbf{0})$ limit of the electron density [28] (see section 3.1)

$$|\Psi(0)|_i^2 = \lim_{\mathbf{r}\to\mathbf{0}}\rho_i^e(\mathbf{r}) = \frac{1}{4\pi}\lim_{r\to 0}\rho_i^e(r) \ . \tag{14}$$

Using (11) for levels $i = (\ell, u)$ involved in transition k, the frequency field shift of the spectral line k can be written as [29, 32, 33]

$$\delta\nu_{k,\mathrm{FS}}^{A,A'} = \frac{\delta E_{u,\mathrm{FS}}^{A,A'} - \delta E_{\ell,\mathrm{FS}}^{A,A'}}{h} = F_k\ \delta\langle r^2\rangle^{A,A'} \ . \tag{15}$$

F_k is the line electronic factor (in units of frequency divided by a length squared)

$$F_k = \frac{2\pi}{3h}Z\left(\frac{e^2}{4\pi\epsilon_0}\right)\Delta|\Psi(0)|_k^2 \ , \tag{16}$$

proportional to the change of the total probability density at the origin associated with the electronic transition between levels ℓ and u. In this approximation, the first-order level- and frequency-field shifts (11) and (15) become

$$\delta E_{i,\mathrm{FS}}^{A,A'} = (h\widetilde{\mathcal{F}}_i)\ \delta\langle r^2\rangle^{A,A'} = \frac{2\pi}{3}Z\left(\frac{e^2}{4\pi\epsilon_0}\right)\ |\Psi(0)|_i^2\ \delta\langle r^2\rangle^{A,A'} \ , \tag{17}$$

and

$$\delta\nu_{k,\mathrm{FS}}^{A,A'} = F_k\ \delta\langle r^2\rangle^{A,A'} = \frac{Z}{3\hbar}\left(\frac{e^2}{4\pi\epsilon_0}\right)\ \Delta|\Psi(0)|_k^2\ \delta\langle r^2\rangle^{A,A'} \ , \tag{18}$$

respectively. The wavenumber ($\sigma = E/hc$) field shift

$$\delta\sigma_{k,\mathrm{FS}}^{A,A'} = \frac{Z}{3\hbar c}\left(\frac{e^2}{4\pi\epsilon_0}\right)\,\Delta|\Psi(0)|_k^2\,\delta\langle r^2\rangle^{A,A'}\,, \tag{19}$$

is also often used by experimentalists.

2.3. Total line frequency shift

One can estimate the total line frequency shift by merely adding the mass shift (10) and field shift (15) contributions[1]

$$\begin{aligned}\delta\nu_k^{A,A'} &= \underbrace{\delta\nu_{k,\mathrm{NMS}}^{A,A'} + \delta\nu_{k,\mathrm{SMS}}^{A,A'}}_{\delta\nu_{k,\mathrm{MS}}^{A,A'}} + \delta\nu_{k,\mathrm{FS}}^{A,A'} \\ &= \left(\frac{M'-M}{MM'}\right)\Delta\widetilde{K}_{\mathrm{MS}} + F_k\,\delta\langle r^2\rangle^{A,A'}\,.\end{aligned} \tag{20}$$

3. Computational procedure

3.1. Multiconfiguration Dirac-Hartree-Fock

The multiconfiguration Dirac-Hartree-Fock (MCDHF) method [34], as implemented in the program package GRASP2K [26, 27], is used to obtain approximate wave functions describing the atomic levels. An atomic state function (ASF) is represented by a linear combination of configuration state functions (CSFs) with same parity P, total angular momentum J, and its component along z-direction, M_J,

$$\Psi(\gamma PJM_J) = \sum_{j=1}^{NCSF} c_j\Phi(\gamma_j PJM_J), \tag{21}$$

where $\{c_j\}$ are the mixing coefficients and $\{\gamma_j\}$ the sets of configuration and intermediate shell-coupling quantum numbers needed to unambiguously specify the CSFs. The latter are built on single-electron Dirac spinors. The mixing coefficients and the single-electron orbitals (radial large and small components) are obtained by iteratively solving the relativistic self-consistent field (RSCF) equations and the secular equation associated with the configuration interaction matrix. A more limited version is the relativistic configuration interaction (RCI) approach using a fixed pre-optimized set of orbitals and allowing only the mixing coefficients to be varied. In the RCI computation, the Breit interaction and leading QED effects (the vacuum polarization and self-energy) can be taken into account perturbatively as well. It should be emphasized that the use of a point-like nucleus gives unreliable electron densities at the nucleus in the relativistic scheme. A finite nuclear charge distribution model should be used instead to ensure the first-order perturbation to be valid for the field shift [29]. In the present work, the two-parameters (c, a) Fermi nuclear model

$$\rho(r) = \frac{\rho_0}{1 + e^{(r-c)/a}} \tag{22}$$

is adopted to generate the nuclear potential felt by the electrons. Here ρ_0 is a normalization coefficient, c is the half-density radius and $a = t/(4\ln 3)$ is related to the surface thickness t of the charge distribution. In practice, the value $t = 2.30$ fm is used and c is computed according to the formulae given in [35]. Since the ASFs are relatively insensitive

[1] The line frequency shift (20) is often written as $\delta\nu_k^{A,A'} = M_k\,\frac{A'-A}{AA'} + F_k\,\delta\langle r^2\rangle^{A,A'}$

to the details of the nuclear model, the nuclear parameters from any stable isotope of the considered chemical element ${}_Z$X can be safely chosen for performing the MCDHF and RCI calculations of the electronic wave functions. As discussed by Blundell *et al.* [29], and as confirmed by more recent studies (see for instance [36]), the error inherent to the use of a first-order perturbation picture that neglects changes in the electron wave functions arising from variations in the nuclear charge distribution, is estimated of the order of one part in 10^3-10^4.

3.2. Computation of isotope shift parameters

The isotope shift parameters and the electron density at the nucleus are calculated in a first-order perturbation approach using the MCDHF or RCI atomic state functions as the zero-order wave functions. Rewriting the operators for the normal mass shift parameter K_{NMS}, the specific mass shifts parameter K_{SMS} as well as for the electron density in tensorial form [31], the calculation of these quantities reduces to a summation over matrix elements between CSFs. These matrix elements, in turn, are expressed as sums over radial integrals weighted by angular factors. All isotope shift electronic parameters were calculated using the isotope shift module RIS3 [28] interfaced with the GRASP2K package [27]. Angular factors were saved on disk and re-used for all ions in an isoelectronic sequence to reduce the execution time.

4. Generation of configurations expansions

MCDHF and RCI calculations can be performed for single levels, but also for portions of a spectrum. In this work calculations were carried out by parity and configuration, that is, wave functions for all states belonging to a specific configuration were determined simultaneously in an EOL calculation [37]. Using the latter scheme, a balanced description of a number of fine-structure states belonging to one or more configurations can be obtained in a single calculation. The expansions for the ASFs were obtained using the active set method [38]. Here CSFs of a specified parity and J-symmetry are generated by excitations from a number of reference configurations to a set of relativistic orbitals. By applying restrictions on the allowed excitations, different electron correlation effects can be targeted. To monitor the convergence of the calculated energies and the physical quantities of interest, the active sets are increased in a systematic way by progressively adding layers of correlation orbitals.

4.1. Boron-, carbon-, and nitrogen-like systems

The starting point was a number of MCDHF calculations where the CSF expansions for the states belonging to a configuration were obtained by single and double (SD) excitations from a multireference (MR) consisting of the set of configurations that can be formed by the same principal quantum numbers as the studied configuration, to an increasing active set of orbitals. The MCDHF calculations were followed by RCI calculations including the Breit interaction and leading QED. The CSF expansions for the RCI calculations were obtained by SD-excitations from a larger MR, including the most important configurations outside the complex, to the largest active set of orbitals. The correlation models used for the boron-, carbon-, and nitrogen-like ions are summarized in Table A. The reference configuration is shown on the left. Columns two and three display the MR for, respectively, the MCDHF and RCI expansions. The largest active set is shown in column four, where the number of orbitals for each l-angular symmetry is specified. The last column gives the number of CSFs for the RCI calculations. The described computational strategy has previously been used by Rynkun *et al.* [39–41] to compute energies and transition rates, and more details can be found in these papers.

Table A

Generated CSF expansions for the MCDHF and RCI calculations for the boron-, carbon-, and nitrogen-like ions.

Configuration	MR for MCDHF	MR for RCI	Active set	NCSF in RCI
		boron-like		
$1s^2 2s^2 2p$	$1s^2\{2s^2 2p, 2p^3\}$	$1s^2\{2s^2 2p, 2p^3, 2s2p3d, 2p3d^2\}$	$\{9s8p7d6f5g3h1i\}$	200 10^3
$1s^2 2p^3$	$1s^2\{2s^2 2p, 2p^3\}$	$1s^2\{2s^2 2p, 2p^3, 2s2p3d, 2p3d^2\}$	$\{9s8p7d6f5g3h1i\}$	360 10^3
$1s^2 2s2p^2$	$1s^2 2s2p^2$	$1s^2\{2s2p^2, 2p^2 3d, 2s^2 3d, 2s3d^2\}$	$\{9s8p7d6f5g3h1i\}$	300 10^3
		carbon-like		
$1s^2 2s^2 2p^2$	$1s^2\{2s^2 2p^2, 2p^4\}$	$1s^2\{2s^2 2p^2, 2p^4, 2s2p^2 3d, 2s^2 3d^2\}$	$\{8s7p6d5f4g2h\}$	340 10^3
$1s^2 2p^4$	$1s^2\{2s^2 2p^2, 2p^4\}$	$1s^2\{2s^2 2p^2, 2p^4, 2s2p^2 3d, 2s^2 3d^2\}$	$\{8s7p6d5f4g2h\}$	340 10^3
$1s^2 2s2p^3$	$1s^2 2s2p^3$	$1s^2\{2s2p^3, 2p^3 3d, 2s^2 2p3d, 2s2p3d^2\}$	$\{8s7p6d5f4g2h\}$	1 000 10^3
		nitrogen-like		
$1s^2 2s^2 2p^3$	$1s^2\{2s^2 2p^3, 2p^5\}$	$1s^2\{2s^2 2p^3, 2p^5, 2s2p^3 3d, 2s^2 2p3d^2\}$	$\{8s7p6d5f4g1h\}$	698 10^3
$1s^2 2p^5$	$1s^2\{2s^2 2p^3, 2p^5\}$	$1s^2\{2s^2 2p^3, 2p^5, 2s2p^3 3d, 2s^2 2p3d^2\}$	$\{8s7p6d5f4g1h\}$	382 10^3
$1s^2 2s2p^4$	$1s^2 2s2p^4$	$1s^2\{2s2p^4, 2p^4 3d, 2s^2 2p^2 3d, 2s2p^2 3d^2\}$	$\{8s7p6d5f4g1h\}$	680 10^3

4.2. Beryllium-like systems

The beryllium-like systems are a little different. For each parity, the wave functions for all states belonging to the $1s^2 2s^2$ and $1s^2 2p^2$ even configurations, and to the $1s^2 2s2p$ odd configuration, were determined simultaneously. For the MCDHF calculations, the CSF expansions were obtained by merging CSFs generated by SD-excitations from the reference configurations to an increasing active set with CSFs obtained by single, double, triple, and quadruple (SDTQ) excitations to a subset of the active set of orbitals. The largest active set consisted of orbitals with principal quantum numbers $n \leq 8$ and the subset was formed by orbitals with principal quantum numbers $n \leq 4$. The MCDHF calculations were followed by RCI calculations including the Breit interaction and leading QED. The expansions for the RCI calculations were obtained by merging CSFs generated by SDTQ-excitations from the reference configurations to the largest active set with the restriction that there in each CSF is at least two orbitals with $n \leq 3$ with CSFs generated by SDTQ-excitations from the reference configurations to the active set of orbitals with principal quantum numbers $n \leq 4$. The RCI expansions included about 296 000 relativistic CSFs.

5. Results and data evaluation

In the following subsections, the results of the calculations are presented for the four isoelectronic sequences, and compared with values from the available literature.

The identification of the levels is based on the LS composition obtained by transforming from jj- to LS-coupling schemes using the JJ2LSJ tool integrated in the new release of GRASP2K [27]. The two first CSFs with weight $|c_j|^2 \geq 0.1\%$ are also displayed in the level compositions. All the IS electronic parameters reported in the tables have been estimated using RIS3 and the correspondence with the LSJ levels has been done using the tool RIS3_LSJ [28].

5.1. Beryllium-like ions

Table 1 gives the total energies, the transition energies, the $\widetilde{K}_{\rm NMS}$ and $\widetilde{K}_{\rm SMS}$ parameters, and the electronic field shift factors $\widetilde{\mathcal{F}}$ for levels in beryllium-like ions ($5 \leq Z \leq 74$) from RCI calculations described in the previous section. It must be stressed that the level $2p^2\ ^1S_0$ of the B II ion required a special attention. For this excited state, the influence of the triple and quadruple excitations is strong and limiting the population as described in section 4.2 becomes inadequate. The results presented are those of an expansion based on SDTQ-excitations up to $n = 7i$.

Table 2 presents a comparison with theoretical and experimental results of Litzén *et al.* [42] for B II, for which multiconfiguration Hartree-Fock (MCHF) calculations were performed in a non-relativistic scheme with the program ATSP2K [43]. Expecting a small contribution of orbitals with high angular momenta, the latter were limited to $l \leq 3$. The $\delta\sigma_{\rm FS}$ values evaluated from (19) and using the experimental nuclear rms charge radius of Angeli [44], are reported in the last column. No data are available in the literature, but these numbers illustrate how small the FS is for the B II ion. An analysis of the 1362 Å line profile observed in Hubble spectra of the interstellar medium indicated an IS of 13.7±3.5 mÅ for the transition $2s^2\ ^1S_0 - 2s2p\ ^1P^o_1$ [45] for the pair ^{11}B-^{10}B; converting our value $\delta\sigma_{\rm MS} = 0.711\ {\rm cm}^{-1}$ gives $\delta\lambda = 13.20$ mÅ. As the values obtained by Litzén *et al.* are 13 mÅ and 13.27 mÅ for experiment and theory respectively, all values are within experimental error bars of the Hubble observation. Except for the transition $2s2p\ ^1P^o_1 - 2p^2\ ^1S_0$, values are in good agreement with both experiments and previous theoretical work. The source of the discrepancy has been investigated in details and is attributed to the incomplete correlation model adopted in [42].

Table 3 gives a comparison with the calculations of Korol and Kozlov [17], Jönsson *et al.* [46] and Berengut *et al.* [47] for astrophysically important transitions in C III. All values are here expressed in GHz u. The consistency with the NMS parameter is excellent for all transitions. The SMS parameters are in agreement with the non-relativistic calculations of Jönsson *et al.* as well as the values of Berengut *et al.* for the transition $1s^22s^2\ ^1S_0 - 1s^22s2p\ \ ^3P^o_0$. Note however that our SMS parameter values grow with the J value, in contradiction with Berengut *et al.*'s results [47]. By summing the NMS and SMS contributions for the (13,12) and (14,12) isotopic pairs, the total mass shift values of Berengut *et al.*, $\delta\nu^{13,12}_{\rm MS} = 28.76$ GHz and $\delta\nu^{14,12}_{\rm MS} = 53.33$ GHz, are confirmed by our results (28.86 GHz and 53.51 GHz respectively). In their calculations, Berengut *et al.*, safely neglected the FS that we estimate to a few MHz.

Table 4 compares the wavenumber mass shifts calculated by Bubin *et al.* [48] using explicitly correlated Gaussian functions for the transition $1s^22s^2\ ^1S_0 - 1s^22p^2\ ^1S_0$ in C III with our results. Considering the high level of correlation included in [48], the almost perfect agreement between the two sets gives us confidence in our correlation models and computational strategy. The wavenumber field shifts have been estimated using (19) and taking the difference of the nuclear mean-square radii $\delta\langle r^2\rangle^{13,12} = -0.044$ fm^2 and $\delta\langle r^2\rangle^{14,13} = 0.210$ fm^2 from Angeli [44].

We report in table 5 our relativistic isotope shift parameters ($K_{\rm NMS}$ and $K_{\rm SMS}$) for the ground state of beryllium-like ions B II-Ne VII and compare them with the non relativistic values obtained by King *et al.* [49] using a standard Hylleraas approach with Slater-type orbital (STO) basis functions, by Komasa *et al.* [50] using the explicitly correlated Gaussians approach, and by Galvez *et al.* [51] using the Monte Carlo algorithm, starting from explicitly correlated multideterminant wave functions. The one-body SMS parameters agree within 0.02% while the two-body SMS parameters do match within 0.4% for B II and 3% for Ne VII. For the density operator, the disagreement goes from 1% for B II to 4% for Ne VII. The comparison illustrates the importance of relativistic effects also for these ions.

To conclude this section on Be-like ions, we report in table 6 the ^{40,36}Ar isotope shift of the M1 intra-configuration transition $1s^22s2p\ ^3P^o_1$-$^3P^o_2$ in Ar^{14+} that has been measured by Orts *et al.* [52] using the electron beam ion trap at the Max-Planck-Institut für Kernphysik [52], and estimated theoretically in the same work [52], using the large-scale configuration interaction Dirac-Fock approach. As far as the MS is concerned, the consistency between the theoretical calculations is perfect. The experimental value is 5.3% smaller than the theoretical values that lie however within the experimental error bars. Our FS value is evaluated using the formula (19) and the difference of nuclear rms $\delta\langle r^2\rangle^{40,36} = 0.2502$ fm^2. It also shows a nice consistency with the evaluation of Orts *et al.* [52].

5.2. Boron-like ions

Table 7 displays the total and excitation energies, the $\widetilde{K}_{\rm NMS}$ and $\widetilde{K}_{\rm SMS}$ parameters as well as the electronic $\widetilde{\mathcal{F}}$ field shift factors for several levels of B-like ions ($8 \leq Z \leq 30$ and $Z = 36, 42$). Table 8 compares the resulting $^{36,40}Ar^{13+}$ isotope shift of the $1s^22s^22p\ ^2P^o_{1/2}\ -\ ^2P^o_{3/2}$ forbidden line with the results of Tupitsyn *et al.* [16] and Orts *et al.* [52] using the large-scale RCI Dirac-Fock method to solve the Dirac-Coulomb-Breit equation. Their CSFs expansions were generated including "all single and double excitations and some part of triple excitations". The nuclear charge distribution is described by a Fermi model and is therefore consistent with the present work. The upper part of the table shows the individual contributions of operators $H_{\rm NMS}$ and $H_{\rm SMS}$ to the wavenumber mass shift. A good agreement is observed between the two sets of values, the total wavenumber mass shift values differing by less than 0.8%. This example confirms the importance of the relativistic corrections to the recoil operator: the total wavenumber mass shift would indeed be 50% smaller if estimated from the uncorrected form of the mass Hamiltonian $\langle H^1_{\rm NMS} + H^1_{\rm SMS}\rangle$. The large cancellation of the terms involved in the transition isotope shift makes accurate calculations very challenging. For the sake of a fair comparison, the QED contributions (-0.0006 cm^{-1}) estimated by Orts *et al.* [52] have been substracted from their theoretical estimation. The mass shifts values are extremely consistent. Orts *et al.* [52] also measured the transition IS at the Heidelberg electron beam ion trap with a satisfactory precision and the agreement observation-theory is rather good, as illustrated in table 8.

As an additional check of our RCI values at the neutral end of the isoelectronic sequence, we performed multiconfiguration Hartree-Fock (MCHF) calculations for O IV. The MCHF calculations are fully variational and the expansions obtained by SD-excitations from large MR sets to an active set of orbitals with $nl \leq 9h$. Results from these independent calculations are compared with the RCI values in table 9. The two different sets of specific mass shift parameters values differ by less than 1%, considering both the uncorrected term ($K^1_{\rm SMS}$) or the corrected one ($K_{\rm SMS}$). The two sets of calculations give specific mass shift parameters that on average differ by less than 0.4%, indicating that the uncertainties in the specific mass shift parameters from the present RCI calculations are very small.

5.3. Carbon-like ions

Table 10 displays the total and excitation energies, the $\widetilde{K}_{\rm NMS}$ and $\widetilde{K}_{\rm SMS}$ parameters as well as the electronic $\widetilde{\mathcal{F}}$ field shift factors for several levels of C-like ions ($7 \leq Z \leq 28$). Table 11 presents the comparison with Jönsson and Bieroń's results [53] who calculated the uncorrected $K^1_{\rm SMS}$ parameters. For each of the five ions considered in [53] (N II, O III, F IV, Ne V and Ti XVII), the $K^1_{\rm SMS}$ values are compared with each other, and with the corrected $K_{\rm SMS}$ values evaluated in the present work (third column). The small difference between the $K^1_{\rm SMS}$ values is due to differences in the optimization strategy. Furthermore, as generally observed [20, 31, 36], the relativistic corrections to the level specific mass shift barely reach a third of percent for light ions but reach 2% for Ti XVII. Jönsson and Bieroń observed that the SMS parameters for $2s2p^3\ ^3P^o$ and $2s2p^3\ ^1P^o$ approach each other for large Z. The present study extends the nuclear charges range considered and, as it can be seen from figure 1 that plots the differences of the SMS parameter values ($\Delta K_{\rm SMS}$) versus the nuclear charge for $^3P^o_{1,0} - ^1P^o_1$, the parameters indeed approach each other but this trend is not asymptotic. Some J-dependence appears: the sign of $\Delta K_{\rm SMS}$ for $2s2p^3\ ^3P^o_0$ and $2s2p^3\ ^1P^o_1$ changes between $Z = 27$ and $Z = 28$, while for the transition $2s2p^3\ ^3P^o_1 - \ ^1P^o_1$, the studied nuclear charges range of nuclear charges does not allow to observe the point where the $\Delta K_{\rm SMS}$ cross the X-coordinate axis. Using a third degree polynomial extrapolation, the crossing is predicted to occur between $Z = 31$ and $Z = 32$. To further validate the present results, independent non relativistic SD-MR-MCHF calculations were performed for a few levels of O III. As it can be seen in table 12, the two sets of values agree very well, with an average difference 0.37% for K^1_{SMS}, as expected for the neutral end of the isoelectronic sequence.



Fig. 1: Variation of the transition specific mass shift parameters along the isoelectronic sequence of C-like ions ($7 \leq Z \leq 28$) for $2s2p^3\ ^3P^o_0 - \ ^1P^o_1$ (continuous blue line) and $2s2p^3\ ^3P^o_1 - \ ^1P^o_1$ (dashed red line).

5.4. Nitrogen-like ions

Table 13 displays the total and excitation energies, the $\widetilde{K}_{\mathrm{NMS}}$ and $\widetilde{K}_{\mathrm{SMS}}$ parameters as well as the electronic $\widetilde{\mathcal{F}}$ field shift factors for several levels for N-like ions ($8 \leq Z \leq 30$ and $Z = 36, 42$). To the knowledge of the authors, there are no isotope shift data to compare with along this sequence. To validate the current data independent SD-MR-MCHF calculations were performed for Ne IV. The comparison is presented in table 14, illustrating the good consistency between the two sets of results.

6. Outlook and conclusion

It is shown that relativistic configuration interaction calculations are capable of providing very accurate electronic isotope shift parameters for few-electron systems. The parameters are of value for interpreting current and future heavy-ion storage ring experiments and measurements on radioisotopes at ISOLDE to access changes in nuclear charge radii. However, it remains a true challenge to extend the current calculations to larger systems with a core. The fundamental problems are the large and canceling contributions to the mass shift from all core subshells. To obtain accurate results for the electronic mass shift parameters all electrons, even the ones deep down in the core, need to be correlated, leading to massive CSF expansions [54]. One way to handle these problems is to rely on divide and conquer strategies and divide the original large problem into a series of smaller ones for each pair of electrons that should be correlated. Contributions from all electron pairs are then put together at the end in one calculations that describes the full atomic system [55, 56]. Work along these lines are in progress [57].

Acknowledgments

Part of this work was supported by the Communauté française of Belgium (Action de Recherche Concertée), the Belgian National Fund for Scientific Research (FRFC/IISN Convention) and by the IUAP Belgian State Science Policy (BriX network P7/12). CN and SV are grateful to the "Fonds pour la formation la Recherche dans l'Industrie et dans l'Agriculture" of Belgium for a PhD grant (Boursier F.R.S.-FNRS). PJ gratefully acknowledges financial support from the Swedish Research Council (VR). PJ and GG acknowledges support from the Visby program of the Swedish Institute.

References

[1] R. Kurucz, Phys. Scr. T47 (1993) 110.

[2] R. Cayrel, M. Steffen, H. Chand, P. Bonifacio, M. Spite, F. Spite, P. Petitjean, H.-G. Ludwig, E. Caffau, Astronomy & Astrophysics 473 (2007) L37–L40.

[3] C. Proffitt, P. Jönsson, U. Litzén, J. Pickering, G. Wahlgren, Astrophys. J 516 (1999) 342.

[4] M. Lundqvist, G. M. Wahlgren, V. Hill, Astronomy & Astrophysics 463 (2007) 693–702.

[5] I. U. Roederer, J. E. Lawler, J. S. Sobeck, T. C. Beers, J. J. Cowan, A. Frebel, I. I. Ivans, H. Schatz, C. Sneden, I. B. Thompson, The Astrophysical Journal Supplement Series 203 (2012) 27.

[6] M. G. Kozlov, V. A. Korol, J. C. Berengut, V. A. Dzuba, V. V. Flambaum, Phys. Rev. A 70 (2004) 062108.

[7] J. C. Berengut, V. V. Flambaum, M. G. Kozlov, J. Phys. B : At. Mol. Phys. 41 (2008) 235702.

[8] C. Brandau, C. Kozhuharov, Z. Harman, A. Müller, S. Schippers, Y. S. Kozhedub, D. Bernhardt, S. Böhm, J. Jacobi, E. W. Schmidt, P. H. Mokler, F. Bosch, H.-J. Kluge, T. Stöhlker, K. Beckert, P. Beller, F. Nolden, M. Steck, A. Gumberidze, R. Reuschl, U. Spillmann, F. J. Currell, I. I. Tupitsyn, V. M. Shabaev, U. D. Jentschura, C. H. Keitel, A. Wolf, Z. Stachura, Phys. Rev. Lett. 100 (2008) 073201.

[9] W. Nörtershäuser, R. Sánchez, G. Ewald, A. Dax, J. Behr, P. Bricault, B. A. Bushaw, J. Dilling, M. Dombsky, G. W. F. Drake, S. Götte, H.-J. Kluge, T. Kühl, J. Lassen, C. D. P. Levy, K. Pachucki, M. Pearson, M. Puchalski, A. Wojtaszek, Z.-C. Yan, C. Zimmermann, Phys. Rev. A 83 (2011) 012516.

[10] P. Cancio Pastor, L. Consolino, G. Giusfredi, P. De Natale, M. Inguscio, V. A. Yerokhin, K. Pachucki, Phys. Rev. Lett. 108 (2012) 143001.

[11] M. Puchalski, D. Kędziera, K. Pachucki, Phys. Rev. A 87 (2013) 032503.

[12] I. Angeli, K. Marinova, Atomic Data and Nuclear Data Tables 99 (2013) 69 – 95.

[13] V. M. Shabaev, Theor. and Mat. Phys. 63 (1985) 588–596.

[14] V. Shabaev, Sov. J. Nucl. Phys. 47 (1988) 69.

[15] C. Palmer, J. Phys. B : At. Mol. Phys. 20 (1987) 5987–5996.

[16] I. I. Tupitsyn, V. M. Shabaev, J. R. C. López-Urrutia, I. Draganic, R. S. Orts, J. Ullrich, Phys. Rev. A 68 (2003) 022511.

[17] V. A. Korol, M. G. Kozlov, Phys. Rev. A 76 (2007) 022103–7.

[18] Y. S. Kozhedub, O. V. Andreev, V. M. Shabaev, I. I. Tupitsyn, C. Brandau, C. Kozhuharov, G. Plunien, T. Stöhlker, Phys. Rev. A 77 (2008) 032501.

[19] S. G. Porsev, M. G. Kozlov, D. Reimers, Phys. Rev. A 79 (2009) 032519.

[20] Y. S. Kozhedub, A. V. Volotka, A. N. Artemyev, D. A. Glazov, G. Plunien, V. M. Shabaev, I. I. Tupitsyn, T. Stöhlker, Phys. Rev. A 81 (2010) 042513.

[21] T. J. Procter, J. Billowes, M. L. Bissell, K. Blaum, F. C. Charlwood, B. Cheal, K. T. Flanagan, D. H. Forest,

S. Fritzsche, C. Geppert, H. Heylen, M. Kowalska, K. Kreim, A. Krieger, J. Krämer, K. M. Lynch, E. Mané, I. D. Moore, R. Neugart, G. Neyens, W. Nörtershäuser, J. Papuga, M. M. Rajabali, H. H. Stroke, P. Vingerhoets, D. T. Yordanov, M. Žáková, Phys. Rev. C 86 (2012) 034329.

[22] B. Cheal, T. E. Cocolios, S. Fritzsche, Phys. Rev. A 86 (2012) 042501.

[23] S. Schippers, Journal of Physics: Conference Series 163 (2009) 012001.

[24] S. Schippers, Journal of Physics: Conference Series 388 (2012) 012010.

[25] M. Grieser, Y. A. Litvinov, R. Raabe, K. Blaum, Y. Blumenfeld, P. A. Butler, F. Wenander, W. *et al.* (123 more), The European Physical Journal Special Topics 207 (2012) 1–117.

[26] P. Jönsson, X. He, C. Froese Fischer, I. Grant, Comput. Phys. Commun. 177 (2007) 597–622.

[27] P. Jönsson, G. Gaigalas, J. Bieroń, C. Froese Fischer, I. Grant, Comput. Phys. Commun. 184 (2013) 2197.

[28] C. Nazé, E. Gaidamauskas, G. Gaigalas, M. Godefroid, P. Jönsson, Computer Physics Communications 184 (2013) 2187.

[29] S. Blundell, P. Baird, C. Palmer, D. Stacey, G. Woodgate, J. Phys. B : At. Mol. Phys. 20 (1987) 3663–3681.

[30] V. Shabaev, A. Artemyev, J. Phys. B : At. Mol. Phys. 27 (1994) 1307–1314.

[31] E. Gaidamauskas, C. Nazé, P. Rynkun, G. Gaigalas, P. Jönsson, M. Godefroid, Journal of Physics B: Atomic, Molecular and Optical Physics 44 (2011) 175003.

[32] G. Torbohm, B. Fricke, A. Rosén, Phys. Rev. A 31 (1985) 2038–2053.

[33] G. Fricke, C. Bernhardt, K. Heilig, L. Schaller, L. Schellenberg, E. Shera, C. De Jager, At. Data Nucl. Data Tables 60 (1995) 177–285.

[34] I. Grant, Relativistic Quantum Theory of Atoms and Molecules. Theory and Computation, Atomic, Optical and Plasma Physics, Springer, New York, USA, 2007.

[35] F. A. Parpia, A. K. Mohanty, Phys. Rev. A 46 (1992) 3735–3745.

[36] J. Li, C. Nazé, M. Godefroid, S. Fritzsche, G. Gaigalas, P. Indelicato, P. Jönsson, Phys. Rev. A 86 (2012) 022518.

[37] K. Dyall, I. Grant, C. Johnson, F. Parpia, E. Plummer, Computer Physics Communications 55 (1989) 425 – 456.

[38] L. Sturesson, P. Jönsson, C. Froese Fischer, Computer Physics Communications 177 (2007) 539 – 550.

[39] P. Rynkun, P. Jönsson, G. Gaigalas, C. Froese Fischer, At. Data Nucl. Data Tables 98 (2012) 481–556.

[40] P. Jönsson, P. Rynkun, G. Gaigalas, Atomic Data and Nuclear Data Tables 97 (2011) 648 – 691.

[41] P. Rynkun, P. Jönsson, G. Gaigalas, C. Froese Fischer, Atomic Data and Nuclear Data Tables (2013).

[42] U. Litzén, T. Zethson, P. Jönsson, J. Kasten, R. Kling, F. Launay, Phys. Rev. A 57 (1998) 2477–2484.

[43] C. Froese Fischer, G. Tachiev, G. Gaigalas, M. Godefroid, Comput. Phys. Commun. 176 (2007) 559–579.

[44] I. Angeli, At. Data Nucl. Data Tables 87 (2004) 185–206.

[45] S. R. Federman, D. L. Lambert, J. A. Cardelli, Y. Sheffer, Nature 381 (1996) 764–766.

[46] P. Jönsson, C. Froese Fischer, M. Godefroid, J. Phys. B : At. Mol. Phys. 32 (1999) 1233–1245.

[47] J. C. Berengut, V. V. Flambaum, M. G. Kozlov, Phys. Rev. A 73 (2006) 012504.

[48] S. Bubin, J. Komasa, M. Stanke, L. Adamowicz, Phys. Rev. A 81 (2010) 052504.

[49] F. W. King, D. Quicker, J. Langer, The Journal of Chemical Physics 134 (2011) 124114.

[50] J. Komasa, J. Rychlewski, K. Jankowski, Phys. Rev. A 65 (2002) 042507.

[51] F. J. Gálvez, E. Buendia, A. Sarsa, The Journal of Chemical Physics 111 (1999) 10903–10909.

[52] R. S. Orts, Z. Harman, J. R. C. López-Urrutia, A. N. Artemyev, H. Bruhns, A. J. G. Martínez, U. D. Jentschura, C. H. Keitel, A. Lapierre, V. Mironov, V. M. Shabaev, H. Tawara, I. I. Tupitsyn, J. Ullrich, A. V. Volotka, Phys. Rev. Lett. 97 (2006) 103002.

[53] P. Jönsson, J. Bieroń, Journal of Physics B: Atomic, Molecular and Optical Physics 43 (2010) 074023.

[54] C. Froese Fischer, P. Jönsson, M. Godefroid, Phys. Rev. A 57 (1998) 1753–1758.

[55] S. Verdebout, P. Rynkun, P. Jönsson, G. Gaigalas, C. Froese Fischer, M. Godefroid, Journal of Physics B: Atomic, Molecular and Optical Physics 46 (2013) 085003.

[56] C. Froese Fischer, S. Verdebout, M. Godefroid, P. Rynkun, P. Jönsson, G. Gaigalas, Phys. Rev. A (2013) in press.

[57] M. Godefroid, P. Jönsson, G. Gaigalas (2013). Work in progress.

[58] P. Jönsson, S. G. Johansson, C. F. Fischer, Astrophysical Journal Letters 429 (1994) L45–L48.

Explanation of Tables

Table 1. Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in GHz/fm^2) for levels in the beryllium isoelectronic sequence ($5 \leq Z \leq 74$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10.

Level composition in LSJ coupling	Leading components expressed within the LSJ coupling scheme for each calculated level.
Energy	The calculated total energy in atomic units (E_h).
ΔE	Calculated energy relative to the ground state (in cm^{-1}).
$\widetilde{K}_{NMS} = K_{NMS}/h$	The normal mass shift parameter in GHz u (see eq.(6)).
$\widetilde{K}_{SMS} = K_{SMS}/h$	The specific mass shift parameter in GHz u (see eq.(7)).
$\widetilde{\mathcal{F}}$	The electronic field shift factor in GHz/fm^2 (see eq.(13)).

Table 2. Comparison of wavenumber isotope shifts $\delta\sigma$ (in cm^{-1}) for several transitions in B II between the isotopes ^{11}B and ^{10}B.

Exp. $\delta\sigma_{IS}$	Experimental transition IS (in cm^{-1})
$\delta\sigma_{MS}$	Transition mass shift (in cm^{-1}).
$\delta\sigma_{FS}$	Transition field shift (in cm^{-1}) (see eq.(19)).

Table 3. Comparison of the $\Delta\widetilde{K}_{NMS}$ and $\Delta\widetilde{K}_{SMS}$ parameters (in GHz u) with previous theoretical works for several transitions in C III.

$\Delta\widetilde{K}_{NMS}$	Transition normal mass shift (NMS) parameters (in GHz u).
$\Delta\widetilde{K}_{SMS}$	Transition specific mass shift (SMS) parameters (in GHz u).

Table 4. Wavenumber mass shift $\delta\sigma_{MS}$ and field shift $\delta\sigma_{FS}$ (in cm^{-1}) for the transition $1s^22s^2\ ^1S_0 - 1s^22p^2\ ^1S_0$ in C^{2+} ion for the isotope pairs ^{13}C-^{12}C and ^{14}C-^{13}C.

$\delta\sigma_{MS}$	Transition mass shift (in cm^{-1}).
$\delta\sigma_{FS}$	Transition field shift (in cm^{-1}).

Table 5. Comparative table of the expectation values of our isotope shift parameters (in a.u.) with calculations based on Hylleraas wave functions for some ions at the neutral end of the Be-like sequence.

K_{NMS}	Level normal mass shift parameter (see eq.(6)) calculated with the one-body part of (4).
$\langle -\frac{1}{2}\nabla_i^2 \rangle$	Non relativistic kinetic energy.
K_{SMS}	Level specific mass shift parameter (see eq.(7)) calculated with the two-body part of (4).
$\rho^e(\mathbf{0})$	Total probability density at the origin estimated from eq.(14).
$\langle \delta(\mathbf{r}_i) \rangle$	Non relativistic total probability density at the origin (nuclear point charge).

Table 6. Wavenumber mass shift $\delta\sigma_{\rm MS}$ and field shift $\delta\sigma_{\rm FS}$ (in $\rm cm^{-1}$) for the $1s^2 2s2p\ ^3P^o_1 - \ ^3P^o_2$ in Ar^{14+} for the isotope pair ^{40,36}Ar.

Same as for Table 4.

Table 7. Total energies (in $E_{\rm h}$), excitation energies (in $\rm cm^{-1}$), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\rm GHz/fm^2$) for levels in the boron isoelectronic sequence ($8 \le Z \le 30$ and $Z = 36, 42$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10.

Same as for Table 1.

Table 8. Upper part: individual contributions to the wavenumber mass shift $\delta\sigma_{\rm MS}$ of the forbidden transition $1s^2 2s^2\ 2p\ ^2P^o_{1/2} - \ ^2P^o_{3/2}$ in boron-like $^{36,40}Ar^{13+}$. Lower part: wavenumber mass, field and total shifts. (All numbers in $\rm cm^{-1}$).

$\langle H^i_{\rm NMS}\rangle$ $(i = 1, 2, 3)$	Normal mass shift (one-body) contributions from the three terms of eq.(4).
$\langle H^i_{\rm SMS}\rangle$ $(i = 1, 2, 3)$	Specific mass shift (two-body) contributions from the three terms of eq.(4).
$\delta\sigma_{\rm MS}$	Transition mass shift (in $\rm cm^{-1}$).
$\delta\sigma_{\rm FS}$	Transition field shift (in $\rm cm^{-1}$).
$\delta\sigma$	Total transition isotope shift (in $\rm cm^{-1}$).

Table 9. Comparison of MCHF and MCDHF specific mass shift parameters for O IV (all values in atomic units $E_{\rm h} m_e$).

MCHF $K^1_{\rm SMS}$	Non relativistic specific mass shift parameter.
MCDHF $K^1_{\rm SMS}$	Relativistic specific mass shift parameter calculated with $\frac{1}{2}\langle\sum_{i\neq j}^{N}\ (\mathbf{p}_i \cdot \mathbf{p}_j)\rangle$.
MCDHF $K_{\rm SMS}$	Relativistic specific mass shift parameter calculated with the two-body part of the relativistic recoil operator (4).

Table 10. Total energies (in $E_{\rm h}$), excitation energies (in $\rm cm^{-1}$), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\rm GHz/fm^2$) for levels in the carbon isoelectronic sequence ($7 \le Z \le 28$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10.

Same as for Table 1.

Table 11. Comparison of corrected ($K_{\rm SMS}$) and uncorrected ($K^1_{\rm SMS}$) specific shift parameters (in $E_{\rm h} m_e$) for several states of N II, O III, F IV, Ne V and Ti XVII.

$K^1_{\rm SMS}$	Relativistic specific mass shift parameter calculated with $\frac{1}{2}\langle\sum_{i\neq j}^{N}\ (\mathbf{p}_i \cdot \mathbf{p}_j)\rangle$.
$K_{\rm SMS}$	Relativistic specific mass shift parameter calculated with the two-body part of the relativistic recoil operator (4).

Table 12. Comparison of MCHF and MCDHF specific mass shift parameters for O III (in atomic units $E_{\rm h}m_e$).

Same as for Table 9.

Table 13. Total energies (in $E_{\rm h}$), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\mathrm{GHz/fm}^2$) for levels in the nitrogen isoelectronic sequence ($7 \leq Z \leq 36$ and $Z = 42, 74$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10.

Same as for Table 1.

Table 14. Comparison of MCHF and MCDHF specific mass shift parameters for Ne IV (in atomic units $E_{\rm h}m_e$).

Same as for Table 9.

Table 1
Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in GHz/fm^2) for levels in the beryllium isoelectronic sequence ($5 \leq Z \leq 74$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 16 for Explanation of Tables.

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_{NMS}$ (GHz u)	$\widetilde{K}_{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
					B II				
$1s^22s^2\ ^1S$	(92%)	$+ 1s^22p^2\ ^1S$	(7%)	0	−24.3534464	0.00	8.7862981[4]	2.1587130[3]	1.803445
$1s^22s2p\ ^3P^o$	(99%)			0	−24.1836233	37271.86	8.7249235[4]	3.1895258[2]	1.763953
	(99%)			1	−24.1835957	37277.92	8.7249488[4]	3.1855676[2]	1.763955
	(99%)			2	−24.1835226	37293.97	8.7249802[4]	3.1780709[2]	1.763958
$1s^22s2p\ ^1P^o$	(96%)	$+ 1s^22p3d\ ^1P^o$	(3%)	1	−24.0185813	73494.38	8.6679944[4]	9.8372368[2]	1.759018
$1s^22p^2\ ^3P$	(99%)			0	−23.9028711	98889.85	8.6233220[4]	−1.1484849[3]	1.715645
	(99%)			1	−23.9028320	98898.43	8.6233347[4]	−1.1488285[3]	1.715646
	(99%)			2	−23.9027712	98911.77	8.6233776[4]	−1.1496300[3]	1.715647
$1s^22p^2\ ^1D$	(93%)	$+ 1s^22s3d\ ^1D$	(6%)	2	−23.8868692	102401.85	8.6187672[4]	−1.4767884[3]	1.720387
$1s^22p^2\ ^1S$	(65%)	$+ 1s^22sns\ ^1S$	(21%)	0	−23.7723539	127540.87	8.5772099[4]	4.4681013[2]	1.735702
					C III				
$1s^22s^2\ ^1S$	(93%)	$+ 1s^22p^2\ ^1S$	(7%)	0	−36.5465996	0.00	1.3183511[5]	2.5919811[3]	3.882932
$1s^22s2p\ ^3P^o$	(100%)			0	−36.3082037	52321.84	1.3097505[5]	−8.8188170[2]	3.778061
	(100%)			1	−36.3080969	52345.30	1.3097551[5]	−8.8287835[2]	3.778068
	(100%)			2	−36.3078401	52401.66	1.3097597[5]	−8.8477109[2]	3.778077
$1s^22s2p\ ^1P^o$	(98%)	$+ 1s^22p3d\ ^1P^o$	(2%)	1	−36.0796648	102480.34	1.3017542[5]	−2.3422019[2]	3.763878
$1s^22p^2\ ^3P$	(100%)			0	−35.9204369	137426.82	1.2957660[5]	−4.0261275[3]	3.652846
	(100%)			1	−35.9203054	137455.69	1.2957679[5]	−4.0269916[3]	3.652848
	(100%)			2	−35.9200881	137503.37	1.2957764[5]	−4.0290930[3]	3.652852
$1s^22p^2\ ^1D$	(97%)	$+ 1s^22s3d\ ^1D$	(3%)	2	−35.8815892	145952.90	1.2944282[5]	−4.3692705[3]	3.658962
$1s^22p^2\ ^1S$	(90%)	$+ 1s^22s^2\ ^1S$	(7%)	0	−35.7133814	182870.26	1.2886470[5]	−2.5924073[3]	3.666821
					N IV				
$1s^22s^2\ ^1S$	(93%)	$+ 1s^22p^2\ ^1S$	(7%)	0	−51.2469981	0.00	1.8483436[5]	2.9718617[3]	7.407165
$1s^22s2p\ ^3P^o$	(100%)			0	−50.9409665	67166.16	1.8372581[5]	−2.6458384[3]	7.179712
	(100%)			1	−50.9406808	67228.87	1.8372636[5]	−2.6478501[3]	7.179727
	(100%)			2	−50.9400241	67373.00	1.8372659[5]	−2.6516780[3]	7.179748
$1s^22s2p\ ^1P^o$	(98%)	$+ 1s^22p3d\ ^1P^o$	(1%)	1	−50.6507583	130859.51	1.8271848[5]	−2.0338715[3]	7.150993
$1s^22p^2\ ^3P$	(100%)			0	−50.4471847	175538.75	1.8194605[5]	−8.0577165[3]	6.912282
	(100%)			1	−50.4468509	175612.01	1.8194617[5]	−8.0595122[3]	6.912285
	(100%)			2	−50.4462839	175736.44	1.8194736[5]	−8.0638219[3]	6.912289
$1s^22p^2\ ^1D$	(98%)	$+ 1s^22s3d\ ^1D$	(2%)	2	−50.3859686	188974.12	1.8173659[5]	−8.3978922[3]	6.920357
$1s^22p^2\ ^1S$	(92%)	$+ 1s^22s^2\ ^1S$	(7%)	0	−50.1729720	235721.48	1.8100420[5]	−6.0531219[3]	6.939223
					O V				
$1s^22s^2\ ^1S$	(93%)	$+ 1s^22p^2\ ^1S$	(6%)	0	−68.4561090	0.00	2.4685524[5]	3.3000756[3]	1.294328[1]
$1s^22s2p\ ^3P^o$	(100%)			0	−68.0829532	81898.22	2.4550519[5]	−4.9699967[3]	1.251036[1]
	(100%)			1	−68.0823306	82034.87	2.4550578[5]	−4.9736495[3]	1.251038[1]
	(100%)			2	−68.0809356	82341.03	2.4550546[5]	−4.9806273[3]	1.251041[1]
$1s^22s2p\ ^1P^o$	(99%)	$+ 1s^22p3d\ ^1P^o$	(1%)	1	−67.7318850	158948.79	2.4426731[5]	−4.3845899[3]	1.246101[1]
$1s^22p^2\ ^3P$	(100%)			0	−67.4835066	213461.55	2.4333869[5]	−1.3224214[4]	1.200656[1]
	(100%)			1	−67.4827968	213617.33	2.4333843[5]	−1.3227540[4]	1.200656[1]
	(100%)			2	−67.4815738	213885.75	2.4333961[5]	−1.3235270[4]	1.200655[1]
$1s^22p^2\ ^1D$	(99%)	$+ 1s^22s3d\ ^1D$	(1%)	2	−67.3998597	231819.91	2.4305754[5]	−1.3558633[4]	1.201700[1]
$1s^22p^2\ ^1S$	(92%)	$+ 1s^22s^2\ ^1S$	(6%)	0	−67.1427354	288252.17	2.4217376[5]	−1.0576225[4]	1.205516[1]
					F VI				
$1s^22s^2\ ^1S$	(94%)	$+ 1s^22p^2\ ^1S$	(6%)	0	−88.1763150	0.00	3.1789787[5]	3.5780144[3]	2.116740[1]
$1s^22s2p\ ^3P^o$	(100%)			0	−87.7363221	96567.28	3.1630501[5]	−7.8504163[3]	2.041521[1]
	(100%)			1	−87.7351344	96827.94	3.1630520[5]	−7.8564175[3]	2.041524[1]
	(100%)			2	−87.7325093	97404.10	3.1630322[5]	−7.8679642[3]	2.041527[1]
$1s^22s2p\ ^1P^o$	(99%)			1	−87.3242038	187016.78	3.1485170[5]	−7.2977739[3]	2.033782[1]
$1s^22p^2\ ^3P$	(100%)			0	−87.0310434	251358.06	3.1375479[5]	−1.9515690[4]	1.954584[1]
	(100%)			1	−87.0297018	251652.50	3.1375368[5]	−1.9521455[4]	1.954581[1]
	(100%)			2	−87.0273805	252161.97	3.1375420[5]	−1.9534147[4]	1.954578[1]
$1s^22p^2\ ^1D$	(99%)	$+ 1s^22s3d\ ^1D$	(1%)	2	−86.9246298	274713.15	3.1339951[5]	−1.9843945[4]	1.955904[1]
$1s^22p^2\ ^1S$	(93%)	$+ 1s^22s^2\ ^1S$	(6%)	0	−86.6234869	340806.36	3.1237073[5]	−1.6178494[4]	1.962795[1]
					Ne VII				
$1s^22s^2\ ^1S$	(94%)	$+ 1s^22p^2\ ^1S$	(6%)	0	−110.4104945	0.00	3.9796222[5]	3.8077957[3]	3.287145[1]
$1s^22s2p\ ^3P^o$	(100%)			0	−109.9037877	111209.28	3.9612528[5]	−1.1284298[4]	3.164860[1]
	(100%)			1	−109.9017247	111662.06	3.9612449[5]	−1.1293534[4]	3.164864[1]
	(100%)			2	−109.8971979	112655.56	3.9611933[5]	−1.1311504[4]	3.164863[1]
$1s^22s2p\ ^1P^o$	(99%)			1	−109.4302639	215135.73	3.9445683[5]	−1.0765963[4]	3.153449[1]
$1s^22p^2\ ^3P$	(100%)			0	−109.0921768	289337.28	3.9319099[5]	−2.6924418[4]	3.024295[1]
	(100%)			1	−109.0898452	289848.99	3.9318825[5]	−2.6933969[4]	3.024285[1]

Continued...

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(100%)			2	−109.0858269	290730.92	3.9318698[5]	−2.6953486[4]	3.024273[1]
$1s^22p^2\ ^1D$	(99%)	$+\ 1s^22s3d\ ^1D$	(1%)	2	−108.9624161	317816.45	3.9275818[5]	−2.7247824[4]	3.025929[1]
$1s^22p^2\ ^1S$	(93%)	$+\ 1s^22s^2\ ^1S$	(6%)	0	−108.6174967	393517.52	3.9157629[5]	−2.2845484[4]	3.037402[1]
Na VIII									
$1s^22s^2\ ^1S$	(94%)	$+\ 1s^22p^2\ ^1S$	(6%)	0	−135.1620898	0.00	4.8704782[5]	3.9927838[3]	4.895671[1]
$1s^22s2p\ ^3P^o$	(100%)			0	−134.5887139	125841.46	4.8496630[5]	−1.5269000[4]	4.706935[1]
	(100%)			1	−134.5853726	126574.79	4.8496360[5]	−1.5282564[4]	4.706934[1]
	(100%)			2	−134.5780613	128179.42	4.8495316[5]	−1.5309230[4]	4.706922[1]
$1s^22s2p\ ^1P^o$	(99%)			1	−134.0530508	243405.90	4.8308158[5]	−1.4786201[4]	4.690853[1]
$1s^22p^2\ ^3P$	(100%)			0	−133.6699329	327490.58	4.8164468[5]	−3.5443172[4]	4.490907[1]
	(100%)			1	−133.6661265	328325.99	4.8163926[5]	−3.5458548[4]	4.490878[1]
	(100%)			2	−133.6596392	329749.79	4.8163453[5]	−3.5487075[4]	4.490848[1]
$1s^22p^2\ ^1D$	(99%)			2	−133.5159606	361283.58	4.8113318[5]	−3.5765937[4]	4.492870[1]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(6%)	0	−133.1274542	446550.89	4.7979565[5]	−3.0576542[4]	4.510833[1]
Mg XIX									
$1s^22s^2\ ^1S$	(94%)	$+\ 1s^22p^2\ ^1S$	(6%)	0	−162.4350126	0.00	5.8515604[5]	4.1359070[3]	7.048158[1]
$1s^22s2p\ ^3P^o$	(100%)			0	−161.7949516	140477.14	5.8282857[5]	−1.9801977[4]	6.768488[1]
	(100%)			1	−161.7898295	141601.31	5.8282284[5]	−1.9821015[4]	6.768477[1]
	(100%)			2	−161.7786065	144064.48	5.8280421[5]	−1.9859095[4]	6.768437[1]
$1s^22s2p\ ^1P^o$	(99%)			1	−161.1961034	271909.14	5.8072544[5]	−1.9356133[4]	6.746591[1]
$1s^22p^2\ ^3P$	(100%)			0	−160.7677534	365921.09	5.7911460[5]	−4.5065427[4]	6.449542[1]
	(100%)			1	−160.7620418	367174.64	5.7910612[5]	−4.5090466[4]	6.449468[1]
	(100%)			2	−160.7520449	369368.69	5.7909525[5]	−4.5130102[4]	6.449405[1]
$1s^22p^2\ ^1D$	(99%)			2	−160.5885063	405261.27	5.7852279[5]	−4.5393609[4]	6.451838[1]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(6%)	0	−160.1566326	500046.59	5.7703088[5]	−3.9372277[4]	6.478674[1]
Al X									
$1s^22s^2\ ^1S$	(94%)	$+\ 1s^22p^2\ ^1S$	(6%)	0	−192.2336075	0.00	6.9228757[5]	4.2413649[3]	9.860223[1]
$1s^22s2p\ ^3P^o$	(100%)			0	−191.5268197	155121.99	6.8971268[5]	−2.4880176[4]	9.459487[1]
	(100%)			1	−191.5193017	156772.00	6.8970224[5]	−2.4906138[4]	9.459452[1]
	(100%)			2	−191.5027634	160401.75	6.8967185[5]	−2.4959061[4]	9.459361[1]
$1s^22s2p\ ^1P^o$	(100%)			1	−190.8634218	300721.00	6.8738795[5]	−2.4473322[4]	9.430485[1]
$1s^22p^2\ ^3P$	(100%)			0	−190.3898753	404652.44	6.8560119[5]	−5.5785085[4]	9.003952[1]
	(100%)			1	−190.3812847	406537.86	6.8558686[5]	−5.5824010[4]	9.003784[1]
	(100%)			2	−190.3666893	409741.17	6.8556726[5]	−5.5877737[4]	9.003663[1]
$1s^22p^2\ ^1D$	(99%)			2	−190.1836779	449907.54	6.8492520[5]	−5.6126289[4]	9.006551[1]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(6%)	0	−189.7084925	554198.68	6.8327895[5]	−4.9231766[4]	9.045132[1]
Si XI									
$1s^22s^2\ ^1S$	(94%)	$+\ 1s^22p^2\ ^1S$	(6%)	0	−224.5627048	0.00	8.0844429[5]	4.3130748[3]	1.346925[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−223.7891123	169783.91	8.0562009[5]	−3.0500742[4]	1.291059[2]
	(100%)			1	−223.7784707	172119.47	8.0560312[5]	−3.0535186[4]	1.291051[2]
	(100%)			2	−223.7548979	177293.10	8.0555627[5]	−3.0606984[4]	1.291033[2]
$1s^22s2p\ ^1P^o$	(100%)			1	−223.0594554	329925.09	8.0306955[5]	−3.0135394[4]	1.287301[2]
$1s^22p^2\ ^3P$	(100%)			0	−222.5407421	443769.49	8.0110437[5]	−6.7594586[4]	1.227743[2]
	(100%)			1	−222.5282182	446518.16	8.0108170[5]	−6.7654420[4]	1.227708[2]
	(99%)	$+\ 1s^22p^2\ ^1D$	(1%)	2	−222.5076895	451023.70	8.0104969[5]	−6.7725119[4]	1.227686[2]
$1s^22p^2\ ^1D$	(99%)	$+\ 1s^22p^2\ ^3P$	(1%)	2	−222.3055325	495392.03	8.0033974[5]	−6.7959707[4]	1.228025[2]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(6%)	0	−221.7871757	609158.21	7.9853947[5]	−6.0155749[4]	1.233399[2]
P XII									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−259.4275594	0.00	9.3362706[5]	4.3555541[3]	1.801922[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−258.5870628	184467.66	9.3055149[5]	−3.6660538[4]	1.725856[2]
	(100%)			1	−258.5724531	187674.13	9.3052561[5]	−3.6705170[4]	1.725840[2]
	(100%)			2	−258.5397721	194846.78	9.3045660[5]	−3.6800622[4]	1.725806[2]
$1s^22s2p\ ^1P^o$	(100%)			1	−257.7890617	359608.66	9.2776981[5]	−3.6339875[4]	1.721077[2]
$1s^22p^2\ ^3P$	(100%)			0	−257.2253426	483330.69	9.2562379[5]	−8.0485592[4]	1.639893[2]
	(100%)			1	−257.2075465	487236.50	9.2558939[5]	−8.0576508[4]	1.639822[2]
	(99%)	$+\ 1s^22p^2\ ^1D$	(1%)	2	−257.1795809	493374.23	9.2554077[5]	−8.0667106[4]	1.639787[2]
$1s^22p^2\ ^1D$	(99%)	$+\ 1s^22p^2\ ^3P$	(1%)	2	−256.9584710	541902.25	9.2476441[5]	−8.0889562[4]	1.640178[2]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(5%)	0	−256.3971077	665107.25	9.2281031[5]	−7.2145923[4]	1.647462[2]
S XIII									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−296.8339140	0.00	1.0678387[6]	4.3737160[3]	2.368617[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−295.9263977	199176.78	1.0645095[6]	−4.3356226[4]	2.267065[2]
	(100%)			1	−295.9068587	203465.11	1.0644719[6]	−4.3412876[4]	2.267036[2]
	(100%)			2	−295.8625978	213179.26	1.0643738[6]	−4.3537635[4]	2.266978[2]
$1s^22s2p\ ^1P^o$	(100%)			1	−295.0575531	389866.14	1.0614900[6]	−4.3084193[4]	2.261079[2]
$1s^22p^2\ ^3P$	(100%)			0	−294.4491796	523388.69	1.0591609[6]	−9.4448427[4]	2.152621[2]
	(100%)			1	−294.4244270	528821.25	1.0591106[6]	−9.4584808[4]	2.152487[2]
	(98%)	$+\ 1s^22p^2\ ^1D$	(2%)	2	−294.3873825	536951.58	1.0590403[6]	−9.4698124[4]	2.152432[2]

Continued...

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22p^2\ ^1D$	(98%)	$+\ 1s^22p^2\ ^3P$	(2%)	2	−294.1472760	589648.87	1.0581989[6]	−9.4911564[4]	2.152876[2]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(5%)	0	−293.5431095	722248.08	1.0560913[6]	−8.5205323[4]	2.162522[2]
Cl XIV									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−336.7879326	0.00	1.2110799[6]	4.3727118[3]	3.064520[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−335.8132683	213914.08	1.2074946[6]	−5.0584275[4]	2.931295[2]
	(100%)			1	−335.7877256	219520.06	1.2074421[6]	−5.0654870[4]	2.931245[2]
	(100%)			2	−335.7289682	232415.83	1.2073066[6]	−5.0815589[4]	2.931152[2]
$1s^22s2p\ ^1P^o$	(100%)			1	−334.8706238	420800.64	1.2042292[6]	−5.0365696[4]	2.923897[2]
$1s^22p^2\ ^3P$	(99%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−334.2182128	563988.28	1.2017154[6]	−1.0947199[5]	2.781581[2]
	(100%)			1	−334.1844053	571408.18	1.2016437[6]	−1.0967364[5]	2.781336[2]
	(97%)	$+\ 1s^22p^2\ ^1D$	(2%)	2	−334.1365468	581911.90	1.2015464[6]	−1.0981216[5]	2.781255[2]
$1s^22p^2\ ^1D$	(97%)	$+\ 1s^22p^2\ ^3P$	(2%)	2	−333.8770301	638869.24	1.2006404[6]	−1.1002143[5]	2.781747[2]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(5%)	0	−333.2303251	780804.58	1.1983793[6]	−9.9338049[4]	2.794256[2]
Ar XV									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−379.2962604	0.00	1.3633520[6]	4.3579671[3]	3.909650[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−378.2543077	228682.17	1.3595080[6]	−5.8340945[4]	3.737531[2]
	(100%)			1	−378.2215804	235864.98	1.3594371[6]	−5.8427453[4]	3.737450[2]
	(100%)			2	−378.1449140	252691.31	1.3592545[6]	−5.8631923[4]	3.737304[2]
$1s^22s2p\ ^1P^o$	(99%)			1	−377.2344001	452526.02	1.3559873[6]	−5.8181644[4]	3.728495[2]
$1s^22p^2\ ^3P$	(99%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−376.5389214	605165.94	1.3532876[6]	−1.2554351[5]	3.544670[2]
	(100%)			1	−376.4934675	615141.91	1.3531877[6]	−1.2583694[5]	3.544240[2]
	(96%)	$+\ 1s^22p^2\ ^1D$	(4%)	2	−376.4330292	628406.60	1.3530576[6]	−1.2600259[5]	3.544126[2]
$1s^22p^2\ ^1D$	(96%)	$+\ 1s^22p^2\ ^3P$	(4%)	2	−376.1531514	689832.66	1.3520866[6]	−1.2621494[5]	3.544655[2]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(5%)	0	−375.4642599	841026.88	1.3496726[6]	−1.1454970[5]	3.560571[2]
K XVI									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−424.3661064	0.00	1.5246627[6]	4.3350136[3]	4.932059[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−423.2567106	243484.23	1.5205570[6]	−6.6622213[4]	4.712409[2]
	(100%)			1	−423.2155219	252524.11	1.5204637[6]	−6.6726632[4]	4.712282[2]
	(100%)			2	−423.1169829	274150.91	1.5202224[6]	−6.6983934[4]	4.712060[2]
$1s^22s2p\ ^1P^o$	(99%)			1	−422.1555158	485168.54	1.5167697[6]	−6.6529186[4]	4.701468[2]
$1s^22p^2\ ^3P$	(99%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−421.4183827	646950.55	1.5138840[6]	−1.4264861[5]	4.467027[2]
	(100%)			1	−421.3581121	660178.43	1.5137474[6]	−1.4306835[5]	4.466296[2]
	(95%)	$+\ 1s^22p^2\ ^1D$	(5%)	2	−421.2833736	676581.63	1.5135783[6]	−1.4326220[5]	4.466143[2]
$1s^22p^2\ ^1D$	(95%)	$+\ 1s^22p^2\ ^3P$	(5%)	2	−420.9814490	742846.42	1.5125401[6]	−1.4348782[5]	4.466685[2]
$1s^22p^2\ ^1S$	(94%)	$+\ 1s^22s^2\ ^1S$	(5%)	0	−420.2508468	903195.05	1.5099738[6]	−1.3084677[5]	4.486618[2]
Ca XVII									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−472.0050048	0.00	1.6950097[6]	4.3093686[3]	6.153045[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−470.8280004	258322.60	1.6906395[6]	−7.5423878[4]	5.876068[2]
	(99%)	$+\ 1s^22s2p\ ^1P^o$	(1%)	1	−470.7769912	269517.84	1.6905195[6]	−7.5548156[4]	5.875876[2]
	(100%)			2	−470.6520059	296948.94	1.6902061[6]	−7.5868830[4]	5.875549[2]
$1s^22s2p\ ^1P^o$	(99%)	$+\ 1s^22s2p\ ^3P^o$	(1%)	1	−469.6408769	518866.10	1.6865724[6]	−7.5405423[4]	5.862937[2]
$1s^22p^2\ ^3P$	(98%)	$+\ 1s^22p^2\ ^1S$	(2%)	0	−468.8640610	689357.48	1.6835020[6]	−1.6077152[5]	5.567620[2]
	(100%)			1	−468.7851319	706680.40	1.6833183[6]	−1.6136108[5]	5.566418[2]
	(93%)	$+\ 1s^22p^2\ ^1D$	(7%)	2	−468.6945040	726570.93	1.6831043[6]	−1.6158323[5]	5.566223[2]
$1s^22p^2\ ^1D$	(93%)	$+\ 1s^22p^2\ ^3P$	(7%)	2	−468.3678968	798252.93	1.6819945[6]	−1.6183579[5]	5.566737[2]
$1s^22p^2\ ^1S$	(93%)	$+\ 1s^22s^2\ ^1S$	(5%)	0	−467.5962193	967616.55	1.6792770[6]	−1.4823657[5]	5.591307[2]
Sc XVIII									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−522.2209543	0.00	1.8743920[6]	4.2899345[3]	7.596664[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−520.9762126	273189.22	1.8697545[6]	−8.4740396[4]	7.251250[2]
	(99%)	$+\ 1s^22s2p\ ^1P^o$	(1%)	1	−520.9139525	286853.73	1.8696031[6]	−8.4886757[4]	7.250965[2]
	(100%)			2	−520.7572760	321240.25	1.8692020[6]	−8.5283775[4]	7.250494[2]
$1s^22s2p\ ^1P^o$	(99%)	$+\ 1s^22s2p\ ^3P^o$	(1%)	1	−519.6978413	553759.28	1.8653923[6]	−8.4807157[4]	7.235618[2]
$1s^22p^2\ ^3P$	(98%)	$+\ 1s^22p^2\ ^1S$	(2%)	0	−518.8847054	732221.98	1.8621445[6]	−1.7989894[5]	6.867870[2]
	(100%)			1	−518.7811424	754951.43	1.8618934[6]	−1.8070519[5]	6.865963[2]
	(90%)	$+\ 1s^22p^2\ ^1D$	(10%)	2	−518.6738061	778509.02	1.8616321[6]	−1.8095691[5]	6.865723[2]
$1s^22p^2\ ^1D$	(90%)	$+\ 1s^22p^2\ ^3P$	(10%)	2	−518.3187558	856433.55	1.8604428[6]	−1.8125400[5]	6.866146[2]
$1s^22p^2\ ^1S$	(93%)	$+\ 1s^22s^2\ ^1S$	(5%)	0	−517.5061949	1034770.05	1.8575717[6]	−1.6672474[5]	6.895973[2]
Ti XIX									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−575.0227019	0.00	2.0628184[6]	4.2755276[3]	9.300293[2]
$1s^22s2p\ ^3P^o$	(100%)			0	−573.7099831	288108.46	2.0579102[6]	−9.4569017[4]	8.873405[2]
	(99%)	$+\ 1s^22s2p\ ^1P^o$	(1%)	1	−573.6350094	304563.28	2.0577225[6]	−9.4738843[4]	8.872994[2]
	(100%)			2	−573.4406505	347220.13	2.0572160[6]	−9.5225574[4]	8.872329[2]
$1s^22s2p\ ^1P^o$	(99%)	$+\ 1s^22s2p\ ^3P^o$	(1%)	1	−572.3342888	590038.44	2.0532353[6]	−9.4731718[4]	8.854910[2]
$1s^22p^2\ ^3P$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−571.4876303	775858.51	2.0498118[6]	−2.0000685[5]	8.401248[2]
	(100%)			1	−571.3551240	804940.28	2.0494842[6]	−2.0109840[5]	8.398291[2]
	(87%)	$+\ 1s^22p^2\ ^1D$	(13%)	2	−571.2295207	832507.02	2.0491684[6]	−2.0137579[5]	8.398013[2]
$1s^22p^2\ ^1D$	(87%)	$+\ 1s^22p^2\ ^3P$	(13%)	2	−570.8408559	917809.08	2.0478876[6]	−2.0173827[5]	8.398250[2]

Continued...

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22p^2\ ^1S$	(93%)	$+\ 1s^22s^2\ ^1S$	(4%)	0	−569.9890003	1104769.75	2.0448682[6]	−1.8632174[5]	8.433994[2]
V XX									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−630.4192600	0.00	2.2602896[6]	4.2738535[3]	1.129592[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−629.0383482	303075.10	2.2551071[6]	−1.0490376[5]	1.077276[3]
	(99%)	$+\ 1s^22s2p\ ^1P^o$	(1%)	1	−628.9491702	322647.41	2.2548781[6]	−1.0509855[5]	1.077218[3]
	(100%)			2	−628.7103287	375067.05	2.2542458[6]	−1.0569115[5]	1.077126[3]
$1s^22s2p\ ^1P^o$	(99%)	$+\ 1s^22s2p\ ^3P^o$	(1%)	1	−627.5584405	627877.29	2.2500994[6]	−1.0517576[5]	1.075101[3]
$1s^22p^2\ ^3P$	(96%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−626.6825875	820104.80	2.2465082[6]	−2.2108025[5]	1.019625[3]
	(100%)			1	−626.5146940	856953.16	2.2460855[6]	−2.2253036[5]	1.019179[3]
	(84%)	$+\ 1s^22p^2\ ^1D$	(16%)	2	−626.3700687	888694.73	2.2457119[6]	−2.2283084[5]	1.019148[3]
$1s^22p^2\ ^1D$	(84%)	$+\ 1s^22p^2\ ^3P$	(16%)	2	−625.9411607	982829.15	2.2443224[6]	−2.2328278[5]	1.019141[3]
$1s^22p^2\ ^1S$	(92%)	$+\ 1s^22s^2\ ^1S$	(4%)	0	−625.0512515	1178141.64	2.2411575[6]	−2.0703246[5]	1.023370[3]
Cr XXI									
$1s^22s^2\ ^1S$	(95%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−688.4202680	0.00	2.4668125[6]	4.2893833[3]	1.362636[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−686.9709226	318094.55	2.4613521[6]	−1.1573934[5]	1.298985[3]
	(98%)	$+\ 1s^22s2p\ ^1P^o$	(2%)	1	−686.8660514	341111.11	2.4610767[6]	−1.1596034[5]	1.298905[3]
	(100%)			2	−686.5750432	404980.02	2.4602953[6]	−1.1667717[5]	1.298778[3]
$1s^22s2p\ ^1P^o$	(98%)	$+\ 1s^22s2p\ ^3P^o$	(2%)	1	−685.3790225	667476.22	2.4559886[6]	−1.1613600[5]	1.296438[3]
$1s^22p^2\ ^3P$	(95%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−684.4793099	864940.30	2.4522406[6]	−2.4310160[5]	1.229111[3]
	(100%)			1	−684.2685405	911198.84	2.4517008[6]	−2.4499262[5]	1.228454[3]
	(81%)	$+\ 1s^22p^2\ ^1D$	(19%)	2	−684.1044723	947207.63	2.4512671[6]	−2.4531341[5]	1.228421[3]
$1s^22p^2\ ^1D$	(80%)	$+\ 1s^22p^2\ ^3P$	(19%)	2	−683.6271476	1051968.30	2.4497466[6]	−2.4588133[5]	1.228366[3]
$1s^22p^2\ ^1S$	(91%)	$+\ 1s^22p^2\ ^3P$	(4%)	0	−682.7005954	1255323.00	2.4464400[6]	−2.2886174[5]	1.233312[3]
Mn XXII									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−749.0357068	0.00	2.6823819[6]	4.3258726[3]	1.632357[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−747.5176662	333171.39	2.6766399[6]	−1.2707016[5]	1.555480[3]
	(98%)	$+\ 1s^22s2p\ ^1P^o$	(2%)	1	−747.3956397	359953.13	2.6763131[6]	−1.2731832[5]	1.555370[3]
	(100%)			2	−747.0438219	437168.19	2.6753563[6]	−1.2818028[5]	1.555199[3]
$1s^22s2p\ ^1P^o$	(98%)	$+\ 1s^22s2p\ ^3P^o$	(2%)	1	−745.8050301	709051.56	2.6708945[6]	−1.2760911[5]	1.552512[3]
$1s^22p^2\ ^3P$	(95%)	$+\ 1s^22p^2\ ^1S$	(5%)	0	−744.8879145	910335.17	2.6670045[6]	−2.6605441[5]	1.471420[3]
	(100%)			1	−744.6256556	967894.33	2.6663219[6]	−2.6847641[5]	1.470476[3]
	(77%)	$+\ 1s^22p^2\ ^1D$	(23%)	2	−744.4420306	1008195.37	2.6658277[6]	−2.6881496[5]	1.470443[3]
$1s^22p^2\ ^1D$	(77%)	$+\ 1s^22p^2\ ^3P$	(23%)	2	−743.9065760	1125714.08	2.6641478[6]	−2.6952699[5]	1.470319[3]
$1s^22p^2\ ^1S$	(91%)	$+\ 1s^22p^2\ ^3P$	(5%)	0	−742.9449006	1336777.43	2.6607037[6]	−2.5181178[5]	1.476036[3]
Fe XXIII									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−812.2763188	0.00	2.9070104[6]	4.3865946[3]	1.944536[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−810.6893714	348294.69	2.9009864[6]	−1.3888676[5]	1.852249[3]
	(97%)	$+\ 1s^22s2p\ ^1P^o$	(3%)	1	−810.5487741	379152.24	2.9005987[6]	−1.3916119[5]	1.852101[3]
	(100%)			2	−810.1264665	471838.04	2.8994307[6]	−1.4018940[5]	1.851873[3]
$1s^22s2p\ ^1P^o$	(97%)	$+\ 1s^22s2p\ ^3P^o$	(3%)	1	−808.8460911	752847.93	2.8948601[6]	−1.3959795[5]	1.848802[3]
$1s^22p^2\ ^3P$	(93%)	$+\ 1s^22p^2\ ^1S$	(6%)	0	−807.9192717	956261.29	2.8908125[6]	−2.8992341[5]	1.751713[3]
	(100%)			1	−807.5957152	1027273.72	2.8899574[6]	−2.9297242[5]	1.750385[3]
	(73%)	$+\ 1s^22p^2\ ^1D$	(27%)	2	−807.3926734	1071836.25	2.8894031[6]	−2.9332677[5]	1.750354[3]
$1s^22p^2\ ^1D$	(73%)	$+\ 1s^22p^2\ ^3P$	(27%)	2	−806.7878908	1204570.68	2.8875297[6]	−2.9421214[5]	1.750136[3]
$1s^22p^2\ ^1S$	(90%)	$+\ 1s^22p^2\ ^3P$	(6%)	0	−805.7926450	1423001.87	2.8839528[6]	−2.7588207[5]	1.756676[3]
Co XXIV									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−878.1530876	0.00	3.1406888[6]	4.4741083[3]	2.302692[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−876.4967301	363528.42	3.1343720[6]	−1.5119363[5]	2.192552[3]
	(97%)	$+\ 1s^22s2p\ ^1P^o$	(3%)	1	−876.3362317	398753.77	3.1339274[6]	−1.5149766[5]	2.192357[3]
	(100%)			2	−875.8326601	509274.95	3.1325275[6]	−1.5272352[5]	2.192054[3]
$1s^22s2p\ ^1P^o$	(97%)	$+\ 1s^22s2p\ ^3P^o$	(3%)	1	−874.5121580	799091.66	3.1277712[6]	−1.5208005[5]	2.188565[3]
$1s^22p^2\ ^3P$	(92%)	$+\ 1s^22p^2\ ^1S$	(7%)	0	−873.5845268	1002683.17	3.1236569[6]	−3.1469486[5]	2.073106[3]
	(100%)			1	−873.1886099	1089576.88	3.1225952[6]	−3.1847087[5]	2.071278[3]
	(69%)	$+\ 1s^22p^2\ ^1D$	(31%)	2	−872.9664813	1138328.46	3.1219827[6]	−3.1883989[5]	2.071250[3]
$1s^22p^2\ ^1D$	(69%)	$+\ 1s^22p^2\ ^3P$	(31%)	2	−872.2797635	1289045.59	3.1198764[6]	−3.1992871[5]	2.070907[3]
$1s^22p^2\ ^1S$	(89%)	$+\ 1s^22p^2\ ^3P$	(8%)	0	−871.2524571	1514513.29	3.1161717[6]	−3.0106920[5]	2.078310[3]
Ni XXV									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−946.6779846	0.00	3.3834438[6]	4.5903773[3]	2.715473[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−944.9519341	378824.28	3.3768326[6]	−1.6397343[5]	2.584630[3]
	(96%)	$+\ 1s^22s2p\ ^1P^o$	(4%)	1	−944.7702858	418691.49	3.3763223[6]	−1.6430548[5]	2.584375[3]
	(100%)			2	−944.1734813	549674.93	3.3746473[6]	−1.6575626[5]	2.583977[3]
$1s^22s2p\ ^1P^o$	(96%)	$+\ 1s^22s2p\ ^3P^o$	(4%)	1	−942.8138643	848076.35	3.3697509[6]	−1.6507036[5]	2.580026[3]
$1s^22p^2\ ^3P$	(91%)	$+\ 1s^22p^2\ ^1S$	(8%)	0	−941.8957613	1049576.66	3.3655624[6]	−3.4035649[5]	2.443321[3]
	(100%)			1	−941.4151154	1155066.24	3.3642560[6]	−3.4496145[5]	2.440850[3]
	(66%)	$+\ 1s^22p^2\ ^1D$	(34%)	2	−941.1743577	1207906.45	3.3635875[6]	−3.4534481[5]	2.440826[3]
$1s^22p^2\ ^1D$	(66%)	$+\ 1s^22p^2\ ^3P$	(34%)	2	−940.3917613	1379666.50	3.3612037[6]	−3.4666820[5]	2.440321[3]
$1s^22p^2\ ^1S$	(88%)	$+\ 1s^22p^2\ ^3P$	(9%)	0	−939.3337985	1611862.49	3.3573755[6]	−3.2736628[5]	2.448629[3]

Continued. . .

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
Cu XXVI									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−1017.8626738	0.00	3.6352325[6]	4.7364242[3]	3.182821[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1016.0665278	394208.47	3.6283235[6]	−1.7722277[5]	3.028362[3]
	(96%)	$+\ 1s^22s2p\ ^1P^o$	(4%)	1	−1015.8625946	438966.63	3.6277435[6]	−1.7758248[5]	3.028033[3]
	(100%)			2	−1015.1593420	593312.74	3.6257522[6]	−1.7929127[5]	3.027516[3]
$1s^22s2p\ ^1P^o$	(95%)	$+\ 1s^22s2p\ ^3P^o$	(4%)	1	−1013.7616245	900076.25	3.6207202[6]	−1.7855884[5]	3.023067[3]
$1s^22p^2\ ^3P$	(90%)	$+\ 1s^22p^2\ ^1S$	(9%)	0	−1012.8648208	1096901.91	3.6164917[6]	−3.6689732[5]	2.862241[3]
	(100%)			1	−1012.2857294	1223997.79	3.6148974[6]	−3.7243343[5]	2.858961[3]
	(63%)	$+\ 1s^22p^2\ ^1D$	(37%)	2	−1012.0268741	1280809.94	3.6141758[6]	−3.7283156[5]	2.858944[3]
$1s^22p^2\ ^1D$	(63%)	$+\ 1s^22p^2\ ^3P$	(37%)	2	−1011.1331720	1476954.89	3.6114651[6]	−3.7442204[5]	2.858234[3]
$1s^22p^2\ ^1S$	(87%)	$+\ 1s^22p^2\ ^3P$	(10%)	0	−1010.0458019	1715605.03	3.6075176[6]	−3.5476375[5]	2.867461[3]
Zn XXVII									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−1091.7205272	0.00	3.8961053[6]	4.9131018[3]	3.717980[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1089.8538177	409695.38	3.8888932[6]	−1.9093419[5]	3.536296[3]
	(95%)	$+\ 1s^22s2p\ ^1P^o$	(5%)	1	−1089.6265867	459566.81	3.8882395[6]	−1.9132093[5]	3.535878[3]
	(100%)			2	−1088.8023517	640465.48	3.8858868[6]	−1.9332449[5]	3.535208[3]
$1s^22s2p\ ^1P^o$	(95%)	$+\ 1s^22s2p\ ^3P^o$	(5%)	1	−1087.3674188	955396.84	3.8807231[6]	−1.9254127[5]	3.530214[3]
$1s^22p^2\ ^3P$	(89%)	$+\ 1s^22p^2\ ^1S$	(10%)	0	−1086.5051222	1144649.07	3.8764910[6]	−3.9430708[5]	3.341698[3]
	(100%)			1	−1085.8124818	1296666.05	3.8745610[6]	−4.0087532[5]	3.337412[3]
	(60%)	$+\ 1s^22p^2\ ^1D$	(40%)	2	−1085.5360945	1357326.06	3.8737896[6]	−4.0128933[5]	3.337402[3]
$1s^22p^2\ ^1D$	(60%)	$+\ 1s^22p^2\ ^3P$	(40%)	2	−1084.5148004	1581474.19	3.8706985[6]	−4.0318121[5]	3.336434[3]
$1s^22p^2\ ^1S$	(86%)	$+\ 1s^22p^2\ ^3P$	(11%)	0	−1083.3990963	1826342.94	3.8666349[6]	−3.8324946[5]	3.346607[3]
Ga XXVIII									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(4%)	0	−1168.2643262	0.00	4.1660166[6]	5.1201991[3]	4.321408[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1166.3265878	425284.40	4.1584984[6]	−2.0510040[5]	4.108814[3]
	(94%)	$+\ 1s^22s2p\ ^1P^o$	(6%)	1	−1166.0751751	480463.11	4.1577686[6]	−2.0551336[5]	4.108288[3]
	(100%)			2	−1165.1140428	691407.26	4.1550037[6]	−2.0785210[5]	4.107427[3]
$1s^22s2p\ ^1P^o$	(94%)	$+\ 1s^22s2p\ ^3P^o$	(6%)	1	−1163.6426389	1014343.09	4.1497122[6]	−2.0701379[5]	4.101845[3]
$1s^22p^2\ ^3P$	(87%)	$+\ 1s^22p^2\ ^1S$	(12%)	0	−1162.8295831	1192788.20	4.1455198[6]	−4.2257611[5]	3.882021[3]
	(100%)			1	−1162.0068702	1373352.80	4.1432014[6]	−4.3027528[5]	3.876506[3]
	(57%)	$+\ 1s^22p^2\ ^1D$	(43%)	2	−1161.7135217	1437735.36	4.1423842[6]	−4.3070676[5]	3.876505[3]
$1s^22p^2\ ^1D$	(57%)	$+\ 1s^22p^2\ ^3P$	(43%)	2	−1160.5468898	1693781.46	4.1388542[6]	−4.3293680[5]	3.875218[3]
$1s^22p^2\ ^1S$	(85%)	$+\ 1s^22p^2\ ^3P$	(12%)	0	−1159.4037339	1944675.18	4.1346780[6]	−4.1280950[5]	3.886337[3]
Ge XXIX									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1247.5082588	0.00	4.4449888[6]	5.3571974[3]	5.003959[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1245.4989642	440989.17	4.4371613[6]	−2.1971323[5]	4.756172[3]
	(93%)	$+\ 1s^22s2p\ ^1P^o$	(7%)	1	−1245.2226190	501639.94	4.4363524[6]	−2.2015144[5]	4.755518[3]
	(100%)			2	−1244.1072295	746439.63	4.4331205[6]	−2.2286983[5]	4.754417[3]
$1s^22s2p\ ^1P^o$	(93%)	$+\ 1s^22s2p\ ^3P^o$	(7%)	1	−1242.5999603	1077246.98	4.4277041[6]	−2.2197186[5]	4.748200[3]
$1s^22p^2\ ^3P$	(86%)	$+\ 1s^22p^2\ ^1S$	(13%)	0	−1241.8524176	1241313.63	4.4235997[6]	−4.5169442[5]	4.492865[3]
	(100%)			1	−1240.8816530	1454371.82	4.4208356[6]	−4.6062070[5]	4.485864[3]
	(55%)	$+\ 1s^22p^2\ ^1D$	(45%)	2	−1240.5719033	1522354.03	4.4199754[6]	−4.6107164[5]	4.485872[3]
$1s^22p^2\ ^1D$	(55%)	$+\ 1s^22p^2\ ^3P$	(45%)	2	−1239.2409046	1814474.45	4.4159440[6]	−4.6367942[5]	4.484192[3]
$1s^22p^2\ ^1S$	(84%)	$+\ 1s^22p^2\ ^3P$	(14%)	0	−1238.0709993	2071239.00	4.4116570[6]	−4.4342744[5]	4.496261[3]
As XXX									
$1s^22s^2\ ^1S$	(96%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1329.4672910	0.00	4.7330601[6]	5.6234487[3]	5.779890[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1327.3858382	456826.06	4.7249182[6]	−2.3476437[5]	5.491855[3]
	(92%)	$+\ 1s^22s2p\ ^1P^o$	(8%)	1	−1327.0839417	523084.68	4.7240281[6]	−2.3522668[5]	5.491049[3]
	(100%)			2	−1325.7954328	805879.69	4.7202692[6]	−2.3837338[5]	5.489646[3]
$1s^22s2p\ ^1P^o$	(92%)	$+\ 1s^22s2p\ ^3P^o$	(8%)	1	−1324.2527671	1144455.67	4.7147301[6]	−2.3741069[5]	5.482734[3]
$1s^22p^2\ ^3P$	(85%)	$+\ 1s^22p^2\ ^1S$	(14%)	0	−1323.5885712	1290229.82	4.7107655[6]	−4.8165168[5]	5.186924[3]
	(100%)			1	−1322.4502850	1540054.76	4.7074927[6]	−4.9189831[5]	5.178134[3]
	(53%)	$+\ 1s^22p^2\ ^1D$	(47%)	2	−1322.1246724	1611518.46	4.7065933[6]	−4.9237087[5]	5.178153[3]
$1s^22p^2\ ^1D$	(53%)	$+\ 1s^22p^2\ ^3P$	(47%)	2	−1320.6089543	1944180.12	4.7019937[6]	−4.9539944[5]	5.175991[3]
$1s^22p^2\ ^1S$	(83%)	$+\ 1s^22p^2\ ^3P$	(15%)	0	−1319.4128296	2206699.14	4.6975977[6]	−4.7508690[5]	5.189019[3]
Se XXXI									
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1414.1557394	0.00	5.0301595[6]	5.9168274[3]	6.647724[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1412.0014987	472801.17	5.0217007[6]	−2.5024465[5]	6.314382[3]
	(91%)	$+\ 1s^22s2p\ ^1P^o$	(9%)	1	−1411.6735610	544775.17	5.0207279[6]	−2.5072996[5]	6.313401[3]
	(100%)			2	−1410.1915092	870047.93	5.0163764[6]	−2.5435834[5]	6.311624[3]
$1s^22s2p\ ^1P^o$	(91%)	$+\ 1s^22s2p\ ^3P^o$	(9%)	1	−1408.6137854	1216318.28	5.0107163[6]	−2.5332543[5]	6.303967[3]
$1s^22p^2\ ^3P$	(84%)	$+\ 1s^22p^2\ ^1S$	(15%)	0	−1408.0524428	1339518.73	5.0069534[6]	−5.1243659[5]	5.962752[3]
	(100%)			1	−1406.7256373	1630718.88	5.0031047[6]	−5.2409464[5]	5.951849[3]
	(51%)	$+\ 1s^22p^2\ ^1D$	(49%)	2	−1406.3846743	1705551.59	5.0021687[6]	−5.2459124[5]	5.951878[3]
$1s^22p^2\ ^1D$	(51%)	$+\ 1s^22p^2\ ^3P$	(49%)	2	−1404.6625084	2083523.31	4.9969295[6]	−5.2808742[5]	5.949131[3]
$1s^22p^2\ ^1S$	(82%)	$+\ 1s^22p^2\ ^3P$	(16%)	0	−1403.4405428	2351713.76	4.9924238[6]	−5.0776935[5]	5.963097[3]
Br XXXII									

Continued. . .

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1501.5904607	0.00	5.3363812[6]	6.2366565[3]	7.632663[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1499.3626987	488937.21	5.3275996[6]	−2.6614459[5]	7.247612[3]
	(90%)	$+\ 1s^22s2p\ ^1P^o$	(10%)	1	−1499.0083502	566707.73	5.3265428[6]	−2.6665174[5]	7.246424[3]
	(100%)			2	−1497.3107164	939295.28	5.3215278[6]	−2.7082007[5]	7.244182[3]
$1s^22s2p\ ^1P^o$	(90%)	$+\ 1s^22s2p\ ^3P^o$	(10%)	1	−1495.6981436	1293214.07	5.3157483[6]	−2.6971085[5]	7.235709[3]
$1s^22p^2\ ^3P$	(83%)	$+\ 1s^22p^2\ ^1S$	(16%)	0	−1495.2607517	1389210.51	5.3122496[6]	−5.4403653[5]	6.842821[3]
	(100%)			1	−1493.7228578	1726739.18	5.3077511[6]	−5.5719461[5]	6.829409[3]
$1s^22p^2\ ^1D$	(51%)	$+\ 1s^22p^2\ ^3P$	(49%)	2	−1493.3670306	1804834.23	5.3067830[6]	−5.5771788[5]	6.829450[3]
$1s^22p^2\ ^3P$	(51%)	$+\ 1s^22p^2\ ^1D$	(49%)	2	−1491.4152516	2233200.20	5.3008278[6]	−5.6173274[5]	6.825992[3]
$1s^22p^2\ ^1S$	(81%)	$+\ 1s^22p^2\ ^3P$	(17%)	0	−1490.1676859	2507009.20	5.2962134[6]	−5.4145777[5]	6.840901[3]
Kr XXXIII									
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1591.7856714	0.00	5.6516189[6]	6.5798601[3]	8.729457[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1589.4837047	505223.26	5.6425144[6]	−2.8245426[5]	8.286475[3]
	(89%)	$+\ 1s^22s2p\ ^1P^o$	(11%)	1	−1589.1026872	588846.93	5.6413727[6]	−2.8298219[5]	8.285052[3]
	(100%)			2	−1587.1657617	1013952.95	5.6356177[6]	−2.8775402[5]	8.282237[3]
$1s^22s2p\ ^1P^o$	(89%)	$+\ 1s^22s2p\ ^3P^o$	(11%)	1	−1585.5184340	1375499.57	5.6297198[6]	−2.8656171[5]	8.272892[3]
$1s^22p^2\ ^3P$	(82%)	$+\ 1s^22p^2\ ^1S$	(17%)	0	−1585.2278875	1439267.14	5.6265597[6]	−5.7643726[5]	7.822276[3]
	(100%)			1	−1583.4547236	1828431.64	5.6213328[6]	−5.9118334[5]	7.805941[3]
$1s^22p^2\ ^1D$	(52%)	$+\ 1s^22p^2\ ^3P$	(48%)	2	−1583.0844924	1909688.00	5.6203352[6]	−5.9173595[5]	7.805995[3]
$1s^22p^2\ ^3P$	(52%)	$+\ 1s^22p^2\ ^1D$	(48%)	2	−1580.8784321	2393862.24	5.6135829[6]	−5.9632533[5]	7.801682[3]
$1s^22p^2\ ^1S$	(80%)	$+\ 1s^22p^2\ ^3P$	(18%)	0	−1579.6053879	2673263.14	5.6088599[6]	−5.7613331[5]	7.817505[3]
Rb XXXIV									
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1684.7624838	0.00	5.9759656[6]	6.9457663[3]	9.965687[3]
$1s^22s2p\ ^3P^o$	(100%)			0	−1682.3854117	521707.02	5.9665318[6]	−2.9916304[5]	9.457048[3]
	(88%)	$+\ 1s^22s2p\ ^1P^o$	(12%)	1	−1681.9775676	611218.45	5.9653057[6]	−2.9971085[5]	9.455355[3]
	(100%)			2	−1679.7759131	1094425.74	5.9587285[6]	−3.0515544[5]	9.451833[3]
$1s^22s2p\ ^1P^o$	(88%)	$+\ 1s^22s2p\ ^3P^o$	(12%)	1	−1678.0938165	1463603.27	5.9527125[6]	−3.0387241[5]	9.441537[3]
$1s^22p^2\ ^3P$	(81%)	$+\ 1s^22p^2\ ^1S$	(18%)	0	−1677.9745767	1489773.36	5.9499665[6]	−6.0962375[5]	8.925665[3]
	(100%)			1	−1675.9402893	1936247.85	5.9439274[6]	−6.2604466[5]	8.905912[3]
$1s^22p^2\ ^1D$	(53%)	$+\ 1s^22p^2\ ^3P$	(47%)	2	−1675.5560892	2020570.02	5.9429034[6]	−6.2662943[5]	8.905980[3]
$1s^22p^2\ ^3P$	(53%)	$+\ 1s^22p^2\ ^1D$	(47%)	2	−1673.0695051	2566312.12	5.9352679[6]	−6.3185419[5]	8.900636[3]
$1s^22p^2\ ^1S$	(79%)	$+\ 1s^22p^2\ ^3P$	(19%)	0	−1671.7710126	2851298.28	5.9304348[6]	−6.1177800[5]	8.917366[3]
Sr XXXV									
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1780.5350393	0.00	6.3093420[6]	7.3318030[3]	1.134241[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−1778.0819531	538390.17	6.2995784[6]	−3.1625990[5]	1.076024[4]
	(87%)	$+\ 1s^22s2p\ ^1P^o$	(13%)	1	−1777.6472138	633804.41	6.2982678[6]	−3.1682680[5]	1.075824[4]
	(100%)			2	−1775.1536103	1181087.11	6.2907803[6]	−3.2301947[5]	1.075385[4]
$1s^22p^2\ ^3P$	(80%)	$+\ 1s^22p^2\ ^1S$	(19%)	0	−1773.5149954	1540721.50	6.2823998[6]	−6.4357855[5]	1.015375[4]
$1s^22s2p\ ^1P^o$	(87%)	$+\ 1s^22s2p\ ^3P^o$	(13%)	1	−1773.4366379	1557918.99	6.2846463[6]	−3.2163730[5]	1.074253[4]
$1s^22p^2\ ^3P$	(100%)			1	−1771.1920112	2050557.60	6.2754591[6]	−6.6176193[5]	1.013005[4]
$1s^22p^2\ ^1D$	(55%)	$+\ 1s^22p^2\ ^3P$	(45%)	2	−1770.7942567	2137854.61	6.2744120[6]	−6.6238164[5]	1.013013[4]
$1s^22p^2\ ^3P$	(55%)	$+\ 1s^22p^2\ ^1D$	(45%)	2	−1767.9992590	2751285.69	6.2658012[6]	−6.6830830[5]	1.012355[4]
$1s^22p^2\ ^1S$	(78%)	$+\ 1s^22p^2\ ^3P$	(20%)	0	−1766.6752599	3041869.89	6.2608566[6]	−6.4837364[5]	1.014116[4]
Y XXXVI									
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1879.1233346	0.00	6.6518162[6]	7.7374583[3]	1.288691[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−1876.5933069	555276.89	6.6417187[6]	−3.3373311[5]	1.222181[4]
	(86%)	$+\ 1s^22s2p\ ^1P^o$	(14%)	1	−1876.1316807	656592.12	6.6403247[6]	−3.3431847[5]	1.221946[4]
	(100%)			2	−1873.3170653	1274328.78	6.6318323[6]	−3.4134114[5]	1.221403[4]
$1s^22p^2\ ^3P$	(79%)	$+\ 1s^22p^2\ ^1S$	(20%)	0	−1871.8691333	1592113.11	6.6239185[6]	−6.7827964[5]	1.153076[4]
$1s^22s2p\ ^1P^o$	(86%)	$+\ 1s^22s2p\ ^3P^o$	(14%)	1	−1871.5650243	1658857.31	6.6255800[6]	−3.3985042[5]	1.220160[4]
$1s^22p^2\ ^3P$	(100%)			1	−1869.2280968	2171753.60	6.6159820[6]	−6.9831523[5]	1.150248[4]
$1s^22p^2\ ^1D$	(56%)	$+\ 1s^22p^2\ ^3P$	(44%)	2	−1868.8171835	2261938.64	6.6149151[6]	−6.9897291[5]	1.150258[4]
$1s^22p^2\ ^3P$	(56%)	$+\ 1s^22p^2\ ^1D$	(44%)	2	−1865.6841576	2949558.32	6.6052333[6]	−7.0567460[5]	1.149453[4]
$1s^22p^2\ ^1S$	(78%)	$+\ 1s^22p^2\ ^3P$	(21%)	0	−1864.3345211	3245769.29	6.6001757[6]	−6.8590117[5]	1.151300[4]
Zr XXXVII									
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(3%)	0	−1980.5465484	0.00	7.0033607[6]	8.0896196[3]	1.461015[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−1977.9383093	572442.32	6.9929181[6]	−3.5157036[5]	1.385202[4]
	(86%)	$+\ 1s^22s2p\ ^1P^o$	(14%)	1	−1977.4498707	679642.19	6.9914415[6]	−3.5217379[5]	1.384929[4]
	(100%)			2	−1974.2832768	1374629.19	6.9818435[6]	−3.6011547[5]	1.384257[4]
$1s^22p^2\ ^3P$	(78%)	$+\ 1s^22p^2\ ^1S$	(20%)	0	−1973.0559231	1644002.19	6.9745624[6]	−7.1378655[5]	1.306618[4]
$1s^22s2p\ ^1P^o$	(85%)	$+\ 1s^22s2p\ ^3P^o$	(14%)	1	−1972.4959047	1766912.01	6.9754724[6]	−3.5850567[5]	1.382894[4]
$1s^22p^2\ ^3P$	(100%)			1	−1970.0656693	2300287.03	6.9655048[6]	−7.3575837[5]	1.303267[4]
$1s^22p^2\ ^1D$	(56%)	$+\ 1s^22p^2\ ^3P$	(44%)	2	−1969.6419590	2393280.68	6.9644151[6]	−7.3645338[5]	1.303279[4]
$1s^22p^2\ ^3P$	(56%)	$+\ 1s^22p^2\ ^1D$	(44%)	2	−1966.1394872	3161984.37	6.9535246[6]	−7.4399402[5]	1.302303[4]
$1s^22p^2\ ^1S$	(77%)	$+\ 1s^22p^2\ ^3P$	(22%)	0	−1964.7640257	3463863.27	6.9483522[6]	−7.2439522[5]	1.304235[4]
Nb XXXVIII									
$1s^22s^2\ ^1S$	(97%)	$+\ 1s^22p^2\ ^1S$	(2%)	0	−2084.8239698	0.00	7.3638956[6]	8.4928775[3]	1.651952[4]

Continued...

Table 1 (continued)

Level composition in LSJ coupling					J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s2p\ ^3P^o$	(100%)				0	−2082.1365985	589809.80	7.3531181[6]	−3.6975870[5]	1.565779[4]
	(85%)	+ $1s^22s2p\ ^1P^o$	(15%)		1	−2081.6214772	702865.85	7.3515599[6]	−3.7038000[5]	1.565462[4]
	(100%)				2	−2078.0699704	1482331.47	7.3407495[6]	−3.7933729[5]	1.564636[4]
$1s^22p^2\ ^3P$	(77%)	+ $1s^22p^2\ ^1S$	(21%)		0	−2077.0947018	1696378.18	7.3341611[6]	−7.4995548[5]	1.476649[4]
$1s^22s2p\ ^1P^o$	(85%)	+ $1s^22s2p\ ^3P^o$	(15%)		1	−2076.2469429	1882439.76	7.3342585[6]	−3.7759694[5]	1.563143[4]
$1s^22p^2\ ^3P$	(100%)				1	−2073.7220925	2436580.35	7.3238885[6]	−7.7396247[5]	1.472698[4]
$1s^22p^2\ ^1D$	(57%)	+ $1s^22p^2\ ^3P$	(43%)		2	−2073.2859624	2532299.85	7.3227836[6]	−7.7470043[5]	1.472712[4]
$1s^22p^2\ ^3P$	(57%)	+ $1s^22p^2\ ^1D$	(43%)		2	−2069.3807458	3389395.78	7.3105987[6]	−7.8317575[5]	1.471532[4]
$1s^22p^2\ ^1S$	(76%)	+ $1s^22p^2\ ^3P$	(22%)		0	−2067.9792188	3696995.41	7.3053094[6]	−7.6376070[5]	1.473545[4]
Mo XXXIX										
$1s^22s^2\ ^1S$	(97%)	+ $1s^22p^2\ ^1S$	(2%)		0	−2191.9755643	0.00	7.7333929[6]	8.9755057[3]	1.863008[4]
$1s^22s2p\ ^3P^o$	(100%)				0	−2189.2082801	607348.66	7.7222931[6]	−3.8828455[5]	1.765326[4]
	(84%)	+ $1s^22s2p\ ^1P^o$	(16%)		1	−2188.6666512	726222.48	7.7206551[6]	−3.8892379[5]	1.764962[4]
	(100%)				2	−2184.6952614	1597841.76	7.7085178[6]	−3.9900164[5]	1.763951[4]
$1s^22p^2\ ^3P$	(76%)	+ $1s^22p^2\ ^1S$	(22%)		0	−2184.0053678	1749255.89	7.7026947[6]	−7.8673585[5]	1.664494[4]
$1s^22s2p\ ^1P^o$	(84%)	+ $1s^22s2p\ ^3P^o$	(16%)		1	−2182.8362002	2005858.51	7.7019063[6]	−3.9711785[5]	1.762320[4]
$1s^22p^2\ ^3P$	(100%)				1	−2180.2153007	2581079.45	7.6911136[6]	−8.1288583[5]	1.659857[4]
$1s^22p^2\ ^1D$	(58%)	+ $1s^22p^2\ ^3P$	(42%)		2	−2179.7671108	2679445.76	7.6899954[6]	−8.1367003[5]	1.659872[4]
$1s^22p^2\ ^3P$	(58%)	+ $1s^22p^2\ ^1D$	(42%)		2	−2175.4238967	3632671.06	7.6764155[6]	−8.2318130[5]	1.658447[4]
$1s^22p^2\ ^1S$	(76%)	+ $1s^22p^2\ ^3P$	(23%)		0	−2173.9960335	3946050.79	7.6710048[6]	−8.0395334[5]	1.660536[4]
Tc XL										
$1s^22s^2\ ^1S$	(97%)	+ $1s^22p^2\ ^1S$	(2%)		0	−2302.0237353	0.00	8.1119248[6]	9.4943540[3]	2.100381[4]
$1s^22s2p\ ^3P^o$	(100%)				0	−2299.1749212	625242.41	8.1005000[6]	−4.0711269[5]	1.989673[4]
	(83%)	+ $1s^22s2p\ ^1P^o$	(17%)		1	−2298.6068896	749910.93	8.0987956[6]	−4.0777557[5]	1.989244[4]
	(100%)				2	−2294.1786841	1721789.67	8.0851558[6]	−4.1906535[5]	1.988025[4]
$1s^22p^2\ ^3P$	(76%)	+ $1s^22p^2\ ^1S$	(23%)		0	−2293.8099551	1802716.34	8.0802476[6]	−8.2414915[5]	1.875627[4]
$1s^22s2p\ ^1P^o$	(83%)	+ $1s^22s2p\ ^3P^o$	(17%)		1	−2292.2826541	2137920.14	8.0785620[6]	−4.1707508[5]	1.986189[4]
$1s^22p^2\ ^3P$	(100%)				1	−2289.5654704	2734273.03	8.0672073[6]	−8.5254043[5]	1.870214[4]
$1s^22p^2\ ^1D$	(59%)	+ $1s^22p^2\ ^3P$	(41%)		2	−2289.1052941	2835270.05	8.0661140[6]	−8.5337931[5]	1.870228[4]
$1s^22p^2\ ^3P$	(59%)	+ $1s^22p^2\ ^1D$	(41%)		2	−2284.2868572	3892794.69	8.0510332[6]	−8.6403905[5]	1.868510[4]
$1s^22p^2\ ^1S$	(75%)	+ $1s^22p^2\ ^3P$	(24%)		0	−2282.8319396	4212112.16	8.0455702[6]	−8.4501062[5]	1.870662[4]
Ru XLI										
$1s^22s^2\ ^1S$	(97%)	+ $1s^22p^2\ ^1S$	(2%)		0	−2414.9914816	0.00	8.4995135[6]	9.9477433[3]	2.361868[4]
$1s^22s2p\ ^3P^o$	(100%)				0	−2412.0599720	643391.97	8.4877582[6]	−4.2626854[5]	2.236744[4]
	(82%)	+ $1s^22s2p\ ^1P^o$	(18%)		1	−2411.4658809	773779.90	8.4859783[6]	−4.2695044[5]	2.236254[4]
	(100%)				2	−2406.5414634	1854564.58	8.4707597[6]	−4.3959670[5]	2.234772[4]
$1s^22p^2\ ^3P$	(75%)	+ $1s^22p^2\ ^1S$	(23%)		0	−2406.5314528	1856761.65	8.4668845[6]	−8.6225536[5]	2.108083[4]
$1s^22s2p\ ^1P^o$	(82%)	+ $1s^22s2p\ ^3P^o$	(18%)		1	−2404.6085288	2278794.68	8.4640439[6]	−4.3743418[5]	2.232766[4]
$1s^22p^2\ ^3P$	(100%)				1	−2401.7930578	2896719.12	8.4522744[6]	−8.9299865[5]	2.101780[4]
$1s^22p^2\ ^1D$	(59%)	+ $1s^22p^2\ ^3P$	(41%)		2	−2401.3214970	3000214.76	8.4511771[6]	−8.9389077[5]	2.101796[4]
$1s^22p^2\ ^3P$	(59%)	+ $1s^22p^2\ ^1D$	(41%)		2	−2395.9883070	4170714.63	8.4344450[6]	−9.0579633[5]	2.099739[4]
$1s^22p^2\ ^1S$	(75%)	+ $1s^22p^2\ ^3P$	(24%)		0	−2394.5063878	4495958.28	8.4288604[6]	−8.8695439[5]	2.101963[4]
Rh XLII										
$1s^22s^2\ ^1S$	(97%)	+ $1s^22p^2\ ^1S$	(2%)		0	−2530.9012888	0.00	8.8961354[6]	1.0435306[4]	2.652517[4]
$1s^22s2p\ ^3P^o$	(100%)				0	−2527.8858254	661817.69	8.8840523[6]	−4.4571322[5]	2.511291[4]
	(81%)	+ $1s^22s2p\ ^1P^o$	(19%)		1	−2527.2659390	797867.03	8.8822002[6]	−4.4641501[5]	2.510734[4]
$1s^22p^2\ ^3P$	(75%)	+ $1s^22p^2\ ^1S$	(24%)		0	−2522.1921882	1911426.58	8.8625654[6]	−9.0093634[5]	2.366320[4]
$1s^22s2p\ ^3P^o$	(100%)				2	−2521.8037885	1996670.46	8.8652660[6]	−4.6055126[5]	2.508938[4]
$1s^22s2p\ ^1P^o$	(81%)	+ $1s^22s2p\ ^3P^o$	(19%)		1	−2519.8334645	2429106.58	8.8584311[6]	−4.5820210[5]	2.506747[4]
$1s^22p^2\ ^3P$	(100%)				1	−2516.9183633	3068897.32	8.8462465[6]	−9.3414856[5]	2.359001[4]
$1s^22p^2\ ^1D$	(60%)	+ $1s^22p^2\ ^3P$	(40%)		2	−2516.4357519	3174818.28	8.8451478[6]	−9.3509720[5]	2.359018[4]
$1s^22p^2\ ^3P$	(60%)	+ $1s^22p^2\ ^1D$	(40%)		2	−2510.5461381	4467439.07	8.8266236[6]	−9.4836728[5]	2.356562[4]
$1s^22p^2\ ^1S$	(74%)	+ $1s^22p^2\ ^3P$	(25%)		0	−2509.0368527	4798688.92	8.8209141[6]	−9.2970528[5]	2.358856[4]
Pd XLIII										
$1s^22s^2\ ^1S$	(97%)	+ $1s^22p^2\ ^1S$	(2%)		0	−2649.7759892	0.00	9.3016936[6]	1.0915206[4]	2.973355[4]
$1s^22s2p\ ^3P^o$	(100%)				0	−2646.6752081	680542.78	9.2892907[6]	−4.6543785[5]	2.814262[4]
	(81%)	+ $1s^22s2p\ ^1P^o$	(19%)		1	−2646.0298076	822191.82	9.2873657[6]	−4.6615996[5]	2.813631[4]
$1s^22p^2\ ^3P$	(74%)	+ $1s^22p^2\ ^1S$	(24%)		0	−2640.8149286	1966725.43	9.2671912[6]	−9.4018867[5]	2.651204[4]
$1s^22s2p\ ^3P^o$	(100%)				2	−2639.9860584	2148641.41	9.2685758[6]	−4.8193242[5]	2.811462[4]
$1s^22s2p\ ^1P^o$	(81%)	+ $1s^22s2p\ ^3P^o$	(19%)		1	−2637.9778377	2589394.89	9.2616168[6]	−4.7937539[5]	2.809074[4]
$1s^22p^2\ ^3P$	(100%)				1	−2634.9618382	3251330.25	9.2490240[6]	−9.7599614[5]	2.642736[4]
$1s^22p^2\ ^1D$	(60%)	+ $1s^22p^2\ ^3P$	(40%)		2	−2634.4684973	3359606.06	9.2479271[6]	−9.7700445[5]	2.642755[4]
$1s^22p^2\ ^3P$	(60%)	+ $1s^22p^2\ ^1D$	(40%)		2	−2627.9784717	4784001.99	9.2274696[6]	−9.9177005[5]	2.639832[4]
$1s^22p^2\ ^1S$	(74%)	+ $1s^22p^2\ ^3P$	(26%)		0	−2626.4414271	5121344.27	9.2216327[6]	−9.7328000[5]	2.642194[4]
Ag XLIV										
$1s^22s^2\ ^1S$	(97%)	+ $1s^22p^2\ ^1S$	(2%)		0	−2771.6426842	0.00	9.7163448[6]	1.1394735[4]	3.330664[4]
$1s^22s2p\ ^3P^o$	(100%)				0	−2768.4549650	699623.46	9.7035935[6]	−4.8541529[5]	3.151530[4]

Continued...

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(80%)	+ $1s^22s2p\ ^1P^o$	(20%)	1	−2767.7843431	846807.96	9.7015997[6]	−4.8615934[5]	3.150818[4]
$1s^22p^2\ ^3P$	(73%)	+ $1s^22p^2\ ^1S$	(25%)	0	−2762.4264481	2022729.95	9.6808928[6]	−9.7997177[5]	2.968287[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−2761.1126994	2311064.46	9.6808026[6]	−5.0372496[5]	3.148206[4]
$1s^22s2p\ ^1P^o$	(80%)	+ $1s^22s2p\ ^3P^o$	(20%)	1	−2759.0660532	2760251.36	9.6737171[6]	−5.0094032[5]	3.145600[4]
$1s^22p^2\ ^3P$	(100%)			1	−2755.9478374	3444620.61	9.6607349[6]	−1.0185092[6]	2.958508[4]
$1s^22p^2\ ^1D$	(61%)	+ $1s^22p^2\ ^3P$	(39%)	2	−2755.4440972	3555178.79	9.6596409[6]	−1.0195810[6]	2.958529[4]
$1s^22p^2\ ^3P$	(61%)	+ $1s^22p^2\ ^1D$	(39%)	2	−2748.3072609	5121533.26	9.6371000[6]	−1.0359828[6]	2.955058[4]
$1s^22p^2\ ^1S$	(73%)	+ $1s^22p^2\ ^3P$	(26%)	0	−2746.7421048	5465045.32	9.6311220[6]	−1.0176494[6]	2.957489[4]
					Cd XLV				
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(2%)	0	−2896.5216172	0.00	1.0139533[7]	1.1892562[4]	3.717607[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−2893.2460015	718914.54	1.0126503[7]	−5.0562951[5]	3.516696[4]
	(79%)	+ $1s^22s2p\ ^1P^o$	(21%)	1	−2892.5504608	871568.06	1.0124443[7]	−5.0639706[5]	3.515896[4]
$1s^22p^2\ ^3P$	(73%)	+ $1s^22p^2\ ^1S$	(25%)	0	−2887.0473892	2079352.64	1.0103225[7]	−1.0202372[6]	3.311433[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−2885.2021074	2484345.17	1.0101480[7]	−5.2592631[5]	3.512766[4]
$1s^22s2p\ ^1P^o$	(79%)	+ $1s^22s2p\ ^3P^o$	(21%)	1	−2883.1164958	2942084.00	1.0094267[7]	−5.2289193[5]	3.509932[4]
$1s^22p^2\ ^3P$	(100%)			1	−2879.8945814	3649212.45	1.0080895[7]	−1.0616450[6]	3.300197[4]
$1s^22p^2\ ^1D$	(61%)	+ $1s^22p^2\ ^3P$	(39%)	2	−2879.3807467	3761986.13	1.0079822[7]	−1.0627876[6]	3.300220[4]
$1s^22p^2\ ^3P$	(61%)	+ $1s^22p^2\ ^1D$	(39%)	2	−2871.5482007	5481031.21	1.0055028[7]	−1.0809762[6]	3.296118[4]
$1s^22p^2\ ^1S$	(73%)	+ $1s^22p^2\ ^3P$	(26%)	0	−2869.9544025	5830829.50	1.0048984[7]	−1.0628203[6]	3.298606[4]
					In XLVI				
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(2%)	0	−3024.4456442	0.00	1.0571864[7]	1.2349033[4]	4.153026[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−3021.0813856	738369.41	1.0558660[7]	−5.2606077[5]	3.927704[4]
	(79%)	+ $1s^22s2p\ ^1P^o$	(21%)	1	−3020.3612329	896424.65	1.0556536[7]	−5.2685355[5]	3.926806[4]
$1s^22p^2\ ^3P$	(73%)	+ $1s^22p^2\ ^1S$	(26%)	0	−3014.7098927	2136750.43	1.0534690[7]	−1.0610055[6]	3.697330[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3012.2847314	2669011.78	1.0531239[7]	−5.4853106[5]	3.923059[4]
$1s^22s2p\ ^1P^o$	(79%)	+ $1s^22s2p\ ^3P^o$	(21%)	1	−3010.1595969	3135424.88	1.0523898[7]	−5.4522336[5]	3.919971[4]
$1s^22p^2\ ^3P$	(100%)			1	−3006.8315492	3865846.90	1.0510000[7]	−1.1054260[6]	3.684421[4]
$1s^22p^2\ ^1D$	(61%)	+ $1s^22p^2\ ^3P$	(39%)	2	−3006.3079314	3980767.72	1.0508974[7]	−1.1066529[6]	3.684445[4]
$1s^22p^2\ ^3P$	(61%)	+ $1s^22p^2\ ^1D$	(39%)	2	−2997.7281650	5863808.74	1.0481742[7]	−1.1267858[6]	3.679606[4]
$1s^22p^2\ ^1S$	(72%)	+ $1s^22p^2\ ^3P$	(27%)	0	−2996.1054231	6219959.40	1.0475698[7]	−1.1088270[6]	3.682163[4]
					Sn XLVII				
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(2%)	0	−3155.4378837	0.00	1.1012876[7]	1.2804630[4]	4.627096[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−3151.9826880	758327.78	1.0999434[7]	−5.4668593[5]	4.374914[4]
	(78%)	+ $1s^22s2p\ ^1P^o$	(22%)	1	−3151.2382346	921716.41	1.0997248[7]	−5.4750607[5]	4.373911[4]
$1s^22p^2\ ^3P$	(72%)	+ $1s^22p^2\ ^1S$	(26%)	0	−3145.4372682	2194881.33	1.0974865[7]	−1.1021555[6]	4.117244[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3142.3794349	2865998.16	1.0969443[7]	−5.7153191[5]	4.369445[4]
$1s^22s2p\ ^1P^o$	(78%)	+ $1s^22s2p\ ^3P^o$	(22%)	1	−3140.2142157	3341208.82	1.0961970[7]	−5.6792416[5]	4.366088[4]
$1s^22p^2\ ^3P$	(100%)			1	−3136.7792895	4095087.95	1.0947686[7]	−1.1497732[6]	4.102461[4]
$1s^22p^2\ ^1D$	(62%)	+ $1s^22p^2\ ^3P$	(38%)	2	−3136.2462322	4212080.51	1.0946640[7]	−1.1510596[6]	4.102486[4]
$1s^22p^2\ ^3P$	(62%)	+ $1s^22p^2\ ^1D$	(38%)	2	−3126.8650121	6271020.26	1.0916850[7]	−1.1733396[6]	4.096791[4]
$1s^22p^2\ ^1S$	(72%)	+ $1s^22p^2\ ^3P$	(27%)	0	−3125.2129595	6633603.90	1.0910443[7]	−1.1554153[6]	4.099409[4]
					Sb XLVIII				
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(2%)	0	−3289.5319588	0.00	1.1463001[7]	1.3338126[4]	5.157097[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−3285.9836638	778760.72	1.1449338[7]	−5.6748232[5]	4.874780[4]
	(77%)	+ $1s^22s2p\ ^1P^o$	(23%)	1	−3285.2152208	947414.45	1.1447092[7]	−5.6833214[5]	4.873661[4]
$1s^22p^2\ ^3P$	(72%)	+ $1s^22p^2\ ^1S$	(26%)	0	−3279.2624570	2253895.05	1.1424139[7]	−1.1436010[6]	4.586443[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3275.5171462	3075895.75	1.1416593[7]	−5.9492258[5]	4.868345[4]
$1s^22s2p\ ^1P^o$	(77%)	+ $1s^22s2p\ ^3P^o$	(23%)	1	−3273.3112669	3560030.26	1.1408988[7]	−5.9098752[5]	4.864690[4]
$1s^22p^2\ ^3P$	(100%)			1	−3269.7680489	4337676.71	1.1394302[7]	−1.1946042[6]	4.569518[4]
$1s^22p^2\ ^1D$	(62%)	+ $1s^22p^2\ ^3P$	(38%)	2	−3269.2258529	4456674.97	1.1393258[7]	−1.1959615[6]	4.569546[4]
$1s^22p^2\ ^3P$	(62%)	+ $1s^22p^2\ ^1D$	(38%)	2	−3258.9861185	6704036.85	1.1360708[7]	−1.2205760[6]	4.562846[4]
$1s^22p^2\ ^1S$	(72%)	+ $1s^22p^2\ ^3P$	(28%)	0	−3257.3042131	7073172.40	1.1354086[7]	−1.2027321[6]	4.565526[4]
					Te XLIX				
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(2%)	0	−3426.7470959	0.00	1.1921208[7]	1.3908253[4]	5.724063[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−3423.1045269	799451.46	1.1907373[7]	−5.8843244[5]	5.409306[4]
	(77%)	+ $1s^22s2p\ ^1P^o$	(23%)	1	−3422.3124065	973301.78	1.1905071[7]	−5.8931463[5]	5.408063[4]
$1s^22p^2\ ^3P$	(71%)	+ $1s^22p^2\ ^1S$	(27%)	0	−3416.2057044	2313567.94	1.1881572[7]	−1.1853073[6]	5.087993[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3411.7151609	3299128.30	1.1871687[7]	−6.1870337[5]	5.401770[4]
$1s^22s2p\ ^1P^o$	(77%)	+ $1s^22s2p\ ^3P^o$	(23%)	1	−3409.4680457	3792313.06	1.1863950[7]	−6.1441090[5]	5.397804[4]
$1s^22p^2\ ^3P$	(100%)			1	−3405.8151666	4594027.33	1.1848926[7]	−1.2399111[6]	5.068705[4]
$1s^22p^2\ ^1D$	(62%)	+ $1s^22p^2\ ^3P$	(38%)	2	−3405.2641440	4714962.81	1.1847883[7]	−1.2413408[6]	5.068736[4]
$1s^22p^2\ ^3P$	(62%)	+ $1s^22p^2\ ^1D$	(38%)	2	−3394.1059260	7163908.52	1.1812382[7]	−1.2685021[6]	5.060893[4]
$1s^22p^2\ ^1S$	(72%)	+ $1s^22p^2\ ^3P$	(28%)	0	−3392.3936986	7539699.00	1.1805570[7]	−1.2507347[6]	5.063626[4]
					I L				
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(2%)	0	−3567.1319090	0.00	1.2389239[7]	1.4429771[4]	6.376110[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−3563.3923655	820734.89	1.2375202[7]	−6.0950135[5]	6.023913[4]
	(76%)	+ $1s^22s2p\ ^1P^o$	(24%)	1	−3562.5768763	999714.08	1.2372845[7]	−6.1041892[5]	6.022530[4]

Continued...

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22p^2\ ^3P$	(71%)	$+\ 1s^22p^2\ ^1S$	(27%)	0	−3556.3134442	2374378.51	1.2348793[7]	−1.2273403[6]	5.664541[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3551.0175003	3536703.80	1.2336371[7]	−6.4285921[5]	6.015067[4]
$1s^22s2p\ ^1P^o$	(76%)	$+\ 1s^22s2p\ ^3P^o$	(24%)	1	−3548.7285584	4039068.45	1.2328497[7]	−6.3817508[5]	6.010746[4]
$1s^22p^2\ ^3P$	(100%)			1	−3544.9639896	4865295.80	1.2313093[7]	−1.2857308[6]	5.642501[4]
$1s^22p^2\ ^1D$	(63%)	$+\ 1s^22p^2\ ^3P$	(37%)	2	−3544.4044722	4988095.65	1.2312069[7]	−1.2872436[6]	5.642536[4]
$1s^22p^2\ ^3P$	(63%)	$+\ 1s^22p^2\ ^1D$	(37%)	2	−3532.2647111	7652465.17	1.2273401[7]	−1.3171732[6]	5.633331[4]
$1s^22p^2\ ^1S$	(71%)	$+\ 1s^22p^2\ ^3P$	(28%)	0	−3530.5216619	8035020.24	1.2266429[7]	−1.2994752[6]	5.636128[4]
					Xe LI				
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(2%)	0	−3710.6990408	0.00	1.2865144[7]	1.4974091[4]	7.073511[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−3706.8615558	842230.58	1.2850996[7]	−6.3066663[5]	6.681069[4]
	(76%)	$+\ 1s^22s2p\ ^1P^o$	(24%)	1	−3706.0230076	1026270.64	1.2848588[7]	−6.3162307[5]	6.679538[4]
$1s^22p^2\ ^3P$	(71%)	$+\ 1s^22p^2\ ^1S$	(27%)	0	−3699.6002977	2435892.49	1.2824024[7]	−1.2695473[6]	6.280728[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3693.4354015	3788930.77	1.2808811[7]	−6.6738857[5]	6.670733[4]
$1s^22s2p\ ^1P^o$	(76%)	$+\ 1s^22s2p\ ^3P^o$	(24%)	1	−3691.1040478	4300603.74	1.2800801[7]	−6.6227761[5]	6.666042[4]
$1s^22p^2\ ^3P$	(100%)			1	−3687.2260650	5151722.56	1.2785074[7]	−1.3319536[6]	6.255652[4]
$1s^22p^2\ ^1D$	(63%)	$+\ 1s^22p^2\ ^3P$	(37%)	2	−3686.6584466	5276300.40	1.2784065[7]	−1.3335563[6]	6.255691[4]
$1s^22p^2\ ^3P$	(63%)	$+\ 1s^22p^2\ ^1D$	(37%)	2	−3673.4709535	8170620.50	1.2742020[7]	−1.3664959[6]	6.244940[4]
$1s^22p^2\ ^1S$	(71%)	$+\ 1s^22p^2\ ^3P$	(29%)	0	−3671.6965725	8560052.10	1.2734885[7]	−1.3488425[6]	6.247791[4]
					Cs LII				
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(2%)	0	−3857.4942442	0.00	1.3350115[7]	1.5496162[4]	7.852638[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−3853.5560649	864330.43	1.3335854[7]	−6.5189743[5]	7.415013[4]
	(75%)	$+\ 1s^22s2p\ ^1P^o$	(25%)	1	−3852.6947621	1053364.54	1.3333398[7]	−6.5289657[5]	7.413319[4]
$1s^22p^2\ ^3P$	(70%)	$+\ 1s^22p^2\ ^1S$	(28%)	0	−3846.1104317	2498457.99	1.3308355[7]	−1.3119351[6]	6.968714[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3839.0095266	4056926.47	1.3290094[7]	−6.9228288[5]	7.402937[4]
$1s^22s2p\ ^1P^o$	(75%)	$+\ 1s^22s2p\ ^3P^o$	(25%)	1	−3836.6351619	4578039.27	1.3281945[7]	−6.8670601[5]	7.397837[4]
$1s^22p^2\ ^3P$	(100%)			1	−3832.6422291	5454386.70	1.3265913[7]	−1.3785996[6]	6.940181[4]
$1s^22p^2\ ^1D$	(63%)	$+\ 1s^22p^2\ ^3P$	(37%)	2	−3832.0667530	5580689.10	1.3264932[7]	−1.3802940[6]	6.940223[4]
$1s^22p^2\ ^3P$	(63%)	$+\ 1s^22p^2\ ^1D$	(37%)	2	−3817.7620132	8720216.51	1.3219280[7]	−1.4165127[6]	6.927667[4]
$1s^22p^2\ ^1S$	(71%)	$+\ 1s^22p^2\ ^3P$	(29%)	0	−3815.9558371	9116626.33	1.3211984[7]	−1.3988975[6]	6.930577[4]
					Ba LIII				
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−4007.5414641	0.00	1.3843096[7]	1.6046243[4]	8.695755[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−4003.5011453	886747.45	1.3828810[7]	−6.7315988[5]	8.209027[4]
	(75%)	$+\ 1s^22s2p\ ^1P^o$	(25%)	1	−4002.6173924	1080708.77	1.3826308[7]	−6.7420598[5]	8.207159[4]
$1s^22p^2\ ^3P$	(70%)	$+\ 1s^22p^2\ ^1S$	(28%)	0	−3995.8687316	2561868.57	1.3800839[7]	−1.3543758[6]	7.712687[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−3987.7617271	4341150.35	1.3779245[7]	−7.1753287[5]	8.194964[4]
$1s^22s2p\ ^1P^o$	(75%)	$+\ 1s^22s2p\ ^3P^o$	(25%)	1	−3985.3437569	4871833.45	1.3770952[7]	−7.1144703[5]	8.189430[4]
$1s^22p^2\ ^3P$	(100%)			1	−3981.2340453	5773810.87	1.3754673[7]	−1.4255694[6]	7.680305[4]
$1s^22p^2\ ^1D$	(63%)	$+\ 1s^22p^2\ ^3P$	(37%)	2	−3980.6510421	5901765.27	1.3753724[7]	−1.4273603[6]	7.680350[4]
$1s^22p^2\ ^3P$	(63%)	$+\ 1s^22p^2\ ^1D$	(37%)	2	−3965.1561527	9302500.32	1.3704226[7]	−1.4671446[6]	7.665733[4]
$1s^22p^2\ ^1S$	(71%)	$+\ 1s^22p^2\ ^3P$	(29%)	0	−3963.3176579	9706003.26	1.3696783[7]	−1.4495582[6]	7.668695[4]
					La LIV				
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−4160.8864126	0.00	1.4345094[7]	1.6573630[4]	9.637608[4]
$1s^22s2p\ ^3P^o$	(100%)			0	−4156.7414066	909723.64	1.4330770[7]	−6.9443114[5]	9.095673[4]
	(75%)	$+\ 1s^22s2p\ ^1P^o$	(25%)	1	−4155.8355024	1108546.61	1.4328224[7]	−6.9552889[5]	9.093612[4]
$1s^22p^2\ ^3P$	(70%)	$+\ 1s^22p^2\ ^1S$	(28%)	0	−4148.9196448	2626401.86	1.4302358[7]	−1.3968635[6]	8.543260[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−4139.7330450	4642627.42	1.4277156[7]	−7.4314088[5]	9.079293[4]
$1s^22s2p\ ^1P^o$	(75%)	$+\ 1s^22s2p\ ^3P^o$	(25%)	1	−4137.2708611	5183014.31	1.4268724[7]	−7.3650308[5]	9.073280[4]
$1s^22p^2\ ^3P$	(100%)			1	−4133.0423288	6111069.85	1.4252225[7]	−1.4728671[6]	8.506495[4]
$1s^22p^2\ ^1D$	(64%)	$+\ 1s^22p^2\ ^3P$	(36%)	2	−4132.4521230	6240605.05	1.4251313[7]	−1.4747580[6]	8.506543[4]
$1s^22p^2\ ^3P$	(64%)	$+\ 1s^22p^2\ ^1D$	(36%)	2	−4115.6905651	9919341.68	1.4197727[7]	−1.5184190[6]	8.489527[4]
$1s^22p^2\ ^1S$	(70%)	$+\ 1s^22p^2\ ^3P$	(29%)	0	−4113.8192968	10330037.58	1.4190119[7]	−1.5008383[6]	8.492547[4]
					Ce LV				
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−4317.5607545	0.00	1.4855498[7]	1.7096583[4]	1.067362[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−4313.3088476	933185.66	1.4841190[7]	−7.1566742[5]	1.007066[5]
	(74%)	$+\ 1s^22s2p\ ^1P^o$	(26%)	1	−4312.3810897	1136804.99	1.4838603[7]	−7.1682205[5]	1.006839[5]
$1s^22p^2\ ^3P$	(70%)	$+\ 1s^22p^2\ ^1S$	(28%)	0	−4305.2951799	2691982.38	1.4812380[7]	−1.4393010[6]	9.456257[4]
$1s^22s2p\ ^3P^o$	(100%)			2	−4294.9517953	4962092.83	1.4783275[7]	−7.6909180[5]	1.005161[5]
$1s^22s2p\ ^1P^o$	(74%)	$+\ 1s^22s2p\ ^3P^o$	(26%)	1	−4292.4447880	5512317.32	1.4774700[7]	−7.6185241[5]	1.004508[5]
$1s^22p^2\ ^3P$	(100%)			1	−4288.0954639	6466883.60	1.4758029[7]	−1.5204253[6]	9.414552[4]
$1s^22p^2\ ^1D$	(64%)	$+\ 1s^22p^2\ ^3P$	(36%)	2	−4287.4983882	6597926.57	1.4757157[7]	−1.5224206[6]	9.414604[4]
$1s^22p^2\ ^3P$	(64%)	$+\ 1s^22p^2\ ^1D$	(36%)	2	−4269.3899596	10572267.13	1.4699225[7]	−1.5702929[6]	9.394821[4]
$1s^22p^2\ ^1S$	(70%)	$+\ 1s^22p^2\ ^3P$	(30%)	0	−4267.4854128	10990266.83	1.4691451[7]	−1.5527014[6]	9.397898[4]
					Pr LVI				
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−4477.6024147	0.00	1.5374208[7]	1.7651087[4]	1.181281[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−4473.2412327	957168.78	1.5359977[7]	−7.3683487[5]	1.114243[5]
	(74%)	$+\ 1s^22s2p\ ^1P^o$	(26%)	1	−4472.2919159	1165519.73	1.5357353[7]	−7.3805220[5]	1.113993[5]
$1s^22p^2\ ^3P$	(69%)	$+\ 1s^22p^2\ ^1S$	(29%)	0	−4465.0330542	2758655.67	1.5330820[7]	−1.4815946[6]	1.045951[5]

Continued...

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s2p\ ^3P^o$	(100%)			2	−4453.4519051	5300424.02	1.5297496[7]	−7.9538204[5]	1.112030[5]
$1s^22s2p\ ^1P^o$	(74%)	+ $1s^22s2p\ ^3P^o$	(26%)	1	−4450.8994591	5860621.17	1.5288776[7]	−7.8748843[5]	1.111320[5]
$1s^22p^2\ ^3P$	(100%)			1	−4446.4273451	6842136.70	1.5271986[7]	−1.5681715[6]	1.041224[5]
$1s^22p^2\ ^1D$	(64%)	+ $1s^22p^2\ ^3P$	(36%)	2	−4445.8237272	6974615.51	1.5271158[7]	−1.5702734[6]	1.041229[5]
$1s^22p^2\ ^3P$	(64%)	+ $1s^22p^2\ ^1D$	(36%)	2	−4426.2843754	11263007.42	1.5208615[7]	−1.6227181[6]	1.038932[5]
$1s^22p^2\ ^1S$	(70%)	+ $1s^22p^2\ ^3P$	(30%)	0	−4424.3460765	11688414.85	1.5200667[7]	−1.6050998[6]	1.039246[5]
Nd LVII									
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(1%)	0	−4641.0503878	0.00	1.5901113[7]	1.8194554[4]	1.306511[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−4636.5777049	981640.39	1.5887031[7]	−7.5788627[5]	1.232024[5]
	(73%)	+ $1s^22s2p\ ^1P^o$	(27%)	1	−4635.6071229	1194658.52	1.5884372[7]	−7.5917273[5]	1.231750[5]
$1s^22p^2\ ^3P$	(69%)	+ $1s^22p^2\ ^1S$	(29%)	0	−4628.1721703	2826441.95	1.5857584[7]	−1.5236848[6]	1.156161[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−4615.2685288	5658463.82	1.5819707[7]	−8.2199717[5]	1.229456[5]
$1s^22s2p\ ^1P^o$	(73%)	+ $1s^22s2p\ ^3P^o$	(27%)	1	−4612.6700270	6228769.03	1.5810838[7]	−8.1339116[5]	1.228686[5]
$1s^22p^2\ ^3P$	(100%)			1	−4608.0729143	7237718.61	1.5793994[7]	−1.6160785[6]	1.150807[5]
$1s^22p^2\ ^1D$	(64%)	+ $1s^22p^2\ ^3P$	(36%)	2	−4607.4631004	7371557.31	1.5793213[7]	−1.6182918[6]	1.150813[5]
$1s^22p^2\ ^3P$	(64%)	+ $1s^22p^2\ ^1D$	(36%)	2	−4586.4047634	11993327.91	1.5725777[7]	−1.6756995[6]	1.148149[5]
$1s^22p^2\ ^1S$	(70%)	+ $1s^22p^2\ ^3P$	(30%)	0	−4584.4321930	12426257.06	1.5717654[7]	−1.6580381[6]	1.148469[5]
Pm LVIII									
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(1%)	0	−4807.9411419	0.00	1.6435634[7]	1.8740628[4]	1.442776[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−4803.3548336	1006578.28	1.6421804[7]	−7.7879568[5]	1.360138[5]
	(73%)	+ $1s^22s2p\ ^1P^o$	(27%)	1	−4802.3632779	1224199.61	1.6419114[7]	−7.8015836[5]	1.359837[5]
$1s^22p^2\ ^3P$	(69%)	+ $1s^22p^2\ ^1S$	(29%)	0	−4794.7492904	2895276.66	1.6392163[7]	−1.5654757[6]	1.275994[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−4780.4340948	6037098.85	1.6349349[7]	−8.4894582[5]	1.357165[5]
$1s^22s2p\ ^1P^o$	(73%)	+ $1s^22s2p\ ^3P^o$	(27%)	1	−4777.7889110	6617649.56	1.6340334[7]	−8.3956846[5]	1.356329[5]
$1s^22p^2\ ^3P$	(100%)			1	−4773.0648213	7654467.39	1.6323533[7]	−1.6640805[6]	1.269939[5]
$1s^22p^2\ ^1D$	(64%)	+ $1s^22p^2\ ^3P$	(36%)	2	−4772.4491582	7789589.80	1.6322804[7]	−1.6664094[6]	1.269946[5]
$1s^22p^2\ ^3P$	(64%)	+ $1s^22p^2\ ^1D$	(36%)	2	−4749.7796168	12764978.91	1.6250183[7]	−1.7292015[6]	1.266863[5]
$1s^22p^2\ ^1S$	(70%)	+ $1s^22p^2\ ^3P$	(30%)	0	−4747.7722659	13205541.50	1.6241880[7]	−1.7114807[6]	1.267188[5]
Sm LIX									
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(1%)	0	−4978.3115054	0.00	1.6977082[7]	1.9258169[4]	1.589315[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−4973.6092342	1032029.20	1.6963593[7]	−7.9950050[5]	1.497843[5]
	(73%)	+ $1s^22s2p\ ^1P^o$	(27%)	1	−4972.5969979	1254189.38	1.6960875[7]	−8.0094729[5]	1.497515[5]
$1s^22p^2\ ^3P$	(69%)	+ $1s^22p^2\ ^1S$	(29%)	0	−4964.8017166	2965055.83	1.6933968[7]	−1.6068829[6]	1.404764[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−4948.9809177	6437319.73	1.6885709[7]	−8.7620416[5]	1.494411[5]
$1s^22s2p\ ^1P^o$	(73%)	+ $1s^22s2p\ ^3P^o$	(27%)	1	−4946.2884289	7028252.69	1.6876542[7]	−8.6598810[5]	1.493506[5]
$1s^22p^2\ ^3P$	(100%)			1	−4941.4361115	8093213.25	1.6859998[7]	−1.7121335[6]	1.397932[5]
$1s^22p^2\ ^1D$	(64%)	+ $1s^22p^2\ ^3P$	(36%)	2	−4940.8149481	8229542.85	1.6859324[7]	−1.7145856[6]	1.397939[5]
$1s^22p^2\ ^3P$	(64%)	+ $1s^22p^2\ ^1D$	(36%)	2	−4916.4376413	13579743.12	1.6781204[7]	−1.7832139[6]	1.394380[5]
$1s^22p^2\ ^1S$	(69%)	+ $1s^22p^2\ ^3P$	(30%)	0	−4914.3948954	14028074.01	1.6772746[7]	−1.7654303[6]	1.394710[5]
Eu LX									
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(1%)	0	−5152.2288273	0.00	1.7527758[7]	1.9846798[4]	1.755423[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−5147.4080378	1058040.96	1.7514744[7]	−8.1996911[5]	1.653939[5]
	(73%)	+ $1s^22s2p\ ^1P^o$	(27%)	1	−5146.3754059	1284677.47	1.7512000[7]	−8.2150860[5]	1.653580[5]
$1s^22p^2\ ^3P$	(69%)	+ $1s^22p^2\ ^1S$	(29%)	0	−5138.3938029	3036436.80	1.7484997[7]	−1.6477912[6]	1.550642[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−5120.9715835	6860171.87	1.7431111[7]	−9.0377985[5]	1.649968[5]
$1s^22s2p\ ^1P^o$	(73%)	+ $1s^22s2p\ ^3P^o$	(27%)	1	−5118.2311370	7461630.33	1.7421797[7]	−8.9265615[5]	1.648986[5]
$1s^22p^2\ ^3P$	(100%)			1	−5113.2465256	8555626.05	1.7405384[7]	−1.7601255[6]	1.542916[5]
$1s^22p^2\ ^1D$	(64%)	+ $1s^22p^2\ ^3P$	(36%)	2	−5112.6202179	8693084.71	1.7404766[7]	−1.7626976[6]	1.542923[5]
$1s^22p^2\ ^3P$	(64%)	+ $1s^22p^2\ ^1D$	(36%)	2	−5086.4340677	14440280.19	1.7320849[7]	−1.8376588[6]	1.538808[5]
$1s^22p^2\ ^1S$	(69%)	+ $1s^22p^2\ ^3P$	(30%)	0	−5084.3556130	14896448.27	1.7312178[7]	−1.8197736[6]	1.539145[5]
Gd LXI									
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(1%)	0	−5329.7085098	0.00	1.8084372[7]	2.0405010[4]	1.932363[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−5324.7671058	1084512.78	1.8071990[7]	−8.4012923[5]	1.820129[5]
	(72%)	+ $1s^22s2p\ ^1P^o$	(28%)	1	−5323.7143725	1315561.02	1.8069224[7]	−8.4177089[5]	1.819737[5]
$1s^22p^2\ ^3P$	(69%)	+ $1s^22p^2\ ^1S$	(30%)	0	−5315.5443286	3108678.34	1.8042392[7]	−1.6881100[6]	1.705903[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−5296.4173535	7306564.04	1.7982284[7]	−9.3164643[5]	1.815552[5]
$1s^22s2p\ ^1P^o$	(72%)	+ $1s^22s2p\ ^3P^o$	(28%)	1	−5293.6283166	7918686.85	1.7972816[7]	−9.1953658[5]	1.814489[5]
$1s^22p^2\ ^3P$	(100%)			1	−5288.5103691	9041946.48	1.7956812[7]	−1.8080384[6]	1.697191[5]
$1s^22p^2\ ^1D$	(65%)	+ $1s^22p^2\ ^3P$	(35%)	2	−5287.8792769	9180455.19	1.7956255[7]	−1.8107378[6]	1.697199[5]
$1s^22p^2\ ^3P$	(65%)	+ $1s^22p^2\ ^1D$	(35%)	2	−5259.7785302	15347856.04	1.7866202[7]	−1.8925589[6]	1.692459[5]
$1s^22p^2\ ^1S$	(69%)	+ $1s^22p^2\ ^3P$	(31%)	0	−5257.6637446	15811997.83	1.7857341[7]	−1.8745691[6]	1.692800[5]
Tb LXII									
$1s^22s^2\ ^1S$	(98%)	+ $1s^22p^2\ ^1S$	(1%)	0	−5510.8255177	0.00	1.8649673[7]	2.0977662[4]	2.131160[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−5505.7601264	1111724.86	1.8637979[7]	−8.5995041[5]	2.006798[5]
	(72%)	+ $1s^22s2p\ ^1P^o$	(28%)	1	−5504.6875783	1347121.96	1.8635193[7]	−8.6170480[5]	2.006370[5]
$1s^22p^2\ ^3P$	(68%)	+ $1s^22p^2\ ^1S$	(30%)	0	−5496.3247808	3182543.81	1.8608568[7]	−1.7277280[6]	1.880241[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−5475.3869855	7777858.57	1.8541854[7]	−9.5981945[5]	2.001515[5]

Continued...

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s2p\ ^1P^o$	(72%)	$+\ 1s^22s2p\ ^3P^o$	(28%)	1	−5472.5486929	8400791.77	1.8532234[7]	−9.4664285[5]	2.000361[5]
$1s^22p^2\ ^3P$	(100%)			1	−5467.2941503	9554030.53	1.8516681[7]	−1.8557787[6]	1.870400[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−5466.6586417	9693508.56	1.8516189[7]	−1.8586098[6]	1.870409[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−5436.5326055	16305409.05	1.8419650[7]	−1.9478618[6]	1.864939[5]
$1s^22p^2\ ^1S$	(69%)	$+\ 1s^22p^2\ ^3P$	(31%)	0	−5434.3809684	16777638.80	1.8410595[7]	−1.9297525[6]	1.865287[5]
Dy LXIII									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−5695.6040090	0.00	1.9221205[7]	2.1577468[4]	2.344953[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−5690.4116004	1139601.94	1.9209955[7]	−8.7935257[5]	2.207255[5]
	(72%)	$+\ 1s^22s2p\ ^1P^o$	(28%)	1	−5689.3195308	1379283.50	1.9207153[7]	−8.8123124[5]	2.206789[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(30%)	0	−5680.7620161	3257440.83	1.9181380[7]	−1.7664724[6]	2.067584[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−5657.8999813	8275077.34	1.9107059[7]	−9.8827105[5]	2.201174[5]
$1s^22s2p\ ^1P^o$	(72%)	$+\ 1s^22s2p\ ^3P^o$	(28%)	1	−5655.0117746	8908965.41	1.9097286[7]	−9.7393978[5]	2.199925[5]
$1s^22p^2\ ^3P$	(100%)			1	−5649.6198401	10092358.23	1.9082815[7]	−1.9032451[6]	2.056482[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−5648.9802749	10232726.57	1.9082403[7]	−1.9062197[6]	2.056492[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−5616.7131988	17314530.98	1.8978983[7]	−2.0035090[6]	2.050193[5]
$1s^22p^2\ ^1S$	(69%)	$+\ 1s^22p^2\ ^3P$	(31%)	0	−5614.5239758	17795009.89	1.8969830[7]	−1.9853189[6]	2.050547[5]
Ho LXIV									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−5884.1173517	0.00	1.9800477[7]	2.2183089[4]	2.583924[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−5878.7953984	1168033.71	1.9790168[7]	−8.9826601[5]	2.431447[5]
	(72%)	$+\ 1s^22s2p\ ^1P^o$	(28%)	1	−5877.6840997	1411935.58	1.9787352[7]	−9.0028165[5]	2.430939[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(30%)	0	−5868.9265464	3333996.29	1.9762142[7]	−1.8042979[6]	2.276850[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−5844.0248762	8799281.03	1.9680127[7]	−1.0169866[6]	2.424440[5]
$1s^22s2p\ ^1P^o$	(72%)	$+\ 1s^22s2p\ ^3P^o$	(28%)	1	−5841.0860806	9444272.09	1.9670194[7]	−1.0014031[6]	2.423086[5]
$1s^22p^2\ ^3P$	(100%)			1	−5835.5525155	10658749.21	1.9656555[7]	−1.9504010[6]	2.264315[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−5834.9092812	10799922.83	1.9656217[7]	−1.9535159[6]	2.264326[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−5800.3801030	18378201.26	1.9545574[7]	−2.0595176[6]	2.257069[5]
$1s^22p^2\ ^1S$	(69%)	$+\ 1s^22p^2\ ^3P$	(31%)	0	−5798.1529617	18867002.27	1.9536230[7]	−2.0411868[6]	2.257430[5]
Er LXV									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−6076.4070050	0.00	2.0386313[7]	2.2793043[4]	2.846162[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−6070.9526291	1197097.10	2.0377164[7]	−9.1664318[5]	2.677398[5]
	(71%)	$+\ 1s^22s2p\ ^1P^o$	(29%)	1	−6069.8223964	1445154.51	2.0374338[7]	−9.1880985[5]	2.676844[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(30%)	0	−6060.8609399	3411966.80	2.0349837[7]	−1.8410372[6]	2.506322[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−6033.7973151	9351745.71	2.0259592[7]	−1.0459779[6]	2.669329[5]
$1s^22s2p\ ^1P^o$	(71%)	$+\ 1s^22s2p\ ^3P^o$	(29%)	1	−6030.8072447	10007990.30	2.0249501[7]	−1.0290415[6]	2.667860[5]
$1s^22p^2\ ^3P$	(100%)			1	−6025.1293652	11254140.76	2.0236854[7]	−1.9971477[6]	2.492173[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−6024.4828476	11396034.96	2.0236592[7]	−2.0004066[6]	2.492185[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−5987.5649813	19498569.83	2.0118340[7]	−2.1158399[6]	2.483831[5]
$1s^22p^2\ ^1S$	(69%)	$+\ 1s^22p^2\ ^3P$	(31%)	0	−5985.2993934	19995808.88	2.0108794[7]	−2.0973512[6]	2.484199[5]
Tm LXVI									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−6272.5176626	0.00	2.0976880[7]	2.3342607[4]	3.130251[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−6266.9284381	1226692.97	2.0968238[7]	−9.3449243[5]	2.943166[5]
	(71%)	$+\ 1s^22s2p\ ^1P^o$	(29%)	1	−6265.7796292	1478827.36	2.0965441[7]	−9.3682546[5]	2.942597[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(30%)	0	−6256.6108864	3491133.74	2.0942863[7]	−1.8766211[6]	2.754701[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−6227.2568412	9933601.80	2.0842946[7]	−1.0753838[6]	2.933934[5]
$1s^22s2p\ ^1P^o$	(71%)	$+\ 1s^22s2p\ ^3P^o$	(29%)	1	−6224.2149486	10601220.06	2.0832489[7]	−1.0569216[6]	2.932368[5]
$1s^22p^2\ ^3P$	(100%)			1	−6218.3903996	11879560.75	2.0822123[7]	−2.0434566[6]	2.738763[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−6217.7409995	12022087.61	2.0821928[7]	−2.0468541[6]	2.738775[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−6178.3021567	20677912.83	2.0695711[7]	−2.1725064[6]	2.729185[5]
$1s^22p^2\ ^1S$	(69%)	$+\ 1s^22p^2\ ^3P$	(31%)	0	−6175.9977909	21183662.64	2.0685846[7]	−2.1537827[6]	2.729559[5]
Yb LXVII									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−6472.5103649	0.00	2.1573292[7]	2.3934331[4]	3.440024[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−6466.7833439	1256935.80	2.1566234[7]	−9.5159225[5]	3.233362[5]
	(71%)	$+\ 1s^22s2p\ ^1P^o$	(29%)	1	−6465.6162027	1513093.68	2.1563437[7]	−9.5410946[5]	3.232742[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(30%)	0	−6456.2367579	3571643.80	2.1542163[7]	−1.9107503[6]	3.025311[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−6424.4578167	10546315.00	2.1432604[7]	−1.1049173[6]	3.222763[5]
$1s^22s2p\ ^1P^o$	(71%)	$+\ 1s^22s2p\ ^3P^o$	(29%)	1	−6421.3632414	11225495.76	2.1421979[7]	−1.0848744[6]	3.221059[5]
$1s^22p^2\ ^3P$	(100%)			1	−6415.3900712	12536455.04	2.1413257[7]	−2.0891227[6]	3.007358[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−6414.7381775	12679529.16	2.1413144[7]	−2.0926711[6]	3.007371[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−6372.6399828	21919014.67	2.1278521[7]	−2.2293737[6]	2.996367[5]
$1s^22p^2\ ^1S$	(69%)	$+\ 1s^22p^2\ ^3P$	(31%)	0	−6370.2961088	22433435.54	2.1268431[7]	−2.2104547[6]	2.996747[5]
Lu LXVIII									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−6676.4563575	0.00	2.2176049[7]	2.4563006[4]	3.783197[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−6670.5882230	1287906.62	2.2170928[7]	−9.6789563[5]	3.554837[5]
	(71%)	$+\ 1s^22s2p\ ^1P^o$	(29%)	1	−6669.4030550	1548020.92	2.2168135[7]	−9.7061545[5]	3.554159[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(31%)	0	−6659.8080005	3653891.92	2.2148279[7]	−1.9433039[6]	3.324918[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−6625.4649364	11191323.03	2.2028503[7]	−1.1346717[6]	3.542660[5]
$1s^22s2p\ ^1P^o$	(71%)	$+\ 1s^22s2p\ ^3P^o$	(29%)	1	−6622.3169560	11882224.85	2.2017729[7]	−1.1129232[6]	3.540806[5]

Continued. . .

Table 1 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22p^2\ ^3P$	(100%)			1	−6616.1916040	13226584.18	2.2010767[7]	−2.1340665[6]	3.304671[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−6615.5376180	13370117.51	2.2010741[7]	−2.1377706[6]	3.304686[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−6570.6354568	23225002.50	2.1867258[7]	−2.2864217[6]	3.292049[5]
$1s^22p^2\ ^1S$	(68%)	$+\ 1s^22p^2\ ^3P$	(31%)	0	−6568.2515039	23748219.67	2.1856951[7]	−2.2673029[6]	3.292437[5]
Hf LXIX									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−6884.3911633	0.00	2.2782062[7]	2.5196394[4]	4.152603[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−6878.3802008	1319253.76	2.2779869[7]	−9.8338063[5]	3.901188[5]
	(71%)	$+\ 1s^22s2p\ ^1P^o$	(29%)	1	−6877.1773115	1583257.44	2.2777083[7]	−9.8632355[5]	3.900439[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(31%)	0	−6867.3631138	3737224.79	2.2758466[7]	−1.9741067[6]	3.647153[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−6830.3089193	11869680.23	2.2628187[7]	−1.1647112[6]	3.887217[5]
$1s^22s2p\ ^1P^o$	(71%)	$+\ 1s^22s2p\ ^3P^o$	(29%)	1	−6827.1067834	12572467.81	2.2617291[7]	−1.1411245[6]	3.885195[5]
$1s^22p^2\ ^3P$	(100%)			1	−6820.8271405	13950690.07	2.2611926[7]	−2.1781965[6]	3.624356[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−6820.1714727	14094592.52	2.2611989[7]	−2.1820600[6]	3.624372[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−6772.3142638	24598035.50	2.2459204[7]	−2.3436363[6]	3.609892[5]
$1s^22p^2\ ^1S$	(68%)	$+\ 1s^22p^2\ ^3P$	(32%)	0	−6769.8896780	25130170.57	2.2448676[7]	−2.3243054[6]	3.610286[5]
Ta LXX									
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−7096.4159449	0.00	2.3394747[7]	2.5855312[4]	4.566694[5]
$1s^22s2p\ ^3P^o$	(100%)			0	−7090.2614411	1350757.42	2.3395816[7]	−1.0006638[6]	4.289498[5]
	(70%)	$+\ 1s^22s2p\ ^1P^o$	(30%)	1	−7089.0410978	1618591.81	2.3393044[7]	−1.0038244[6]	4.288679[5]
$1s^22p^2\ ^3P$	(68%)	$+\ 1s^22p^2\ ^1S$	(31%)	0	−7078.9984941	3822688.48	2.3375735[7]	−2.0029768[6]	4.008140[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−7039.0845004	12582797.28	2.3234754[7]	−1.1975095[6]	4.273585[5]
$1s^22s2p\ ^1P^o$	(70%)	$+\ 1s^22s2p\ ^3P^o$	(30%)	1	−7035.8274523	13297636.70	2.3223767[7]	−1.1719616[6]	4.271390[5]
$1s^22p^2\ ^3P$	(100%)			1	−7029.3861295	14711343.59	2.3219705[7]	−2.2213846[6]	3.982420[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−7028.7291971	14855523.59	2.3219864[7]	−2.2254117[6]	3.982438[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−6977.7589077	26042208.75	2.3057302[7]	−2.4009660[6]	3.965819[5]
$1s^22p^2\ ^1S$	(68%)	$+\ 1s^22p^2\ ^3P$	(32%)	0	−6975.2931347	26583383.36	2.3046550[7]	−2.3814115[6]	3.966221[5]
W LXXI									
$1s^22s2p\ ^3P^o$	(100%)			0	−7318.5525559	0.00	2.4014284[7]	−1.0147471[6]	4.709503[5]
	(70%)	$+\ 1s^22s2p\ ^1P^o$	(30%)	1	−7317.3151885	271570.75	2.4011502[7]	−1.0181653[6]	4.708617[5]
$1s^22s^2\ ^1S$	(98%)	$+\ 1s^22p^2\ ^1S$	(1%)	0	−7312.5628230	1314594.38	2.4010095[7]	2.6522076[4]	5.015326[5]
$1s^22p^2\ ^3P$	(67%)	$+\ 1s^22p^2\ ^1S$	(31%)	0	−7294.7502196	5224008.84	2.3996578[7]	−2.0296947[6]	4.398914[5]
$1s^22s2p\ ^3P^o$	(100%)			2	−7264.1537164	11939164.91	2.3843161[7]	−1.2285076[6]	4.691287[5]
$1s^22s2p\ ^1P^o$	(70%)	$+\ 1s^22s2p\ ^3P^o$	(30%)	1	−7260.8409814	12666226.18	2.3831983[7]	−1.2008271[6]	4.688914[5]
$1s^22p^2\ ^3P$	(100%)			1	−7241.8978000	16823773.81	2.3830608[7]	−2.2635132[6]	4.369924[5]
$1s^22p^2\ ^1D$	(65%)	$+\ 1s^22p^2\ ^3P$	(35%)	2	−7241.2400286	16968137.93	2.3830864[7]	−2.2677077[6]	4.369944[5]
$1s^22p^2\ ^3P$	(65%)	$+\ 1s^22p^2\ ^1D$	(35%)	2	−7186.9916243	28874286.14	2.3658052[7]	−2.4583792[6]	4.350899[5]
$1s^22p^2\ ^1S$	(68%)	$+\ 1s^22p^2\ ^3P$	(32%)	0	−7184.4841007	29424623.94	2.3647071[7]	−2.4385888[6]	4.351310[5]

Table 2
Comparison with other works (experiment and theory) of wavenumber isotope shifts $\delta\sigma$ (in cm^{-1}) for several transitions in B II between the isotopes ^{11}B and ^{10}B.

	Exp.	Theory	This work	
	$\delta\sigma_\mathrm{IS}$	$\delta\sigma_\mathrm{MS}$	$\delta\sigma_\mathrm{MS}$	$\delta\sigma_\mathrm{FS}$
$2s^2\ ^1S_0 - 2s2p\ ^1P^o_1$	0.70[a]	0.7145[a]	0.711	0.00016
	0.74(19)[b]	0.7146[c]		
		0.7165[d]		
$2s2p\ ^3P^o_1 - 2p^2\ ^3P_2$	0.80(4)[a]	0.7485[a]	0.749	−0.00017
$2s2p\ ^1P^o_1 - 2p^2\ ^1S_0$	0.419[a]	0.4263[a]	0.478	−0.00010
$2s2p\ ^1P^o_1 - 2p^2\ ^1D_2$	0.887[a]	0.8870[a]	0.890	−0.00014

[a] Litzén *et al.* [42]
[b] Astronomical observations from Federman *et al.* [45]
[c] Jönsson *et al.* [46]
[d] MCHF calculations of Jönsson *et al.* [58] - no limits on orbital quantum numbers.

Table 3
Comparison of the $\Delta\widetilde{K}_{\rm NMS}$ and $\Delta\widetilde{K}_{\rm SMS}$ parameters (in GHz u) with previous theoretical works for several transitions in C III.

	$\Delta\widetilde{K}_{\rm NMS}$		$\Delta\widetilde{K}_{\rm SMS}$	
	Other works	This work	Other works	This work
$2s^2\ {}^1S - 2s2p\ {}^3P^o$			-3475^c	
$2s^2\ {}^1S_0 - 2s2p\ {}^3P^o_0$	-860.3^a	-860.1	$-3453(7)^a$	-3474
			-3473^b	
$2s^2\ {}^1S_0 - 2s2p\ {}^3P^o_1$	-860.2^a	-859.8	$-3454(7)^a$	-3475
			-3472^b	
$2s^2\ {}^1S_0 - 2s2p\ {}^3P^o_2$	-860.1^a	-859.4	$-3454(7)^a$	-3477
			-3468^b	
$2s^2\ {}^1S - 2s2p\ {}^1P^o$			-2817^c	
$2s^2\ {}^1S_0 - 2s2p\ {}^1P^o_1$	-1677.3^a	-1660	$-2774(80)^a$	-2826
			-2790^b	

[a] Korol and Kozlov [17]
[b] Berengut *et al.* [47]
[c] Jönsson *et al.* [46]

Table 4
Wavenumber mass shift $\delta\sigma_{\rm MS}$ and field shift $\delta\sigma_{\rm FS}$ (in cm^{-1}) for the transition $1s^22s^2\ {}^1S_0 - 1s^22p^2\ {}^1S_0$ in C^{2+} ion for the isotope pairs ^{13}C-^{12}C and ^{14}C-^{13}C.

	$\delta\sigma^{13,12}_{\rm MS}$	$\delta\sigma^{13,12}_{\rm FS}$	$\delta\sigma^{14,13}_{\rm MS}$	$\delta\sigma^{14,13}_{\rm FS}$
This work	1.750	0.00032	1.493	-0.00151
Bubin *et al.* [48]	1.755		1.498	

Table 5
Comparison of the electronic isotope shift parameters with previous non-relativistic works for the ground states of beryllium-like B II - Ne VII.

	B II	C III	N IV
K_{NMS}	24.3423[a]	36.5247[a]	51.2080[a]
$\langle -\frac{1}{2}\nabla_i^2 \rangle$	24.34878[b]	36.53446[b]	51.22221[b]
K_{SMS}	0.5981[a]	0.7181[a]	0.8233[a]
$-\langle \nabla_i \cdot \nabla_j \rangle$	0.59554(40)[b]	0.71314(50)[b]	0.81569(50)[b]
	0.595140[c]	0.713671[c]	0.816044[c]
$\rho^e(\mathbf{0})$	73.29451[a]	131.5065[a]	215.0268[a]
$\langle \delta(\mathbf{r}_i) \rangle$	72.517(30)[b]	129.490(30)[b]	210.715(40)[b]
	71.9(2)[d]	128.5(5)[d]	211(1)[d]
	O V	**F VI**	**Ne VII**
K_{NMS}	68.3908[a]	88.0730[a]	110.2547[a]
$\langle -\frac{1}{2}\nabla_i^2 \rangle$	68.41085[b]	88.10012[b]	110.2881[b]
K_{SMS}	0.9143[a]	0.9913[a]	1.0549[a]
$-\langle \nabla_i \cdot \nabla_j \rangle$	0.90194(50)[b]	0.97224(50)[b]	1.0247(40)[b]
	0.902377[c]	0.972739[c]	1.027164[c]
$\rho^e(\mathbf{0})$	328.7705[a]	477.9292[a]	667.9708[a]
$\langle \delta(\mathbf{r}_i) \rangle$	320.212(40)[b]	462.46(40)[b]	642.10(50)[b]
	318(1)[d]	460(1)[d]	639(3)[d]

[a] This work [b] King *et al.* [49]
[c] Komasa *et al.* [50] [d] Galvez *et al.* [51]

Table 6
Wavenumber mass shift $\delta\sigma_{\mathrm{MS}}$ and field shift $\delta\sigma_{\mathrm{FS}}$ (in cm^{-1}) for the $1s^2 2s 2p\ {}^3P_1^o - {}^3P_2^o$ in Ar^{14+} for the isotope pair ^{40,36}Ar.

		$\delta\sigma_{\mathrm{MS}}^{40,36}$	$\delta\sigma_{\mathrm{FS}}^{40,36}$
Theory	this work	0.0359	−0.00012
	Orts *et al.* [52]	0.0359	−0.0001
Observation	Orts *et al.* [52]	0.0340(28)	

Table 7

Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in GHz/fm^2) for levels in the boron isoelectronic sequence ($8 \le Z \le 30$ and $Z = 36, 42$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 17 for Explanation of Tables.

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_{NMS}$ (GHz u)	$\widetilde{K}_{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
					O IV				
$1s^2 2s^2 2p\ ^2P^o$	(95%)	$+ 1s^2 2p^3\ ^2P^o$	(4%)	1/2	−71.3006468	0.00	2.5709821[5]	−3.8411303[3]	1.283334[1]
	(95%)	$+ 1s^2 2p^3\ ^2P^o$	(4%)	3/2	−71.2988722	389.49	2.5709779[5]	−3.8498436[3]	1.283339[1]
$1s^2 2s 2p^2\ ^4P$	(100%)			1/2	−70.9755351	71353.76	2.5592579[5]	−1.1295016[4]	1.243923[1]
	(100%)			3/2	−70.9749349	71485.49	2.5592561[5]	−1.1298419[4]	1.243924[1]
	(100%)			5/2	−70.9740914	71670.63	2.5592683[5]	−1.1305008[4]	1.243926[1]
$1s^2 2s 2p^2\ ^2D$	(98%)	$+ 1s^2 2s^2 3d\ ^2D$	(1%)	5/2	−70.7218546	127030.20	2.5504401[5]	−1.0975396[4]	1.242509[1]
	(98%)	$+ 1s^2 2s^2 3d\ ^2D$	(1%)	3/2	−70.7217904	127044.30	2.5504327[5]	−1.0973347[4]	1.242510[1]
$1s^2 2s 2p^2\ ^2S$	(99%)			1/2	−70.5504716	164644.42	2.5444548[5]	−9.6766354[3]	1.242576[1]
$1s^2 2s 2p^2\ ^2P$	(98%)	$+ 1s^2 2p^2 3d\ ^2P$	(1%)	1/2	−70.4776245	180632.51	2.5417421[5]	−9.9012304[3]	1.237490[1]
	(98%)	$+ 1s^2 2p^2 3d\ ^2P$	(1%)	3/2	−70.4765123	180876.62	2.5417477[5]	−9.9072673[3]	1.237491[1]
$1s^2 2p^3\ ^4S^o$	(99%)			3/2	−70.2459347	231482.54	2.5330250[5]	−1.7439323[4]	1.197574[1]
$1s^2 2p^3\ ^2D^o$	(97%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(2%)	5/2	−70.1376733	255243.17	2.5293819[5]	−1.8154350[4]	1.199250[1]
	(97%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(2%)	3/2	−70.1375436	255271.63	2.5293646[5]	−1.8152910[4]	1.199253[1]
$1s^2 2p^3\ ^2P^o$	(94%)	$+ 1s^2 2s^2 2p\ ^2P^o$	(4%)	1/2	−69.9825047	289298.75	2.5240503[5]	−1.6483349[4]	1.201038[1]
	(94%)	$+ 1s^2 2s^2 2p\ ^2P^o$	(4%)	3/2	−69.9824759	289305.06	2.5240548[5]	−1.6484940[4]	1.201044[1]
					F V				
$1s^2 2s^2 2p\ ^2P^o$	(96%)	$+ 1s^2 2p^3\ ^2P^o$	(4%)	1/2	−92.3744980	0.00	3.3302241[5]	−6.6294003[3]	2.100154[1]
	(96%)	$+ 1s^2 2p^3\ ^2P^o$	(4%)	3/2	−92.3710819	749.75	3.3301970[5]	−6.6452870[3]	2.100154[1]
$1s^2 2s 2p^2\ ^4P$	(100%)			1/2	−91.9840119	85701.79	3.3161481[5]	−1.7127851[4]	2.030332[1]
	(100%)			3/2	−91.9828551	85955.69	3.3161392[5]	−1.7133606[4]	2.030332[1]
	(100%)			5/2	−91.9811967	86319.66	3.3161501[5]	−1.7144459[4]	2.030334[1]
$1s^2 2s 2p^2\ ^2D$	(99%)			5/2	−91.6775124	152970.67	3.3054283[5]	−1.6797728[4]	2.027780[1]
	(99%)			3/2	−91.6774085	152993.48	3.3054168[5]	−1.6794403[4]	2.027781[1]
$1s^2 2s 2p^2\ ^2S$	(99%)			1/2	−91.4731655	197819.62	3.2982345[5]	−1.5255295[4]	2.027840[1]
$1s^2 2s 2p^2\ ^2P$	(98%)	$+ 1s^2 2p^2 3d\ ^2P$	(1%)	1/2	−91.3947240	215035.55	3.2953097[5]	−1.5755447[4]	2.019876[1]
	(98%)	$+ 1s^2 2p^2 3d\ ^2P$	(1%)	3/2	−91.3925896	215503.99	3.2953080[5]	−1.5765881[4]	2.019874[1]
$1s^2 2p^3\ ^4S^o$	(100%)			3/2	−91.1152847	276365.39	3.2849107[5]	−2.6342623[4]	1.949263[1]
$1s^2 2p^3\ ^2D^o$	(98%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(1%)	5/2	−90.9742390	307321.32	3.2800832[5]	−2.7035295[4]	1.951334[1]
	(98%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(1%)	3/2	−90.9740253	307368.24	3.2800535[5]	−2.7032454[4]	1.951338[1]
$1s^2 2p^3\ ^2P^o$	(95%)	$+ 1s^2 2s^2 2p\ ^2P^o$	(3%)	1/2	−90.7904091	347667.33	3.2736681[5]	−2.4959091[4]	1.954643[1]
	(95%)	$+ 1s^2 2s^2 2p\ ^2P^o$	(3%)	3/2	−90.7903223	347686.38	3.2736773[5]	−2.4960417[4]	1.954659[1]
					Ne VI				
$1s^2 2s^2 2p\ ^2P^o$	(96%)	$+ 1s^2 2p^3\ ^2P^o$	(3%)	1/2	−116.2144066	0.00	4.1887574[5]	−1.0000115[4]	3.263471[1]
	(96%)	$+ 1s^2 2p^3\ ^2P^o$	(3%)	3/2	−116.2084301	1311.69	4.1886813[5]	−1.0026618[4]	3.263449[1]
$1s^2 2s 2p^2\ ^4P$	(100%)			1/2	−115.7578445	100203.78	4.1722827[5]	−2.4075677[4]	3.148280[1]
	(100%)			3/2	−115.7558093	100650.45	4.1722599[5]	−2.4084806[4]	3.148278[1]
	(100%)			5/2	−115.7528583	101298.12	4.1722621[5]	−2.4101636[4]	3.148278[1]
$1s^2 2s 2p^2\ ^2D$	(99%)			5/2	−115.3983960	179093.62	4.1596816[5]	−2.3741328[4]	3.144186[1]
	(99%)			3/2	−115.3982489	179125.89	4.1596643[5]	−2.3736237[4]	3.144187[1]
$1s^2 2s 2p^2\ ^2S$	(99%)			1/2	−115.1614234	231103.08	4.1512942[5]	−2.1951027[4]	3.144235[1]
$1s^2 2s 2p^2\ ^2P$	(99%)			1/2	−115.0778033	249455.56	4.1481785[5]	−2.2729332[4]	3.132526[1]
	(99%)			3/2	−115.0740873	250271.13	4.1481576[5]	−2.2746262[4]	3.132507[1]
$1s^2 2p^3\ ^4S^o$	(100%)			3/2	−114.7492420	321566.45	4.1360337[5]	−3.6937191[4]	3.015898[1]
$1s^2 2p^3\ ^2D^o$	(99%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(1%)	5/2	−114.5757414	359645.42	4.1300391[5]	−3.7607547[4]	3.018435[1]
	(99%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(1%)	3/2	−114.5754351	359712.64	4.1299922[5]	−3.7602259[4]	3.018444[1]
$1s^2 2p^3\ ^2P^o$	(95%)	$+ 1s^2 2s^2 2p\ ^2P^o$	(3%)	1/2	−114.3633952	406250.02	4.1225682[5]	−3.5100735[4]	3.024024[1]
	(95%)	$+ 1s^2 2s^2 2p\ ^2P^o$	(3%)	3/2	−114.3631900	406295.06	4.1225833[5]	−3.5101518[4]	3.024062[1]
					Na VII				
$1s^2 2s^2 2p\ ^2P^o$	(96%)	$+ 1s^2 2p^3\ ^2P^o$	(3%)	1/2	−142.8237703	0.00	5.1465585[5]	−1.3948097[4]	4.863338[1]
	(96%)	$+ 1s^2 2p^3\ ^2P^o$	(3%)	3/2	−142.8140130	2141.49	5.1464141[5]	−1.3990526[4]	4.863263[1]
$1s^2 2s 2p^2\ ^4P$	(100%)			1/2	−142.3001524	114920.84	5.1276506[5]	−3.2133335[4]	4.683444[1]
	(100%)			3/2	−142.2968073	115655.00	5.1276044[5]	−3.2147166[4]	4.683436[1]
	(100%)			5/2	−142.2919322	116724.97	5.1275856[5]	−3.2172029[4]	4.683428[1]
$1s^2 2s 2p^2\ ^2D$	(99%)			5/2	−141.8873335	205524.11	5.1131581[5]	−3.1799477[4]	4.677339[1]
	(99%)			3/2	−141.8871517	205564.02	5.1131339[5]	−3.1791977[4]	4.677340[1]
$1s^2 2s 2p^2\ ^2S$	(99%)			1/2	−141.6179937	264637.36	5.1035818[5]	−2.9759949[4]	4.677351[1]
$1s^2 2s 2p^2\ ^2P$	(99%)			1/2	−141.5295801	284041.90	5.1002936[5]	−3.0814334[4]	4.660942[1]
	(99%)			3/2	−141.5235794	285358.92	5.1002365[5]	−3.0841088[4]	4.660871[1]
$1s^2 2p^3\ ^4S^o$	(100%)			3/2	−141.1503494	367273.41	5.0863559[5]	−4.9210618[4]	4.478441[1]
$1s^2 2p^3\ ^2D^o$	(99%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(1%)	5/2	−140.9445975	412430.74	5.0792099[5]	−4.9860181[4]	4.481509[1]
	(99%)	$+ 1s^2 2s 2p 3d\ ^2D^o$	(1%)	3/2	−140.9442158	412514.53	5.0791402[5]	−4.9850673[4]	4.481529[1]
$1s^2 2p^3\ ^2P^o$	(96%)	$+ 1s^2 2s^2 2p\ ^2P^o$	(3%)	1/2	−140.7038601	465266.50	5.0706893[5]	−4.6897702[4]	4.490355[1]

Continued...

Table 7 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−140.7034241	465362.18	5.0707113[5]	−4.6898001[4]	4.490434[1]
					Mg VIII				
$1s^22s^22p\ ^2P^o$	(96%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−172.2522077	0.00	6.2061863[5]	−1.8617462[4]	7.008453[1]
	(96%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−172.2359746	3562.75	6.2058077[5]	−1.8671929[4]	7.008258[1]
$1s^22s2p^2\ ^4P$	(100%)			1/2	−171.6599151	129993.19	6.1848611[5]	−4.1449957[4]	6.739127[1]
	(100%)			3/2	−171.6543128	131222.75	6.1847359[5]	−4.1466077[4]	6.739113[1]
	(100%)			5/2	−171.6453553	133188.70	6.1845319[5]	−4.1490257[4]	6.739086[1]
$1s^22s2p^2\ ^2D$	(99%)			3/2	−171.1917122	232751.84	6.1683232[5]	−4.1096372[4]	6.730479[1]
	(99%)			5/2	−171.1915763	232781.68	6.1683217[5]	−4.1110095[4]	6.730452[1]
$1s^22s2p^2\ ^2S$	(99%)	+ $1s^22s2p^2\ ^2P$	(1%)	1/2	−170.8912185	298702.60	6.1576582[5]	−3.8832227[4]	6.730328[1]
$1s^22s2p^2\ ^2P$	(98%)	+ $1s^22s2p^2\ ^2S$	(1%)	1/2	−170.7983140	319092.76	6.1542054[5]	−4.0151114[4]	6.708252[1]
	(99%)			3/2	−170.7880871	321337.31	6.1539672[5]	−4.0180986[4]	6.708038[1]
$1s^22p^3\ ^4S^o$	(100%)			3/2	−170.3653716	414112.65	6.1383739[5]	−6.3297100[4]	6.434432[1]
$1s^22p^3\ ^2D^o$	(99%)			3/2	−170.1273282	466357.13	6.1300100[5]	−6.3912210[4]	6.438143[1]
	(99%)			5/2	−170.1267928	466474.64	6.1300096[5]	−6.3921620[4]	6.438100[1]
$1s^22p^3\ ^2P^o$	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−169.8589223	525265.42	6.1205477[5]	−6.0495640[4]	6.451371[1]
	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−169.8577120	525531.04	6.1205423[5]	−6.0492362[4]	6.451534[1]
					Al XIX				
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−204.3677652	0.00	7.3600216[5]	−2.3555199[4]	9.805315[1]
	(96%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−204.3454432	4899.11	7.3596004[5]	−2.3649440[4]	9.804908[1]
$1s^22s2p^2\ ^4P$	(100%)			1/2	−203.7060540	145228.82	7.3361026[5]	−5.1558132[4]	9.416755[1]
	(100%)			3/2	−203.6982488	146941.86	7.3359647[5]	−5.1586990[4]	9.416706[1]
	(100%)			5/2	−203.6869237	149427.43	7.3358478[5]	−5.1635559[4]	9.416639[1]
$1s^22s2p^2\ ^2D$	(99%)			5/2	−203.1838311	259843.49	7.3178257[5]	−5.1240515[4]	9.404909[1]
	(99%)			3/2	−203.1837081	259870.49	7.3177834[5]	−5.1225298[4]	9.404900[1]
$1s^22s2p^2\ ^2S$	(98%)	+ $1s^22s2p^2\ ^2P$	(2%)	1/2	−202.8507077	332955.62	7.3058678[5]	−4.8708063[4]	9.404539[1]
$1s^22s2p^2\ ^2P$	(98%)	+ $1s^22s2p^2\ ^2S$	(2%)	1/2	−202.7534770	354295.29	7.3022904[5]	−5.0285511[4]	9.375792[1]
	(99%)			3/2	−202.7403253	357181.75	7.3020876[5]	−5.0352944[4]	9.375253[1]
$1s^22p^3\ ^4S^o$	(100%)			3/2	−202.2674885	460957.44	7.2845188[5]	−7.8755528[4]	8.979737[1]
$1s^22p^3\ ^2D^o$	(99%)			5/2	−201.9975386	520204.58	7.2751074[5]	−7.9371096[4]	8.984045[1]
	(99%)			3/2	−201.9972745	520262.54	7.2749764[5]	−7.9342354[4]	8.984152[1]
$1s^22p^3\ ^2P^o$	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−201.7002951	585442.00	7.2644927[5]	−7.5428559[4]	9.003302[1]
	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−201.6986870	585794.92	7.2645277[5]	−7.5431653[4]	9.003547[1]
					Si X				
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−239.3122890	0.00	8.6157230[5]	−2.9203209[4]	1.339855[2]
	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−239.2803928	7000.41	8.6150736[5]	−2.9337120[4]	1.339775[2]
$1s^22s2p^2\ ^4P$	(100%)			1/2	−238.5789330	160953.04	8.5892030[5]	−6.2914762[4]	1.285345[2]
	(100%)			3/2	−238.5676404	163431.48	8.5889875[5]	−6.2955036[4]	1.285335[2]
	(100%)			5/2	−238.5513952	166996.89	8.5887818[5]	−6.3020029[4]	1.285321[2]
$1s^22s2p^2\ ^2D$	(99%)			3/2	−238.0000781	287997.00	8.5689506[5]	−6.2591959[4]	1.283768[2]
	(100%)			5/2	−238.0000140	288011.06	8.5690026[5]	−6.2613172[4]	1.283771[2]
$1s^22s2p^2\ ^2S$	(97%)	+ $1s^22s2p^2\ ^2P$	(3%)	1/2	−237.6358161	367943.26	8.5558615[5]	−5.9848265[4]	1.283669[2]
$1s^22s2p^2\ ^2P$	(96%)	+ $1s^22s2p^2\ ^2S$	(3%)	1/2	−237.5340012	390289.05	8.5521643[5]	−6.1649898[4]	1.280062[2]
	(99%)			3/2	−237.5158806	394266.05	8.5518416[5]	−6.1759287[4]	1.279934[2]
$1s^22p^3\ ^4S^o$	(100%)			3/2	−236.9916034	509331.61	8.5323313[5]	−9.6009326[4]	1.224363[2]
$1s^22p^3\ ^2D^o$	(99%)			3/2	−236.6896928	575593.32	8.5216339[5]	−9.6564811[4]	1.224887[2]
	(99%)			5/2	−236.6895686	575620.57	8.5218024[5]	−9.6613254[4]	1.224863[2]
$1s^22p^3\ ^2P^o$	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−236.3641953	647031.75	8.5101398[5]	−9.2150346[4]	1.227556[2]
	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−236.3613352	647659.49	8.5101763[5]	−9.2160608[4]	1.227594[2]
					P XI				
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−277.0459879	0.00	9.9707714[5]	−3.5405989[4]	1.793411[2]
	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−277.0017287	9713.78	9.9698153[5]	−3.5591512[4]	1.793267[2]
$1s^22s2p^2\ ^4P$	(100%)			1/2	−276.2387474	177168.82	9.9415714[5]	−7.5359788[4]	1.718766[2]
	(100%)			3/2	−276.2228542	180656.97	9.9412498[5]	−7.5415056[4]	1.718748[2]
	(100%)			5/2	−276.2002741	185612.72	9.9409192[5]	−7.5500013[4]	1.718721[2]
$1s^22s2p^2\ ^2D$	(99%)			3/2	−275.6018165	316958.98	9.9193204[5]	−7.5051849[4]	1.716719[2]
	(100%)			5/2	−275.6013532	317060.67	9.9193807[5]	−7.5081046[4]	1.716724[2]
$1s^22s2p^2\ ^2S$	(94%)	+ $1s^22s2p^2\ ^2P$	(5%)	1/2	−275.2071965	403568.06	9.9050290[5]	−7.2104414[4]	1.716486[2]
$1s^22s2p^2\ ^2P$	(94%)	+ $1s^22s2p^2\ ^2S$	(5%)	1/2	−275.0998940	427118.23	9.9012015[5]	−7.4081692[4]	1.712136[2]
	(99%)			3/2	−275.0759675	432369.50	9.9007225[5]	−7.4260347[4]	1.711858[2]
$1s^22p^3\ ^4S^o$	(100%)			3/2	−274.4989753	559004.63	9.8792862[5]	−1.1490545[5]	1.635688[2]
$1s^22p^3\ ^2D^o$	(99%)	+ $1s^22p^3\ ^2P^o$	(1%)	3/2	−274.1656950	632151.21	9.8674399[5]	−1.1542305[5]	1.636310[2]
	(100%)			5/2	−274.1647534	632357.86	9.8676467[5]	−1.1550278[5]	1.636260[2]
$1s^22p^3\ ^2P^o$	(97%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−273.8113344	709924.36	9.8549337[5]	−1.1050257[5]	1.639922[2]
	(96%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−273.8064552	710995.22	9.8549630[5]	−1.1052845[5]	1.639973[2]
					S XII				
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−317.5751423	0.00	1.1425196[6]	−4.2156809[4]	2.357955[2]

Continued...

Table 7 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−317.5152326	13148.65	1.1423839[6]	−4.2408285[4]	2.357707[2]
$1s^22s2p^2\ ^4P$	(100%)			1/2	−316.6915340	193929.59	1.1393206[6]	−8.8886706[4]	2.257852[2]
	(100%)			3/2	−316.6696738	198727.35	1.1392741[6]	−8.8961509[4]	2.257820[2]
	(100%)			5/2	−316.6391188	205433.41	1.1392243[6]	−8.9070309[4]	2.257774[2]
$1s^22s2p^2\ ^2D$	(99%)			3/2	−315.9945601	346897.68	1.1368932[6]	−8.8599305[4]	2.255237[2]
	(99%)			5/2	−315.9933667	347159.60	1.1368998[6]	−8.8639215[4]	2.255247[2]
$1s^22s2p^2\ ^2S$	(91%)	+ $1s^22s2p^2\ ^2P$	(9%)	1/2	−315.5708559	439890.00	1.1353491[6]	−8.5486707[4]	2.254744[2]
$1s^22s2p^2\ ^2P$	(91%)	+ $1s^22s2p^2\ ^2S$	(9%)	1/2	−315.4562330	465046.82	1.1349538[6]	−8.7561517[4]	2.249731[2]
	(99%)			3/2	−315.4259004	471704.06	1.1348870[6]	−8.7850070[4]	2.249168[2]
$1s^22p^3\ ^4S^o$	(100%)			3/2	−314.7948852	610195.88	1.1325376[6]	−1.3543422[5]	2.146931[2]
$1s^22p^3\ ^2D^o$	(98%)	+ $1s^22p^3\ ^2P^o$	(1%)	3/2	−314.4306812	690129.43	1.1312389[6]	−1.3590396[5]	2.147676[2]
	(100%)			5/2	−314.4282598	690660.85	1.1312632[6]	−1.3603174[5]	2.147574[2]
$1s^22p^3\ ^2P^o$	(97%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−314.0468851	774362.92	1.1298866[6]	−1.3048027[5]	2.152436[2]
	(95%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−314.0388639	776123.36	1.1298873[6]	−1.3053561[5]	2.152494[2]
Cl XIII									
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−360.9065594	0.00	1.2979032[6]	−4.9448476[4]	3.052168[2]
	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−360.8271700	17423.96	1.2977161[6]	−4.9782873[4]	3.051762[2]
$1s^22s2p^2\ ^4P$	(100%)			1/2	−359.9437693	211308.00	1.2944138[6]	−1.0348887[5]	2.920303[2]
	(100%)			3/2	−359.9142791	217780.37	1.2943487[6]	−1.0358894[5]	2.920250[2]
	(100%)			5/2	−359.8738809	226646.73	1.2942770[6]	−1.0372576[5]	2.920174[2]
$1s^22s2p^2\ ^2D$	(99%)			3/2	−359.1844110	377967.87	1.2917785[6]	−1.0322849[5]	2.917011[2]
	(99%)			5/2	−359.1819888	378499.48	1.2917848[6]	−1.0328270[5]	2.917030[2]
$1s^22s2p^2\ ^2S$	(86%)	+ $1s^22s2p^2\ ^2P$	(14%)	1/2	−358.7335389	476922.88	1.2901229[6]	−1.0000069[5]	2.916064[2]
$1s^22s2p^2\ ^2P$	(86%)	+ $1s^22s2p^2\ ^2S$	(14%)	1/2	−358.6084552	504375.57	1.2897107[6]	−1.0207231[5]	2.910595[2]
	(99%)			3/2	−358.5714874	512489.06	1.2896224[6]	−1.0252389[5]	2.909539[2]
$1s^22p^3\ ^4S^o$	(99%)			3/2	−357.8851067	663132.21	1.2870597[6]	−1.5758504[5]	2.774786[2]
$1s^22p^3\ ^2D^o$	(98%)	+ $1s^22p^3\ ^2P^o$	(2%)	3/2	−357.4905771	749721.44	1.2856483[6]	−1.5799305[5]	2.775688[2]
	(100%)			5/2	−357.4857091	750789.84	1.2856752[6]	−1.5819196[5]	2.775493[2]
$1s^22p^3\ ^2P^o$	(97%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−357.0764770	840605.91	1.2841929[6]	−1.5207851[5]	2.781812[2]
	(95%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−357.0637225	843405.20	1.2841886[6]	−1.5218426[5]	2.781858[2]
Ar XIV									
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−407.0475470	0.00	1.4632298[6]	−5.7273368[4]	3.895062[2]
	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−406.9442626	22668.29	1.4629782[6]	−5.7710524[4]	3.894421[2]
$1s^22s2p^2\ ^4P$	(100%)			1/2	−406.0025474	229350.90	1.4594279[6]	−1.1915429[5]	3.724165[2]
	(100%)			3/2	−405.9634163	237939.18	1.4593383[6]	−1.1928669[5]	3.724080[2]
	(99%)			5/2	−405.9110806	249425.54	1.4592386[6]	−1.1945578[5]	3.723959[2]
$1s^22s2p^2\ ^2D$	(99%)			3/2	−405.1780276	410312.08	1.4565964[6]	−1.1893490[5]	3.720065[2]
	(99%)			5/2	−405.1736526	411272.28	1.4566007[6]	−1.1900787[5]	3.720099[2]
$1s^22s2p^2\ ^2S$	(80%)	+ $1s^22s2p^2\ ^2P$	(20%)	1/2	−404.7025142	514675.20	1.4548544[6]	−1.1565424[5]	3.718398[2]
$1s^22s2p^2\ ^2P$	(80%)	+ $1s^22s2p^2\ ^2S$	(20%)	1/2	−404.5623658	545434.20	1.4544083[6]	−1.1760751[5]	3.712798[2]
	(99%)			3/2	−404.5189891	554954.29	1.4542947[6]	−1.1827895[5]	3.710972[2]
$1s^22p^3\ ^4S^o$	(99%)	+ $1s^22p^3\ ^2P^o$	(1%)	3/2	−403.7758865	718046.46	1.4514930[6]	−1.8134610[5]	3.536197[2]
$1s^22p^3\ ^2D^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−403.3518045	811121.70	1.4499708[6]	−1.8167484[5]	3.537305[2]
	(100%)			5/2	−403.3431453	813022.17	1.4499984[6]	−1.8197495[5]	3.536950[2]
$1s^22p^3\ ^2P^o$	(97%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−402.9061634	908928.62	1.4484099[6]	−1.7529234[5]	3.545008[2]
	(94%)	+ $1s^22s^22p\ ^2P^o$	(3%)	3/2	−402.8864896	913246.51	1.4483966[6]	−1.7547797[5]	3.545005[2]
K XV									
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−456.0060635	0.00	1.6385091[6]	−6.5623447[4]	4.915007[2]
	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−455.8738383	29020.08	1.6381779[6]	−6.6186274[4]	4.914025[2]
$1s^22s2p^2\ ^4P$	(99%)	+ $1s^22s2p^2\ ^2S$	(1%)	1/2	−454.8753662	248159.37	1.6343908[6]	−1.3588396[5]	4.696262[2]
	(100%)			3/2	−454.8241776	259393.97	1.6342705[6]	−1.3605775[5]	4.696129[2]
	(99%)	+ $1s^22s2p^2\ ^2D$	(1%)	5/2	−454.7575967	274006.78	1.6341363[6]	−1.3626373[5]	4.695943[2]
$1s^22s2p^2\ ^2D$	(99%)	+ $1s^22s2p^2\ ^2P$	(1%)	3/2	−453.9824720	444126.99	1.6313359[6]	−1.3570855[5]	4.691211[2]
	(99%)	+ $1s^22s2p^2\ ^4P$	(1%)	5/2	−453.9751220	445740.13	1.6313368[6]	−1.3580660[5]	4.691268[2]
$1s^22s2p^2\ ^2S$	(73%)	+ $1s^22s2p^2\ ^2P$	(27%)	1/2	−453.4856112	553175.33	1.6294960[6]	−1.3241633[5]	4.688529[2]
$1s^22s2p^2\ ^2P$	(73%)	+ $1s^22s2p^2\ ^2S$	(27%)	1/2	−453.3242397	588592.27	1.6290098[6]	−1.3416196[5]	4.683180[2]
	(99%)	+ $1s^22s2p^2\ ^2D$	(1%)	3/2	−453.2750713	599383.49	1.6288743[6]	−1.3510530[5]	4.680262[2]
$1s^22p^3\ ^4S^o$	(99%)	+ $1s^22p^3\ ^2P^o$	(1%)	3/2	−452.4740941	775177.65	1.6258427[6]	−2.0670390[5]	4.456552[2]
$1s^22p^3\ ^2D^o$	(96%)	+ $1s^22p^3\ ^2P^o$	(4%)	3/2	−452.0214071	874530.96	1.6242121[6]	−2.0693370[5]	4.457933[2]
	(100%)			5/2	−452.0071691	877655.84	1.6242373[6]	−2.0737177[5]	4.457318[2]
$1s^22p^3\ ^2P^o$	(97%)	+ $1s^22s^22p\ ^2P^o$	(3%)	1/2	−451.5425548	979626.90	1.6225423[6]	−2.0011659[5]	4.467434[2]
	(93%)	+ $1s^22p^3\ ^2D^o$	(4%)	3/2	−451.5130476	986102.98	1.6225139[6]	−2.0042090[5]	4.467309[2]
Ca XVI									
$1s^22s^22p\ ^2P^o$	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	1/2	−507.7904445	0.00	1.8237409[6]	−7.4490376[4]	6.133315[2]
	(97%)	+ $1s^22p^3\ ^2P^o$	(3%)	3/2	−507.6235562	36627.74	1.8233127[6]	−7.5205060[4]	6.131852[2]
$1s^22s2p^2\ ^4P$	(99%)	+ $1s^22s2p^2\ ^2S$	(1%)	1/2	−506.5703856	267771.98	1.8192915[6]	−1.5366468[5]	5.856754[2]
	(100%)			3/2	−506.5042497	282287.11	1.8191325[6]	−1.5389091[5]	5.856553[2]
	(99%)	+ $1s^22s2p^2\ ^2D$	(1%)	5/2	−506.4209198	300575.92	1.8189565[6]	−1.5413825[5]	5.856276[2]

Continued...

Table 7 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s2p^2\ ^2D$	(99%)	$+\ 1s^22s2p^2\ ^2P$	(1%)	3/2	−505.6053714	479568.11	1.8160028[6]	−1.5354421[5]	5.850584[2]
	(99%)	$+\ 1s^22s2p^2\ ^4P$	(1%)	5/2	−505.5936399	482142.88	1.8159976[6]	−1.5367527[5]	5.850677[2]
$1s^22s2p^2\ ^2S$	(66%)	$+\ 1s^22s2p^2\ ^2P$	(33%)	1/2	−505.0908667	592488.82	1.8140765[6]	−1.5027341[5]	5.846591[2]
$1s^22s2p^2\ ^2P$	(66%)	$+\ 1s^22s2p^2\ ^2S$	(33%)	1/2	−504.9008544	634191.70	1.8135285[6]	−1.5175023[5]	5.841864[2]
	(99%)	$+\ 1s^22s2p^2\ ^2D$	(1%)	3/2	−504.8468040	646054.39	1.8133743[6]	−1.5300001[5]	5.837530[2]
$1s^22p^3\ ^4S^o$	(99%)	$+\ 1s^22p^3\ ^2P^o$	(1%)	3/2	−503.9869914	834761.44	1.8101049[6]	−2.3364307[5]	5.554774[2]
$1s^22p^3\ ^2D^o$	(95%)	$+\ 1s^22p^3\ ^2P^o$	(5%)	3/2	−503.5067784	940156.02	1.8083694[6]	−2.3375537[5]	5.556510[2]
	(100%)			5/2	−503.4846869	945004.54	1.8083873[6]	−2.3437311[5]	5.555494[2]
$1s^22p^3\ ^2P^o$	(97%)	$+\ 1s^22s^22p\ ^2P^o$	(3%)	1/2	−502.9925668	1053012.40	1.8065852[6]	−2.2654577[5]	5.567999[2]
	(91%)	$+\ 1s^22p^3\ ^2D^o$	(5%)	3/2	−502.9494534	1062474.70	1.8065333[6]	−2.2701665[5]	5.567642[2]
Sc XVII									
$1s^22s^22p\ ^2P^o$	(97%)	$+\ 1s^22p^3\ ^2P^o$	(3%)	1/2	−562.4095890	0.00	2.0189262[6]	−8.3865533[4]	7.574045[2]
	(97%)	$+\ 1s^22p^3\ ^2P^o$	(3%)	3/2	−562.2015928	45649.90	2.0183813[6]	−8.4761699[4]	7.571919[2]
$1s^22s2p^2\ ^4P$	(99%)	$+\ 1s^22s2p^2\ ^2S$	(1%)	1/2	−561.0962801	288237.98	2.0141299[6]	−1.7248688[5]	7.228360[2]
	(100%)			3/2	−561.0117596	306788.09	2.0139227[6]	−1.7277909[5]	7.228064[2]
	(99%)	$+\ 1s^22s2p^2\ ^2D$	(1%)	5/2	−560.9090114	329338.71	2.0136967[6]	−1.7307201[5]	7.227661[2]
$1s^22s2p^2\ ^2D$	(98%)	$+\ 1s^22s2p^2\ ^2P$	(1%)	3/2	−560.0548273	516810.44	2.0105957[6]	−1.7243446[5]	7.220879[2]
	(98%)	$+\ 1s^22s2p^2\ ^4P$	(1%)	5/2	−560.0368198	520762.63	2.0105802[6]	−1.7260866[5]	7.221027[2]
$1s^22s2p^2\ ^2S$	(59%)	$+\ 1s^22s2p^2\ ^2P$	(40%)	1/2	−559.5266805	632725.28	2.0085964[6]	−1.6920042[5]	7.215311[2]
$1s^22s2p^2\ ^2P$	(60%)	$+\ 1s^22s2p^2\ ^2S$	(40%)	1/2	−559.2995572	682573.06	2.0079595[6]	−1.7038542[5]	7.211512[2]
	(98%)	$+\ 1s^22s2p^2\ ^2D$	(1%)	3/2	−559.2416628	695279.41	2.0077913[6]	−1.7195756[5]	7.205462[2]
$1s^22p^3\ ^4S^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−558.3224197	897029.95	2.0042767[6]	−2.6214581[5]	6.852242[2]
$1s^22p^3\ ^2D^o$	(93%)	$+\ 1s^22p^3\ ^2P^o$	(6%)	3/2	−557.8157893	1008222.48	2.0024406[6]	−2.6212856[5]	6.854414[2]
	(100%)			5/2	−557.7830751	1015402.41	2.0024446[6]	−2.6296918[5]	6.852815[2]
$1s^22p^3\ ^2P^o$	(97%)	$+\ 1s^22s^22p\ ^2P^o$	(3%)	1/2	−557.2635849	1129417.32	2.0005348[6]	−2.5457399[5]	6.868055[2]
	(89%)	$+\ 1s^22p^3\ ^2D^o$	(7%)	3/2	−557.2021163	1142908.12	2.0004479[6]	−2.5526678[5]	6.867299[2]
Ti XVIII									
$1s^22s^22p\ ^2P^o$	(97%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−619.8731071	0.00	2.2240776[6]	−9.3740059[4]	9.276269[2]
	(97%)	$+\ 1s^22p^3\ ^2P^o$	(3%)	3/2	−619.6167877	56255.61	2.2233936[6]	−9.4850896[4]	9.273241[2]
$1s^22s2p^2\ ^4P$	(99%)	$+\ 1s^22s2p^2\ ^2S$	(1%)	1/2	−618.4624677	309599.55	2.2189173[6]	−1.9234028[5]	8.848084[2]
	(100%)			3/2	−618.3554939	333077.59	2.2186505[6]	−1.9271483[5]	8.847654[2]
	(98%)	$+\ 1s^22s2p^2\ ^2D$	(2%)	5/2	−618.2305351	360502.88	2.2183659[6]	−1.9305712[5]	8.847082[2]
$1s^22s2p^2\ ^2D$	(98%)	$+\ 1s^22s2p^2\ ^2P$	(2%)	3/2	−617.3396221	556035.66	2.2151235[6]	−1.9237139[5]	8.839058[2]
	(98%)	$+\ 1s^22s2p^2\ ^4P$	(2%)	5/2	−617.3128361	561914.52	2.2150924[6]	−1.9260155[5]	8.839284[2]
$1s^22s2p^2\ ^2S$	(53%)	$+\ 1s^22s2p^2\ ^2P$	(45%)	1/2	−616.8019708	674036.48	2.2130660[6]	−1.8917614[5]	8.831681[2]
$1s^22s2p^2\ ^2P$	(54%)	$+\ 1s^22s2p^2\ ^2S$	(45%)	1/2	−616.5283991	734078.54	2.2123093[6]	−1.9007631[5]	8.829031[2]
	(98%)	$+\ 1s^22s2p^2\ ^2D$	(2%)	3/2	−616.4677003	747400.38	2.2121323[6]	−1.9197220[5]	8.820984[2]
$1s^22p^3\ ^4S^o$	(97%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−615.4889618	962208.64	2.2083658[6]	−2.9219133[5]	8.383860[2]
$1s^22p^3\ ^2D^o$	(91%)	$+\ 1s^22p^3\ ^2P^o$	(7%)	3/2	−614.9568704	1078989.21	2.2064341[6]	−2.9204661[5]	8.386531[2]
	(100%)			5/2	−614.9103139	1089207.17	2.2064155[6]	−2.9314958[5]	8.384128[2]
$1s^22p^3\ ^2P^o$	(97%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−614.3635964	1209197.80	2.2043974[6]	−2.8419483[5]	8.402479[2]
	(87%)	$+\ 1s^22p^3\ ^2D^o$	(8%)	3/2	−614.2779524	1227994.47	2.2042606[6]	−2.8516955[5]	8.401096[2]
V XIX									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−680.1909594	0.00	2.4391933[6]	−1.0410503[5]	1.126693[3]
	(97%)	$+\ 1s^22p^3\ ^2P^o$	(3%)	3/2	−679.8782828	68624.58	2.4383453[6]	−1.0546739[5]	1.126270[3]
$1s^22s2p^2\ ^4P$	(98%)	$+\ 1s^22s2p^2\ ^2S$	(2%)	1/2	−678.6787731	331886.52	2.4336514[6]	−2.1321373[5]	1.074131[3]
	(100%)			3/2	−678.5445554	361343.91	2.4333115[6]	−2.1369024[5]	1.074070[3]
	(97%)	$+\ 1s^22s2p^2\ ^2D$	(3%)	5/2	−678.3945250	394271.77	2.4329591[6]	−2.1408492[5]	1.073990[3]
$1s^22s2p^2\ ^2D$	(97%)	$+\ 1s^22s2p^2\ ^2P$	(2%)	3/2	−677.4688776	597427.88	2.4295823[6]	−2.1334664[5]	1.073048[3]
	(97%)	$+\ 1s^22s2p^2\ ^4P$	(3%)	5/2	−677.4300658	605946.08	2.4295278[6]	−2.1364882[5]	1.073081[3]
$1s^22s2p^2\ ^2P$	(50%)	$+\ 1s^22s2p^2\ ^2S$	(48%)	1/2	−676.9258748	716603.22	2.4274818[6]	−2.1018508[5]	1.072109[3]
$1s^22s2p^2\ ^2S$	(50%)	$+\ 1s^22s2p^2\ ^2P$	(49%)	1/2	−676.5957379	789059.90	2.4265713[6]	−2.1082576[5]	1.071975[3]
$1s^22s2p^2\ ^2P$	(97%)	$+\ 1s^22s2p^2\ ^2D$	(2%)	3/2	−676.5331992	802785.55	2.4263907[6]	−2.1303808[5]	1.070945[3]
$1s^22p^3\ ^4S^o$	(96%)	$+\ 1s^22p^3\ ^2P^o$	(3%)	3/2	−675.4956469	1030501.95	2.4223671[6]	−3.2375575[5]	1.017351[3]
$1s^22p^3\ ^2D^o$	(89%)	$+\ 1s^22p^3\ ^2P^o$	(9%)	3/2	−674.9386193	1152755.38	2.4203452[6]	−3.2350860[5]	1.017667[3]
	(100%)			5/2	−674.8746557	1166793.77	2.4202932[6]	−3.2490351[5]	1.017323[3]
$1s^22p^3\ ^2P^o$	(97%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−674.3008596	1292727.45	2.4181662[6]	−3.1540114[5]	1.019506[3]
	(85%)	$+\ 1s^22p^3\ ^2D^o$	(10%)	3/2	−674.1840811	1318357.36	2.4179606[6]	−3.1671904[5]	1.019276[3]
Cr XX									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−743.3738851	0.00	2.6642879[6]	−1.1495138[5]	1.359391[3]
	(97%)	$+\ 1s^22p^3\ ^2P^o$	(3%)	3/2	−742.9959491	82947.37	2.6632480[6]	−1.1660587[5]	1.358809[3]
$1s^22s2p^2\ ^4P$	(98%)	$+\ 1s^22s2p^2\ ^2S$	(2%)	1/2	−741.7558453	355118.67	2.6583456[6]	−2.3509540[5]	1.295334[3]
	(99%)			3/2	−741.5887725	391786.92	2.6579167[6]	−2.3569705[5]	1.295248[3]
	(97%)	$+\ 1s^22s2p^2\ ^2D$	(3%)	5/2	−741.4108084	430845.53	2.6574871[6]	−2.3614615[5]	1.295138[3]
$1s^22s2p^2\ ^2D$	(97%)	$+\ 1s^22s2p^2\ ^2P$	(3%)	3/2	−740.4524637	641177.87	2.6539829[6]	−2.3535135[5]	1.294037[3]
	(97%)	$+\ 1s^22s2p^2\ ^4P$	(3%)	5/2	−740.3974832	653244.70	2.6538949[6]	−2.3574532[5]	1.294085[3]
$1s^22s2p^2\ ^2P$	(54%)	$+\ 1s^22s2p^2\ ^2S$	(44%)	1/2	−739.9081917	760631.76	2.6518543[6]	−2.3221589[5]	1.292878[3]
$1s^22s2p^2\ ^2S$	(54%)	$+\ 1s^22s2p^2\ ^2P$	(45%)	1/2	−739.5106045	847892.07	2.6507537[6]	−2.3263161[5]	1.292886[3]

Continued...

Table 7 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s2p^2\ ^2P$	(97%)	$+\ 1s^22s2p^2\ ^2D$	(3%)	3/2	−739.4470775	861834.64	2.6505745[6]	−2.3514903[5]	1.291605[3]
$1s^22p^3\ ^4S^o$	(95%)	$+\ 1s^22p^3\ ^2P^o$	(4%)	3/2	−738.3523797	1102093.02	2.6462906[6]	−3.5681158[5]	1.226391[3]
$1s^22p^3\ ^2D^o$	(87%)	$+\ 1s^22p^3\ ^2P^o$	(10%)	3/2	−737.7701285	1229882.37	2.6441829[6]	−3.5651937[5]	1.226745[3]
	(100%)			5/2	−737.6850170	1248562.20	2.6440853[6]	−3.5821948[5]	1.226272[3]
$1s^22p^3\ ^2P^o$	(98%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−737.0842948	1380405.47	2.6418485[6]	−3.4818506[5]	1.228844[3]
	(83%)	$+\ 1s^22p^3\ ^2D^o$	(12%)	3/2	−736.9282423	1414655.04	2.6415512[6]	−3.4990518[5]	1.228486[3]
Mn XXI									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−809.4329406	0.00	2.8993571[6]	−1.2627012[5]	1.628752[3]
	(97%)	$+\ 1s^22p^3\ ^2P^o$	(3%)	3/2	−808.9799245	99425.53	2.8980944[6]	−1.2826106[5]	1.627965[3]
$1s^22s2p^2\ ^4P$	(97%)	$+\ 1s^22s2p^2\ ^2S$	(3%)	1/2	−807.7047191	379300.75	2.8929957[6]	−2.5797266[5]	1.551267[3]
	(99%)			3/2	−807.4982558	424614.20	2.8924591[6]	−2.5872655[5]	1.551147[3]
	(96%)	$+\ 1s^22s2p^2\ ^2D$	(4%)	5/2	−807.2895729	470414.82	2.8919428[6]	−2.5923074[5]	1.551000[3]
$1s^22s2p^2\ ^2D$	(96%)	$+\ 1s^22s2p^2\ ^2P$	(4%)	3/2	−806.3005556	687479.01	2.8883183[6]	−2.5837625[5]	1.549721[3]
	(95%)	$+\ 1s^22s2p^2\ ^4P$	(4%)	5/2	−806.2242050	704236.03	2.8881839[6]	−2.5888605[5]	1.549788[3]
$1s^22s2p^2\ ^2P$	(58%)	$+\ 1s^22s2p^2\ ^2S$	(40%)	1/2	−805.7589570	806346.16	2.8861767[6]	−2.5525992[5]	1.548326[3]
$1s^22s2p^2\ ^2S$	(57%)	$+\ 1s^22s2p^2\ ^2P$	(42%)	1/2	−805.2822369	910974.14	2.8848468[6]	−2.5548886[5]	1.548483[3]
$1s^22s2p^2\ ^2P$	(96%)	$+\ 1s^22s2p^2\ ^2D$	(4%)	3/2	−805.2184465	924974.49	2.8846734[6]	−2.5829875[5]	1.546926[3]
$1s^22p^3\ ^4S^o$	(93%)	$+\ 1s^22p^3\ ^2P^o$	(6%)	3/2	−804.0695476	1177128.65	2.8801295[6]	−3.9132839[5]	1.468192[3]
$1s^22p^3\ ^2D^o$	(85%)	$+\ 1s^22p^3\ ^2P^o$	(11%)	3/2	−803.4604995	1310799.26	2.8779388[6]	−3.9108847[5]	1.468549[3]
	(100%)			5/2	−803.3505498	1334930.43	2.8777819[6]	−3.9308552[5]	1.467928[3]
$1s^22p^3\ ^2P^o$	(98%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−802.7230554	1472649.53	2.8754346[6]	−3.8253782[5]	1.470926[3]
	(81%)	$+\ 1s^22p^3\ ^2D^o$	(14%)	3/2	−802.5183876	1517568.92	2.8750183[6]	−3.8471437[5]	1.470398[3]
Fe XXII									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−878.3799779	0.00	3.1444133[6]	−1.3805234[5]	1.940148[3]
	(97%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−877.8410891	118272.41	3.1428938[6]	−1.4042792[5]	1.939097[3]
$1s^22s2p^2\ ^4P$	(96%)	$+\ 1s^22s2p^2\ ^2S$	(3%)	1/2	−876.5372804	404425.33	3.1376135[6]	−2.8183205[5]	1.847004[3]
	(99%)			3/2	−876.2838589	460044.93	3.1369473[6]	−2.8276945[5]	1.846840[3]
	(94%)	$+\ 1s^22s2p^2\ ^2D$	(6%)	5/2	−876.0418348	513163.08	3.1363350[6]	−2.8332788[5]	1.846644[3]
$1s^22s2p^2\ ^2D$	(95%)	$+\ 1s^22s2p^2\ ^2P$	(5%)	3/2	−875.0240899	736532.25	3.1325978[6]	−2.8241154[5]	1.845165[3]
	(94%)	$+\ 1s^22s2p^2\ ^4P$	(6%)	5/2	−874.9199417	759390.13	3.1324003[6]	−2.8306591[5]	1.845257[3]
$1s^22s2p^2\ ^2P$	(61%)	$+\ 1s^22s2p^2\ ^2S$	(37%)	1/2	−874.4889079	853991.13	3.1304576[6]	−2.7930942[5]	1.843517[3]
$1s^22s2p^2\ ^2S$	(60%)	$+\ 1s^22s2p^2\ ^2P$	(39%)	1/2	−873.9205270	978736.31	3.1288566[6]	−2.7939083[5]	1.843830[3]
$1s^22s2p^2\ ^2P$	(95%)	$+\ 1s^22s2p^2\ ^2D$	(5%)	3/2	−873.8570703	992663.45	3.1286932[6]	−2.8248056[5]	1.841969[3]
$1s^22p^3\ ^4S^o$	(90%)	$+\ 1s^22p^3\ ^2P^o$	(7%)	3/2	−872.6584922	1255720.92	3.1238929[6]	−4.2727396[5]	1.747540[3]
$1s^22p^3\ ^2D^o$	(82%)	$+\ 1s^22p^3\ ^2P^o$	(12%)	3/2	−872.0192490	1396018.59	3.1216182[6]	−4.2722761[5]	1.747835[3]
	(100%)			5/2	−871.8810855	1426341.98	3.1213885[6]	−4.2948899[5]	1.747056[3]
$1s^22p^3\ ^2P^o$	(98%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−871.2269712	1569903.46	3.1189298[6]	−4.1844971[5]	1.750520[3]
	(78%)	$+\ 1s^22p^3\ ^2D^o$	(16%)	3/2	−870.9631363	1627808.53	3.1183628[6]	−4.2113066[5]	1.749773[3]
Co XXIII									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−950.2273260	0.00	3.3994599[6]	−1.5028922[5]	2.298340[3]
	(97%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−949.5907515	139711.97	3.3976463[6]	−1.5310153[5]	2.296955[3]
$1s^22s2p^2\ ^4P$	(95%)	$+\ 1s^22s2p^2\ ^2S$	(4%)	1/2	−948.2659512	430472.01	3.3922030[6]	−3.0665964[5]	2.187032[3]
	(99%)	$+\ 1s^22s2p^2\ ^2D$	(1%)	3/2	−947.9568619	498309.26	3.3913816[6]	−3.0781619[5]	2.186810[3]
	(93%)	$+\ 1s^22s2p^2\ ^2D$	(7%)	5/2	−947.6791249	559265.50	3.3906648[6]	−3.0842629[5]	2.186552[3]
$1s^22s2p^2\ ^2D$	(94%)	$+\ 1s^22s2p^2\ ^2P$	(6%)	3/2	−946.6344466	788545.86	3.3868217[6]	−3.0744701[5]	2.184849[3]
	(93%)	$+\ 1s^22s2p^2\ ^4P$	(7%)	5/2	−946.4946805	819220.99	3.3865403[6]	−3.0827972[5]	2.184971[3]
$1s^22s2p^2\ ^2P$	(63%)	$+\ 1s^22s2p^2\ ^2S$	(34%)	1/2	−946.1091716	903830.40	3.3846963[6]	−3.0435658[5]	2.182934[3]
$1s^22s2p^2\ ^2S$	(62%)	$+\ 1s^22s2p^2\ ^2P$	(36%)	1/2	−945.4357087	1051638.41	3.3827797[6]	−3.0432989[5]	2.183403[3]
$1s^22s2p^2\ ^2P$	(94%)	$+\ 1s^22s2p^2\ ^2D$	(5%)	3/2	−945.3730572	1065388.84	3.3826297[6]	−3.0768748[5]	2.181213[3]
$1s^22p^3\ ^4S^o$	(87%)	$+\ 1s^22p^3\ ^2P^o$	(9%)	3/2	−944.1312038	1337944.14	3.3775827[6]	−4.6461709[5]	2.068665[3]
$1s^22p^3\ ^2D^o$	(80%)	$+\ 1s^22p^3\ ^2P^o$	(12%)	3/2	−943.4560011	1486134.01	3.3752173[6]	−4.6494671[5]	2.068797[3]
	(100%)			5/2	−943.2868302	1523262.73	3.3749016[6]	−4.6741660[5]	2.067861[3]
$1s^22p^3\ ^2P^o$	(98%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−942.6062449	1672633.92	3.3723306[6]	−4.5590997[5]	2.071828[3]
	(76%)	$+\ 1s^22p^3\ ^2D^o$	(17%)	3/2	−942.2714746	1746107.52	3.3715769[6]	−4.5913659[5]	2.070808[3]
Ni XXIV									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−1024.9879299	0.00	3.6645032[6]	−1.6297201[5]	2.708846[3]
	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−1024.2407753	163981.48	3.6623545[6]	−1.6627676[5]	2.707042[3]
$1s^22s2p^2\ ^4P$	(94%)	$+\ 1s^22s2p^2\ ^2S$	(5%)	1/2	−1022.9038416	457404.50	3.6567702[6]	−3.3244079[5]	2.576551[3]
	(99%)	$+\ 1s^22s2p^2\ ^2D$	(1%)	3/2	−1022.5291245	539645.38	3.6557643[6]	−3.3385657[5]	2.576253[3]
	(91%)	$+\ 1s^22s2p^2\ ^2D$	(9%)	5/2	−1022.2136354	608887.25	3.6549352[6]	−3.3451409[5]	2.575919[3]
$1s^22s2p^2\ ^2D$	(93%)	$+\ 1s^22s2p^2\ ^2P$	(7%)	3/2	−1021.1435944	843734.08	3.6509929[6]	−3.3347204[5]	2.573966[3]
	(91%)	$+\ 1s^22s2p^2\ ^4P$	(9%)	5/2	−1020.9588414	884282.68	3.6506020[6]	−3.3452204[5]	2.574124[3]
$1s^22s2p^2\ ^2P$	(65%)	$+\ 1s^22s2p^2\ ^2S$	(31%)	1/2	−1020.6314140	956144.69	3.6488951[6]	−3.3039332[5]	2.571770[3]
$1s^22s2p^2\ ^2S$	(64%)	$+\ 1s^22s2p^2\ ^2P$	(34%)	1/2	−1019.8385060	1130167.86	3.6466153[6]	−3.3029824[5]	2.572394[3]
$1s^22s2p^2\ ^2P$	(93%)	$+\ 1s^22s2p^2\ ^2D$	(7%)	3/2	−1019.7770139	1143663.83	3.6464818[6]	−3.3391223[5]	2.569845[3]
$1s^22p^3\ ^4S^o$	(84%)	$+\ 1s^22p^3\ ^2P^o$	(12%)	3/2	−1018.5004205	1423843.69	3.6412036[6]	−5.0333117[5]	2.436470[3]
$1s^22p^3\ ^2D^o$	(77%)	$+\ 1s^22p^3\ ^2P^o$	(12%)	3/2	−1017.7806689	1581810.90	3.6387322[6]	−5.0424928[5]	2.436293[3]
	(100%)			5/2	−1017.5785041	1626180.94	3.6383200[6]	−5.0685442[5]	2.435217[3]

Continued...

Table 7 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22p^3\ ^2P^o$	(98%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−1016.8715900	1781330.64	3.6356356[6]	−4.9490664[5]	2.439723[3]
	(74%)	$+\ 1s^22p^3\ ^2D^o$	(19%)	3/2	−1016.4528911	1873224.43	3.6346549[6]	−4.9871435[5]	2.438369[3]
Cu XXV									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−1102.6753597	0.00	3.9395494[6]	−1.7609221[5]	3.177724[3]
	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−1101.8036001	191329.12	3.9370206[6]	−1.7994882[5]	3.175398[3]
$1s^22s2p^2\ ^4P$	(93%)	$+\ 1s^22s2p^2\ ^2S$	(6%)	1/2	−1100.4640697	485322.05	3.9313143[6]	−3.5916569[5]	3.021137[3]
	(99%)	$+\ 1s^22s2p^2\ ^2D$	(1%)	3/2	−1100.0124047	584451.06	3.9300943[6]	−3.6088651[5]	3.020738[3]
	(89%)	$+\ 1s^22s2p^2\ ^2D$	(11%)	5/2	−1099.6575311	662336.80	3.9291443[6]	−3.6158481[5]	3.020312[3]
$1s^22s2p^2\ ^2D$	(91%)	$+\ 1s^22s2p^2\ ^2P$	(8%)	3/2	−1098.5634572	902458.26	3.9250753[6]	−3.6047142[5]	3.018099[3]
	(89%)	$+\ 1s^22s2p^2\ ^4P$	(11%)	5/2	−1098.3226560	955308.01	3.9245491[6]	−3.6178431[5]	3.018292[3]
$1s^22s2p^2\ ^2P$	(67%)	$+\ 1s^22s2p^2\ ^2S$	(28%)	1/2	−1098.0672635	1011360.20	3.9229999[6]	−3.5740330[5]	3.015630[3]
$1s^22s2p^2\ ^2S$	(65%)	$+\ 1s^22s2p^2\ ^2P$	(32%)	1/2	−1097.1395872	1214961.60	3.9202946[6]	−3.5727583[5]	3.016390[3]
$1s^22s2p^2\ ^2P$	(91%)	$+\ 1s^22s2p^2\ ^2D$	(8%)	3/2	−1097.0794684	1228156.15	3.9201968[6]	−3.6114250[5]	3.013472[3]
$1s^22p^3\ ^4S^o$	(80%)	$+\ 1s^22p^3\ ^2P^o$	(14%)	3/2	−1095.7795390	1513457.66	3.9147616[6]	−5.4339790[5]	2.856331[3]
$1s^22p^3\ ^2D^o$	(74%)	$+\ 1s^22p^3\ ^4S^o$	(14%)	3/2	−1095.0035438	1683768.93	3.9121588[6]	−5.4512822[5]	2.855653[3]
	(100%)			5/2	−1094.7673375	1735610.22	3.9116419[6]	−5.4778783[5]	2.854466[3]
$1s^22p^3\ ^2P^o$	(98%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−1094.0342271	1896509.35	3.9088428[6]	−5.3542661[5]	2.859547[3]
	(72%)	$+\ 1s^22p^3\ ^2D^o$	(20%)	3/2	−1093.5173665	2009947.13	3.9075910[6]	−5.3984614[5]	2.857790[3]
Zn XXVI									
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	1/2	−1183.3038006	0.00	4.2246039[6]	−1.8964142[5]	3.711616[3]
	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−1182.2922212	222016.01	4.2216463[6]	−1.9411299[5]	3.708647[3]
$1s^22s2p^2\ ^4P$	(92%)	$+\ 1s^22s2p^2\ ^2S$	(7%)	1/2	−1180.9630398	513737.60	4.2158646[6]	−3.8680296[5]	3.527439[3]
	(98%)	$+\ 1s^22s2p^2\ ^2D$	(1%)	3/2	−1180.4216656	632555.49	4.2143837[6]	−3.8887535[5]	3.526917[3]
	(86%)	$+\ 1s^22s2p^2\ ^2D$	(14%)	5/2	−1180.0262029	719349.52	4.2133124[6]	−3.8960948[5]	3.526378[3]
$1s^22s2p^2\ ^2D$	(90%)	$+\ 1s^22s2p^2\ ^2P$	(9%)	3/2	−1178.9089573	964556.58	4.2091882[6]	−3.8844571[5]	3.523836[3]
	(86%)	$+\ 1s^22s2p^2\ ^4P$	(14%)	5/2	−1178.5992787	1032523.18	4.2084775[6]	−3.9006781[5]	3.524073[3]
$1s^22s2p^2\ ^2P$	(68%)	$+\ 1s^22s2p^2\ ^2S$	(26%)	1/2	−1178.4311219	1069429.33	4.2071784[6]	−3.8539859[5]	3.521038[3]
$1s^22s2p^2\ ^2S$	(67%)	$+\ 1s^22s2p^2\ ^2P$	(30%)	1/2	−1177.3522434	1306215.77	4.2040147[6]	−3.8528944[5]	3.521947[3]
$1s^22s2p^2\ ^2P$	(90%)	$+\ 1s^22s2p^2\ ^2D$	(9%)	3/2	−1177.2937125	1319061.82	4.2039219[6]	−3.8938385[5]	3.518590[3]
$1s^22p^3\ ^4S^o$	(75%)	$+\ 1s^22p^3\ ^2P^o$	(17%)	3/2	−1175.9824848	1606843.04	4.1982626[6]	−5.8480888[5]	3.334127[3]
$1s^22p^3\ ^2D^o$	(71%)	$+\ 1s^22p^3\ ^4S^o$	(18%)	3/2	−1175.1354141	1792753.56	4.1954905[6]	−5.8756378[5]	3.332723[3]
	(100%)			5/2	−1174.8650617	1852089.06	4.1948654[6]	−5.9020148[5]	3.331464[3]
$1s^22p^3\ ^2P^o$	(98%)	$+\ 1s^22s^22p\ ^2P^o$	(2%)	1/2	−1174.1058750	2018711.26	4.1919507[6]	−5.7745561[5]	3.337151[3]
	(70%)	$+\ 1s^22p^3\ ^2D^o$	(22%)	3/2	−1173.4753563	2157094.11	4.1903784[6]	−5.8251451[5]	3.334918[3]
Kr XXXII									
$1s^22s^22p\ ^2P^o$	(99%)	$+\ 1s^22p^3\ ^2P^o$	(1%)	1/2	−1729.7089384	0.00	6.1452062[6]	−2.7947783[5]	8.722226[3]
	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−1727.4649266	492503.65	6.1384118[6]	−2.8917485[5]	8.711461[3]
$1s^22s2p^2\ ^4P$	(82%)	$+\ 1s^22s2p^2\ ^2S$	(14%)	1/2	−1726.5292987	697850.23	6.1331257[6]	−5.7110624[5]	8.270879[3]
	(97%)	$+\ 1s^22s2p^2\ ^2D$	(2%)	3/2	−1725.0899728	1013745.73	6.1289820[6]	−5.7655093[5]	8.268483[3]
	(70%)	$+\ 1s^22s2p^2\ ^2D$	(30%)	5/2	−1724.4497885	1154249.94	6.1271726[6]	−5.7736212[5]	8.266813[3]
$1s^22s2p^2\ ^2D$	(82%)	$+\ 1s^22s2p^2\ ^2P$	(17%)	3/2	−1723.1949425	1429656.80	6.1225618[6]	−5.7585181[5]	8.261662[3]
$1s^22s2p^2\ ^2P$	(73%)	$+\ 1s^22s2p^2\ ^2S$	(15%)	1/2	−1722.8572958	1503761.68	6.1209841[6]	−5.7301562[5]	8.256937[3]
$1s^22s2p^2\ ^2D$	(70%)	$+\ 1s^22s2p^2\ ^4P$	(30%)	5/2	−1722.0964382	1670750.63	6.1196121[6]	−5.8060398[5]	8.261728[3]
$1s^22s2p^2\ ^2S$	(71%)	$+\ 1s^22s2p^2\ ^2P$	(23%)	1/2	−1720.4630774	2029231.87	6.1136518[6]	−5.7405407[5]	8.257764[3]
$1s^22s2p^2\ ^2P$	(82%)	$+\ 1s^22s2p^2\ ^2D$	(16%)	3/2	−1720.4134861	2040115.90	6.1137236[6]	−5.7933192[5]	8.251196[3]
$1s^22p^3\ ^4S^o$	(50%)	$+\ 1s^22p^3\ ^2P^o$	(31%)	3/2	−1719.4276001	2256492.87	6.1081452[6]	−8.6149473[5]	7.807305[3]
$1s^22p^3\ ^2D^o$	(56%)	$+\ 1s^22p^3\ ^4S^o$	(40%)	3/2	−1717.7054514	2634460.80	6.1029569[6]	−8.7293509[5]	7.795677[3]
	(100%)			5/2	−1717.2590824	2732427.47	6.1017874[6]	−8.7480336[5]	7.794674[3]
$1s^22p^3\ ^2P^o$	(99%)	$+\ 1s^22s^22p\ ^2P^o$	(1%)	1/2	−1716.3449392	2933058.72	6.0981516[6]	−8.6035038[5]	7.804509[3]
	(62%)	$+\ 1s^22p^3\ ^2D^o$	(26%)	3/2	−1714.6315403	3309106.29	6.0933730[6]	−8.6983588[5]	7.797242[3]
Mo XXXVIII									
$1s^22s^22p\ ^2P^o$	(99%)			1/2	−2386.3262016	0.00	8.4272636[6]	−3.8266242[5]	1.863868[4]
$1s^22s2p^2\ ^4P$	(72%)	$+\ 1s^22s2p^2\ ^2S$	(21%)	1/2	−2382.2474243	895188.11	8.4115761[6]	−7.8412674[5]	1.763889[4]
$1s^22s^22p\ ^2P^o$	(98%)	$+\ 1s^22p^3\ ^2P^o$	(2%)	3/2	−2381.9341181	963950.87	8.4136714[6]	−4.0087042[5]	1.860708[4]
$1s^22s2p^2\ ^4P$	(95%)	$+\ 1s^22s2p^2\ ^2D$	(3%)	3/2	−2379.0096012	1605808.12	8.4018842[6]	−7.9574490[5]	1.762990[4]
	(56%)	$+\ 1s^22s2p^2\ ^2D$	(44%)	5/2	−2378.1592469	1792439.32	8.3995251[6]	−7.9659104[5]	1.762611[4]
$1s^22s2p^2\ ^2D$	(75%)	$+\ 1s^22s2p^2\ ^2P$	(24%)	3/2	−2376.7393964	2104060.47	8.3943090[6]	−7.9449140[5]	1.761610[4]
$1s^22s2p^2\ ^2P$	(73%)	$+\ 1s^22s2p^2\ ^4P$	(19%)	1/2	−2376.5434452	2147066.80	8.3931554[6]	−7.9191835[5]	1.760907[4]
$1s^22s2p^2\ ^2D$	(56%)	$+\ 1s^22s2p^2\ ^4P$	(44%)	5/2	−2373.9164184	2723632.51	8.3860960[6]	−8.0525972[5]	1.761278[4]
$1s^22p^3\ ^2P^o$	(39%)	$+\ 1s^22p^3\ ^4S^o$	(37%)	3/2	−2372.1361097	3114365.08	8.3764230[6]	−1.1844610[6]	1.662396[4]
$1s^22s2p^2\ ^2S$	(71%)	$+\ 1s^22s2p^2\ ^2P$	(19%)	1/2	−2371.9167572	3162507.40	8.3786352[6]	−7.9679472[5]	1.760553[4]
$1s^22s2p^2\ ^2P$	(74%)	$+\ 1s^22s2p^2\ ^2D$	(22%)	3/2	−2371.8721146	3172305.31	8.3789117[6]	−8.0285609[5]	1.759374[4]
$1s^22p^3\ ^4S^o$	(49%)	$+\ 1s^22p^3\ ^2D^o$	(49%)	3/2	−2368.5184105	3908358.26	8.3653992[6]	−1.2063731[6]	1.658770[4]
$1s^22p^3\ ^2D^o$	(100%)			5/2	−2367.9521258	4032643.39	8.3639832[6]	−1.2078964[6]	1.658725[4]
$1s^22p^3\ ^2P^o$	(99%)	$+\ 1s^22s^22p\ ^2P^o$	(1%)	1/2	−2366.8820306	4267502.12	8.3595378[6]	−1.1925383[6]	1.660162[4]
	(58%)	$+\ 1s^22p^3\ ^2D^o$	(28%)	3/2	−2363.1587213	5084674.05	8.3485675[6]	−1.2081034[6]	1.658234[4]

Table 8
Upper part: individual contributions to the wavenumber mass shift $\delta\sigma_{\rm MS}$ of the forbidden transition $1s^2 2s^2\ 2p\ {}^2P^o_{1/2} - {}^2P^o_{3/2}$ in boron-like $^{36,40}Ar^{13+}$. Lower part: wavenumber mass, field and total shifts. All numbers in $\rm cm^{-1}$.

		$\delta\sigma_{\rm MS}$			
		$\langle H^1_{\rm NMS}\rangle$	$\langle H^2_{\rm NMS}+H^3_{\rm NMS}\rangle$	$\langle H^1_{\rm SMS}\rangle$	$\langle H^2_{\rm SMS}+H^3_{\rm SMS}\rangle$
Theory	This work	0.1054	−0.0821	−0.0745	0.1150
	Tupitsyn *et al.* [16]	0.1053	−0.0822	−0.0742	0.1151
		$\delta\sigma_{\rm MS}$	$\delta\sigma_{\rm FS}$	$\delta\sigma$	
Theory	This work	0.0639	−0.00053	0.0633	
	Tupitsyn *et al.* [16]	0.0640			
	Orts *et al.* [52]	0.0640[a]	−0.0005	0.0635	
Observed	Orts *et al.* [52]			0.0640(31)	

[a] the QED contributions ($-0.0006\ \rm cm^{-1}$) have been substracted from their estimation for a fair comparison.

Table 9
Comparison of MCHF and MCDHF specific mass shift parameters for O IV (in atomic units $E_{\rm h}m_e$).

	MCHF	MCDHF		
	$K^1_{\rm SMS}$	J	$K^1_{\rm SMS}$	$K_{\rm SMS}$
$2s^2 2p\ {}^2P^o$	−1.07928	1/2	−1.0703	−1.0642
		3/2	−1.0654	−1.0666
$2s2p^2\ {}^4P$	−3.14595	1/2	−3.1404	−3.1293
		3/2	−3.1388	−3.1302
		5/2	−3.1365	−3.1320
$2s2p^2\ {}^2D$	−3.05072	5/2	−3.0476	−3.0407
		3/2	−3.0472	−3.0401
$2s2p^2\ {}^2P$	−2.75703	1/2	−2.7544	−2.7431
		3/2	−2.7511	−2.7448
$2s2p^2\ {}^2S$	−2.6815	1/2	−2.6877	−2.6809
$2p^3\ {}^4S^o$	−4.8515	3/2	−4.8454	−4.8315
$2p^3\ {}^2D^o$	−5.0423	5/2	−5.0427	−5.0296
		3/2	−5.0425	−5.0292
$2p^3\ {}^2P^o$	−4.5694	1/2	−4.5796	−4.5667
		3/2	−4.5794	−4.5671

Table 10

Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in GHz/fm^2) for levels in the carbon isoelectronic sequence ($7 \leq Z \leq 28$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 17 for Explanation of Tables.

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_{NMS}$ (GHz u)	$\widetilde{K}_{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
					N II				
$1s^22s^22p^2\ ^3P$	(96%)	$+ 1s^22p^4\ ^3P$	(2%)	0	−54.0764294	0.00	1.9502294[5]	−4.6013306[3]	7.283118
	(96%)	$+ 1s^22p^4\ ^3P$	(2%)	1	−54.0761997	50.41	1.9502254[5]	−4.6022305[3]	7.283118
	(96%)	$+ 1s^22p^4\ ^3P$	(2%)	2	−54.0758321	131.07	1.9502371[5]	−4.6055267[3]	7.283137
$1s^22s^22p^2\ ^1D$	(96%)	$+ 1s^22p^4\ ^1D$	(2%)	2	−54.0059995	15457.56	1.9480134[5]	−4.4661335[3]	7.286404
$1s^22s^22p^2\ ^1S$	(92%)	$+ 1s^22p^4\ ^1S$	(6%)	0	−53.9262127	32968.75	1.9454533[5]	−4.4612672[3]	7.279155
$1s^22s2p^3\ ^5S^o$	(99%)			2	−53.8639833	46626.52	1.9421309[5]	−8.9397181[3]	7.105985
$1s^22s2p^3\ ^3D^o$	(96%)	$+ 1s^22s^22p3d\ ^3D^o$	(2%)	3	−53.6555256	92377.69	1.9351388[5]	−8.5991204[3]	7.105092
	(96%)	$+ 1s^22s^22p3d\ ^3D^o$	(2%)	2	−53.6554696	92389.98	1.9351286[5]	−8.5986104[3]	7.105100
	(96%)	$+ 1s^22s^22p3d\ ^3D^o$	(2%)	1	−53.6554634	92391.35	1.9351261[5]	−8.6006628[3]	7.105108
$1s^22s2p^3\ ^3P^o$	(95%)	$+ 1s^22s^22p3d\ ^3P^o$	(1%)	1	−53.5766488	109689.14	1.9324736[5]	−8.1102045[3]	7.107254
	(95%)	$+ 1s^22s^22p3d\ ^3P^o$	(1%)	2	−53.5766480	109689.33	1.9324751[5]	−8.1123937[3]	7.107244
	(95%)	$+ 1s^22s^22p3d\ ^3P^o$	(1%)	0	−53.5765744	109705.48	1.9324757[5]	−8.1123189[3]	7.107274
$1s^22s2p^3\ ^1D^o$	(91%)	$+ 1s^22s^22p3d\ ^1D^o$	(5%)	2	−53.4167653	144779.52	1.9273253[5]	−7.6852576[3]	7.095990
$1s^22s2p^3\ ^3S^o$	(95%)	$+ 1s^22p^33d\ ^3S^o$	(3%)	1	−53.3675350	155584.33	1.9253788[5]	−6.3665740[3]	7.071980
					O III				
$1s^22s^22p^2\ ^3P$	(97%)	$+ 1s^22p^4\ ^3P$	(2%)	0	−73.3179307	0.00	2.6437677[5]	−8.8845020[3]	1.273468[1]
	(97%)	$+ 1s^22p^4\ ^3P$	(2%)	1	−73.3174130	113.63	2.6437621[5]	−8.8868803[3]	1.273470[1]
	(97%)	$+ 1s^22p^4\ ^3P$	(2%)	2	−73.3165408	305.05	2.6437780[5]	−8.8931666[3]	1.273474[1]
$1s^22s^22p^2\ ^1D$	(96%)	$+ 1s^22p^4\ ^1D$	(2%)	2	−73.2249452	20407.96	2.6407223[5]	−8.7282082[3]	1.273893[1]
$1s^22s^22p^2\ ^1S$	(93%)	$+ 1s^22p^4\ ^1S$	(6%)	0	−73.1200635	43426.82	2.6372130[5]	−8.7146105[3]	1.272247[1]
$1s^22s2p^3\ ^5S^o$	(99%)			2	−73.0439650	60128.52	2.6335594[5]	−1.5542920[4]	1.238103[1]
$1s^22s2p^3\ ^3D^o$	(97%)	$+ 1s^22s^22p3d\ ^3D^o$	(1%)	3	−72.7706503	120114.15	2.6241559[5]	−1.5151865[4]	1.237353[1]
	(97%)	$+ 1s^22s^22p3d\ ^3D^o$	(1%)	2	−72.7705276	120141.09	2.6241387[5]	−1.5150571[4]	1.237354[1]
	(97%)	$+ 1s^22s^22p3d\ ^3D^o$	(1%)	1	−72.7705022	120146.66	2.6241345[5]	−1.5151957[4]	1.237356[1]
$1s^22s2p^3\ ^3P^o$	(97%)	$+ 1s^22s^22p3d\ ^3P^o$	(1%)	2	−72.6680198	142638.96	2.6206227[5]	−1.4503510[4]	1.237502[1]
	(97%)	$+ 1s^22s^22p3d\ ^3P^o$	(1%)	1	−72.6680112	142640.83	2.6206193[5]	−1.4500707[4]	1.237503[1]
	(97%)	$+ 1s^22s^22p3d\ ^3P^o$	(1%)	0	−72.6679201	142660.84	2.6206124[5]	−1.4500939[4]	1.237506[1]
$1s^22s2p^3\ ^1D^o$	(95%)	$+ 1s^22s^22p3d\ ^1D^o$	(2%)	2	−72.4640740	187399.88	2.6136425[5]	−1.4110770[4]	1.234261[1]
$1s^22s2p^3\ ^3S^o$	(97%)	$+ 1s^22p^33d\ ^3S^o$	(2%)	1	−72.4188002	197336.33	2.6118411[5]	−1.2916958[4]	1.230963[1]
$1s^22s2p^3\ ^1P^o$	(96%)	$+ 1s^22p^33d\ ^1P^o$	(1%)	1	−72.3555087	211227.21	2.6100157[5]	−1.2892913[4]	1.234247[1]
$1s^22p^4\ ^3P$	(93%)	$+ 1s^22s2p^23d\ ^3P$	(3%)	2	−72.0228535	284236.57	2.5974742[5]	−2.0044114[4]	1.199062[1]
	(93%)	$+ 1s^22s2p^23d\ ^3P$	(3%)	1	−72.0218178	284463.89	2.5974654[5]	−2.0048937[4]	1.199053[1]
	(93%)	$+ 1s^22s2p^23d\ ^3P$	(3%)	0	−72.0213471	284567.19	2.5974822[5]	−2.0050328[4]	1.199056[1]
$1s^22p^4\ ^1D$	(92%)	$+ 1s^22s2p^23d\ ^1D$	(4%)	2	−71.9565836	298781.15	2.5953181[5]	−2.0618812[4]	1.199764[1]
					F IV				
$1s^22s^22p^2\ ^3P$	(97%)	$+ 1s^22p^4\ ^3P$	(2%)	0	−95.5766430	0.00	3.4457426[5]	−1.4302832[4]	2.084641[1]
	(97%)	$+ 1s^22p^4\ ^3P$	(2%)	1	−95.5756085	227.03	3.4457311[5]	−1.4307619[4]	2.084644[1]
	(97%)	$+ 1s^22p^4\ ^3P$	(2%)	2	−95.5738482	613.37	3.4457433[5]	−1.4318704[4]	2.084647[1]
$1s^22s^22p^2\ ^1D$	(97%)	$+ 1s^22p^4\ ^1D$	(2%)	2	−95.4610400	25371.91	3.4418844[5]	−1.4131859[4]	2.085172[1]
$1s^22s^22p^2\ ^1S$	(93%)	$+ 1s^22p^4\ ^1S$	(6%)	0	−95.3316495	53769.84	3.4374546[5]	−1.4130703[4]	2.082008[1]
$1s^22s2p^3\ ^5S^o$	(99%)			2	−95.2395685	73979.29	3.4333213[5]	−2.3830993[4]	2.020818[1]
$1s^22s2p^3\ ^3D^o$	(98%)	$+ 1s^22s^22p3d\ ^3D^o$	(1%)	3	−94.9026825	147917.21	3.4215976[5]	−2.3403140[4]	2.019117[1]
	(98%)	$+ 1s^22s^22p3d\ ^3D^o$	(1%)	2	−94.9024699	147963.87	3.4215695[5]	−2.3400273[4]	2.019119[1]
	(98%)	$+ 1s^22s^22p3d\ ^3D^o$	(1%)	1	−94.9024123	147976.52	3.4215625[5]	−2.3400751[4]	2.019122[1]
$1s^22s2p^3\ ^3P^o$	(98%)			2	−94.7772384	175449.01	3.4172378[5]	−2.2589366[4]	2.019257[1]
	(98%)			1	−94.7772199	175453.07	3.4172316[5]	−2.2585651[4]	2.019260[1]
	(98%)			0	−94.7770971	175480.03	3.4172185[5]	−2.2584780[4]	2.019261[1]
$1s^22s2p^3\ ^1D^o$	(97%)	$+ 1s^22p^33d\ ^1D^o$	(1%)	2	−94.5322829	229210.53	3.4086928[5]	−2.2297317[4]	2.013441[1]
$1s^22s2p^3\ ^3S^o$	(98%)	$+ 1s^22p^33d\ ^3S^o$	(1%)	1	−94.4899033	238511.78	3.4070139[5]	−2.1182074[4]	2.008661[1]
$1s^22s2p^3\ ^1P^o$	(97%)	$+ 1s^22p^33d\ ^1P^o$	(1%)	1	−94.4014914	257915.96	3.4042521[5]	−2.1002274[4]	2.013255[1]
$1s^22p^4\ ^3P$	(95%)	$+ 1s^22s2p^23d\ ^3P$	(2%)	2	−93.9882702	348607.53	3.3889590[5]	−3.0794329[4]	1.949750[1]
	(95%)	$+ 1s^22s2p^23d\ ^3P$	(1%)	1	−93.9862556	349049.68	3.3889311[5]	−3.0803738[4]	1.949743[1]
	(95%)	$+ 1s^22s2p^23d\ ^3P$	(2%)	0	−93.9853522	349247.95	3.3889367[5]	−3.0807630[4]	1.949741[1]
$1s^22p^4\ ^1D$	(94%)	$+ 1s^22s2p^23d\ ^1D$	(3%)	2	−93.9009178	367779.14	3.3860636[5]	−3.1368744[4]	1.950970[1]
$1s^22p^4\ ^1S$	(90%)	$+ 1s^22s^22p^2\ ^1S$	(6%)	0	−93.6501416	422818.16	3.3777093[5]	−2.8852591[4]	1.954359[1]
					Ne V				
$1s^22s^22p^2\ ^3P$	(97%)	$+ 1s^22p^4\ ^3P$	(1%)	0	−120.8538355	0.00	4.3560789[5]	−2.0849821[4]	3.240631[1]
	(97%)	$+ 1s^22p^4\ ^3P$	(1%)	1	−120.8519610	411.41	4.3560551[5]	−2.0858256[4]	3.240632[1]
	(97%)	$+ 1s^22p^4\ ^3P$	(1%)	2	−120.8487841	1108.65	4.3560540[5]	−2.0876410[4]	3.240628[1]
$1s^22s^22p^2\ ^1D$	(97%)	$+ 1s^22p^4\ ^1D$	(1%)	2	−120.7151946	30428.15	4.3514130[5]	−2.0669111[4]	3.241272[1]
$1s^22s^22p^2\ ^1S$	(94%)	$+ 1s^22p^4\ ^1S$	(5%)	0	−120.5615862	64141.32	4.3460800[5]	−2.0704908[4]	3.235787[1]
$1s^22s2p^3\ ^5S^o$	(100%)			2	−120.4520734	88176.60	4.3413725[5]	−3.3797755[4]	3.133796[1]
$1s^22s2p^3\ ^3D^o$	(99%)			3	−120.0523460	175906.61	4.3273792[5]	−3.3341731[4]	3.130774[1]

Continued...

Table 10 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(99%)			2	−120.0520265	175976.73	4.3273359[5]	−3.3336407[4]	3.130776[1]
	(99%)			1	−120.0519193	176000.26	4.3273247[5]	−3.3335732[4]	3.130783[1]
$1s^22s2p^3\ ^3P^o$	(99%)			2	−119.9045366	208347.03	4.3222021[5]	−3.2360725[4]	3.130919[1]
	(99%)			1	−119.9045144	208351.89	4.3221917[5]	−3.2355672[4]	3.130923[1]
	(99%)			0	−119.9043467	208388.69	4.3221711[5]	−3.2353726[4]	3.130922[1]
$1s^22s2p^3\ ^1D^o$	(98%)	+ $1s^22p^33d\ ^1D^o$	(1%)	2	−119.6197268	270855.55	4.3121873[5]	−3.2200343[4]	3.121746[1]
$1s^22s2p^3\ ^3S^o$	(98%)	+ $1s^22p^33d\ ^3S^o$	(1%)	1	−119.5799645	279582.37	4.3106150[5]	−3.1141988[4]	3.114991[1]
$1s^22s2p^3\ ^1P^o$	(98%)	+ $1s^22p^33d\ ^1P^o$	(1%)	1	−119.4673898	304289.64	4.3069420[5]	−3.0770978[4]	3.121536[1]
$1s^22p^4\ ^3P$	(96%)	+ $1s^22s^22p^2\ ^3P$	(1%)	2	−118.9724357	412919.52	4.2887332[5]	−4.3791251[4]	3.015218[1]
	(96%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−118.9688252	413711.94	4.2886747[5]	−4.3806971[4]	3.015194[1]
	(96%)	+ $1s^22s^22p^2\ ^3P$	(1%)	0	−118.9672331	414061.36	4.2886704[5]	−4.3813926[4]	3.015185[1]
$1s^22p^4\ ^1D$	(96%)	+ $1s^22s2p^23d\ ^1D$	(2%)	2	−118.8629831	436941.59	4.2850606[5]	−4.4366859[4]	3.016815[1]
$1s^22p^4\ ^1S$	(92%)	+ $1s^22s^22p^2\ ^1S$	(5%)	0	−118.5702476	501189.59	4.2751002[5]	−4.1271948[4]	3.022496[1]
Na VI									
$1s^22s^22p^2\ ^3P$	(98%)	+ $1s^22p^4\ ^3P$	(1%)	0	−149.1523282	0.00	5.3747474[5]	−2.8518535[4]	4.831292[1]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	1	−149.1491632	694.64	5.3747016[5]	−2.8532374[4]	4.831285[1]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	2	−149.1438748	1855.29	5.3746734[5]	−2.8560428[4]	4.831259[1]
$1s^22s^22p^2\ ^1D$	(98%)	+ $1s^22p^4\ ^1D$	(1%)	2	−148.9899158	35645.39	5.3692690[5]	−2.8333272[4]	4.832039[1]
$1s^22s^22p^2\ ^1S$	(94%)	+ $1s^22p^4\ ^1S$	(5%)	0	−148.8122141	74646.40	5.3630426[5]	−2.8431579[4]	4.823194[1]
$1s^22s2p^3\ ^5S^o$	(100%)			2	−148.6839554	102795.94	5.3577143[5]	−4.5438128[4]	4.662505[1]
$1s^22s2p^3\ ^3D^o$	(99%)			3	−148.2218363	204219.37	5.3414460[5]	−4.4958576[4]	4.657718[1]
	(99%)			2	−148.2214102	204312.88	5.3413821[5]	−4.4949541[4]	4.657722[1]
	(99%)			1	−148.2212300	204352.43	5.3413651[5]	−4.4947516[4]	4.657732[1]
$1s^22s2p^3\ ^3P^o$	(99%)			2	−148.0518783	241520.82	5.3354163[5]	−4.3808299[4]	4.657872[1]
	(99%)			1	−148.0518733	241521.92	5.3354005[5]	−4.3801210[4]	4.657879[1]
	(99%)			0	−148.0516551	241569.81	5.3353701[5]	−4.3797835[4]	4.657876[1]
$1s^22s2p^3\ ^1D^o$	(98%)	+ $1s^22s^22p3d\ ^1D^o$	(1%)	2	−147.7278257	312642.15	5.3239840[5]	−4.3796254[4]	4.644381[1]
$1s^22s2p^3\ ^3S^o$	(98%)	+ $1s^22p^33d\ ^3S^o$	(1%)	1	−147.6906078	320810.53	5.3224966[5]	−4.2783235[4]	4.635106[1]
$1s^22s2p^3\ ^1P^o$	(98%)			1	−147.5540602	350779.26	5.3178916[5]	−4.2214680[4]	4.644162[1]
$1s^22p^4\ ^3P$	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	2	−146.9767101	477492.96	5.2968187[5]	−5.9033810[4]	4.476218[1]
	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−146.9706997	478812.10	5.2967086[5]	−5.9058214[4]	4.476156[1]
	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	0	−146.9680970	479383.31	5.2966855[5]	−5.9068985[4]	4.476132[1]
$1s^22p^4\ ^1D$	(96%)	+ $1s^22s^22p^2\ ^1D$	(1%)	2	−146.8446022	506487.29	5.2923567[5]	−5.9606664[4]	4.478194[1]
$1s^22p^4\ ^1S$	(93%)	+ $1s^22s^22p^2\ ^1S$	(5%)	0	−146.5103524	579846.65	5.2808449[5]	−5.5918343[4]	4.487240[1]
Mg VII									
$1s^22s^22p^2\ ^3P$	(98%)	+ $1s^22p^4\ ^3P$	(1%)	0	−180.4759625	0.00	6.5017426[5]	−3.7302034[4]	6.961339[1]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	1	−180.4708952	1112.14	6.5016618[5]	−3.7323672[4]	6.961315[1]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	2	−180.4626198	2928.38	6.5015867[5]	−3.7365019[4]	6.961240[1]
$1s^22s^22p^2\ ^1D$	(98%)	+ $1s^22p^4\ ^1D$	(1%)	2	−180.2887088	41097.43	6.4954376[5]	−3.7118340[4]	6.962177[1]
$1s^22s^22p^2\ ^1S$	(94%)	+ $1s^22p^4\ ^1S$	(5%)	0	−180.0869194	85385.08	6.4883236[5]	−3.7304762[4]	6.948665[1]
$1s^22s2p^3\ ^5S^o$	(100%)			2	−179.9387744	117899.16	6.4822713[5]	−5.8741789[4]	6.706538[1]
$1s^22s2p^3\ ^3D^o$	(99%)			3	−179.4145625	232950.36	6.4638052[5]	−5.8244593[4]	6.699491[1]
	(99%)			2	−179.4140639	233059.80	6.4637160[5]	−5.8230040[4]	6.699496[1]
	(99%)			1	−179.4137787	233122.38	6.4636918[5]	−5.8226539[4]	6.699512[1]
$1s^22s2p^3\ ^3P^o$	(99%)			1	−179.2224979	275103.67	6.4569609[5]	−5.6917275[4]	6.699663[1]
	(99%)			2	−179.2224402	275116.33	6.4569832[5]	−5.6927461[4]	6.699652[1]
	(99%)			0	−179.2222352	275161.32	6.4569190[5]	−5.6911788[4]	6.699660[1]
$1s^22s2p^3\ ^1D^o$	(99%)			2	−178.8596168	354746.86	6.4441436[5]	−5.7071082[4]	6.680792[1]
$1s^22s2p^3\ ^3S^o$	(99%)	+ $1s^22p^33d\ ^3S^o$	(1%)	1	−178.8248988	362366.58	6.4427417[5]	−5.6095580[4]	6.668425[1]
$1s^22s2p^3\ ^1P^o$	(99%)			1	−178.6642646	397621.71	6.4372809[5]	−5.5334394[4]	6.680549[1]
$1s^22p^4\ ^3P$	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	2	−178.0038944	542556.21	6.4131677[5]	−7.6506015[4]	6.426951[1]
	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−177.9944361	544632.08	6.4129782[5]	−7.6542489[4]	6.426810[1]
	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	0	−177.9904328	545510.69	6.4129255[5]	−7.6557577[4]	6.426758[1]
$1s^22p^4\ ^1D$	(97%)	+ $1s^22s^22p^2\ ^1D$	(1%)	2	−177.8485246	576655.93	6.4079062[5]	−7.7076061[4]	6.429317[1]
$1s^22p^4\ ^1S$	(93%)	+ $1s^22s^22p^2\ ^1S$	(5%)	0	−177.4729958	659074.98	6.3948810[5]	−7.2775612[4]	6.443054[1]
Al VIII									
$1s^22s^22p^2\ ^3P$	(98%)	+ $1s^22p^4\ ^3P$	(1%)	0	−214.8293779	0.00	7.7370703[5]	−4.7193228[4]	9.748364[1]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	1	−214.8215927	1708.66	7.7369357[5]	−4.7225811[4]	9.748310[1]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	2	−214.8092653	4414.19	7.7367877[5]	−4.7284375[4]	9.748140[1]
$1s^22s^22p^2\ ^1D$	(98%)	+ $1s^22p^4\ ^1D$	(1%)	2	−214.6158188	46870.79	7.7299163[5]	−4.7018717[4]	9.749258[1]
$1s^22s^22p^2\ ^1S$	(94%)	+ $1s^22p^4\ ^1S$	(5%)	0	−214.3898451	96466.29	7.7219188[5]	−4.7318221[4]	9.729482[1]
$1s^22s2p^3\ ^5S^o$	(100%)			2	−214.2205307	133626.50	7.7150665[5]	−7.3703660[4]	9.377590[1]
$1s^22s2p^3\ ^3D^o$	(99%)			3	−213.6344142	262264.20	7.6944239[5]	−7.3192294[4]	9.367712[1]
	(99%)			2	−213.6339348	262369.42	7.6943041[5]	−7.3169529[4]	9.367723[1]
	(99%)			1	−213.6335011	262464.60	7.6942705[5]	−7.3164573[4]	9.367743[1]
$1s^22s2p^3\ ^3P^o$	(99%)			1	−213.4202377	309270.52	7.6867772[5]	−7.1694525[4]	9.367895[1]
	(99%)			2	−213.4200302	309316.05	7.6868072[5]	−7.1709425[4]	9.367878[1]
	(99%)			0	−213.4199551	309332.54	7.6867213[5]	−7.1685833[4]	9.367895[1]

Continued...

Table 10 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s2p^3\ ^1D^o$	(99%)			2	−213.0187642	397383.75	7.6725826[5]	−7.2012426[4]	9.342435[1]
$1s^22s2p^3\ ^3S^o$	(99%)			1	−212.9866294	404436.54	7.6712586[5]	−7.1067630[4]	9.326336[1]
$1s^22s2p^3\ ^1P^o$	(99%)			1	−212.8016794	445028.35	7.6649471[5]	−7.0118011[4]	9.342148[1]
$1s^22p^4\ ^3P$	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	2	−212.0576804	608317.26	7.6377550[5]	−9.6193453[4]	8.973057[1]
	(98%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−212.0434414	611442.35	7.6374511[5]	−9.6246585[4]	8.972768[1]
	(98%)	+ $1s^22s^22p^2\ ^3P$	(1%)	0	−212.0375899	612726.61	7.6373544[5]	−9.6265975[4]	8.972674[1]
$1s^22p^4\ ^1D$	(97%)	+ $1s^22s^22p^2\ ^1D$	(1%)	2	−211.8782649	647694.41	7.6316824[5]	−9.6763178[4]	8.975809[1]
$1s^22p^4\ ^1S$	(94%)	+ $1s^22s^22p^2\ ^1S$	(5%)	0	−211.4615836	739145.38	7.6171636[5]	−9.1830163[4]	8.995855[1]
Si IX									
$1s^22s^22p^2\ ^3P$	(98%)	+ $1s^22p^4\ ^3P$	(1%)	0	−252.2179198	0.00	9.0807449[5]	−5.8184611[4]	1.332544[2]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	1	−252.2063456	2540.25	9.0805315[5]	−5.8232155[4]	1.332533[2]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	2	−252.1887113	6410.52	9.0802778[5]	−5.8312314[4]	1.332500[2]
$1s^22s^22p^2\ ^1D$	(98%)	+ $1s^22p^4\ ^1D$	(1%)	2	−251.9761136	53070.34	9.0727130[5]	−5.8029075[4]	1.332632[2]
$1s^22s^22p^2\ ^1S$	(95%)	+ $1s^22p^4\ ^1S$	(5%)	0	−251.7257592	108016.77	9.0638424[5]	−5.8465591[4]	1.329837[2]
$1s^22s2p^3\ ^5S^o$	(100%)			2	−251.5339219	150120.18	9.0561080[5]	−9.0316805[4]	1.280200[2]
$1s^22s2p^3\ ^3D^o$	(99%)			3	−250.8859967	292323.33	9.0332982[5]	−8.9794054[4]	1.278865[2]
	(99%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	2	−250.8857182	292384.45	9.0331441[5]	−8.9759179[4]	1.278867[2]
	(99%)			1	−250.8850767	292525.24	9.0330983[5]	−8.9752975[4]	1.278870[2]
$1s^22s2p^3\ ^3P^o$	(99%)			1	−250.6496224	344201.49	9.0248383[5]	−8.8125643[4]	1.278884[2]
	(100%)			0	−250.6493735	344256.11	9.0247665[5]	−8.8112042[4]	1.278885[2]
	(99%)	+ $1s^22s2p^3\ ^3D^o$	(1%)	2	−250.6491157	344312.68	9.0248762[5]	−8.8147636[4]	1.278881[2]
$1s^22s2p^3\ ^1D^o$	(99%)			2	−250.2097125	440750.55	9.0092836[5]	−8.8610292[4]	1.275543[2]
$1s^22s2p^3\ ^3S^o$	(99%)	+ $1s^22s2p^3\ ^1P^o$	(1%)	1	−250.1803542	447193.95	9.0080351[5]	−8.7689509[4]	1.273490[2]
$1s^22s2p^3\ ^1P^o$	(99%)	+ $1s^22s2p^3\ ^3S^o$	(1%)	1	−249.9706514	493218.39	9.0008656[5]	−8.6557980[4]	1.275506[2]
$1s^22p^4\ ^3P$	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	2	−249.1424537	674986.77	8.9705607[5]	−1.1808314[5]	1.223398[2]
	(98%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−249.1217695	679526.43	8.9700965[5]	−1.1815892[5]	1.223342[2]
	(98%)	+ $1s^22s^22p^2\ ^3P$	(1%)	0	−249.1135840	681322.94	8.9699392[5]	−1.1818160[5]	1.223327[2]
$1s^22p^4\ ^1D$	(97%)	+ $1s^22s^22p^2\ ^1D$	(1%)	2	−248.9379625	719867.40	8.9636547[5]	−1.1865703[5]	1.223708[2]
$1s^22p^4\ ^1S$	(94%)	+ $1s^22s^22p^2\ ^1S$	(5%)	0	−248.4801742	820340.32	8.9476528[5]	−1.1307182[5]	1.226538[2]
P X									
$1s^22s^22p^2\ ^3P$	(98%)	+ $1s^22p^4\ ^3P$	(1%)	0	−292.6475879	0.00	1.0532773[6]	−7.0267104[4]	1.784203[2]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	1	−292.6308367	3676.45	1.0532447[6]	−7.0334576[4]	1.784184[2]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	2	−292.6064592	9026.70	1.0532048[6]	−7.0440977[4]	1.784124[2]
$1s^22s^22p^2\ ^1D$	(98%)	+ $1s^22p^4\ ^1D$	(1%)	2	−292.3750067	59824.65	1.0523859[6]	−7.0144346[4]	1.784278[2]
$1s^22s^22p^2\ ^1S$	(94%)	+ $1s^22p^4\ ^1S$	(5%)	0	−292.0999630	120189.76	1.0514182[6]	−7.0742022[4]	1.780442[2]
$1s^22s2p^3\ ^5S^o$	(100%)			2	−291.8842161	167540.74	1.0505400[6]	−1.0857385[5]	1.712162[2]
$1s^22s2p^3\ ^3D^o$	(99%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	2	−291.1747264	323255.71	1.0480238[6]	−1.0798983[5]	1.710411[2]
	(100%)			3	−291.1744907	323307.44	1.0480430[6]	−1.0804235[5]	1.710407[2]
	(99%)			1	−291.1737983	323459.40	1.0480177[6]	−1.0798285[5]	1.710414[2]
$1s^22s2p^3\ ^3P^o$	(99%)			1	−290.9157546	380093.46	1.0471143[6]	−1.0620383[5]	1.710424[2]
	(100%)			0	−290.9156356	380119.59	1.0471053[6]	−1.0618278[5]	1.710428[2]
	(99%)	+ $1s^22s2p^3\ ^3D^o$	(1%)	2	−290.9147096	380322.81	1.0471188[6]	−1.0623633[5]	1.710419[2]
$1s^22s2p^3\ ^1D^o$	(99%)			2	−290.4375065	485056.78	1.0454241[6]	−1.0685572[5]	1.706137[2]
$1s^22s2p^3\ ^3S^o$	(98%)	+ $1s^22s2p^3\ ^1P^o$	(1%)	1	−290.4112655	490816.02	1.0453069[6]	−1.0595151[5]	1.703566[2]
$1s^22s2p^3\ ^1P^o$	(98%)	+ $1s^22s2p^3\ ^3S^o$	(1%)	1	−290.1760976	542429.39	1.0445029[6]	−1.0464772[5]	1.706084[2]
$1s^22p^4\ ^3P$	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	2	−289.2632122	742784.59	1.0411583[6]	−1.4216291[5]	1.634375[2]
	(98%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−289.2340348	749188.29	1.0410903[6]	−1.4226902[5]	1.634276[2]
	(98%)	+ $1s^22s^22p^2\ ^3P$	(1%)	0	−289.2230240	751604.88	1.0410665[6]	−1.4229228[5]	1.634254[2]
$1s^22p^4\ ^1D$	(97%)	+ $1s^22s^22p^2\ ^1D$	(1%)	2	−289.0323005	793463.84	1.0403814[6]	−1.4274750[5]	1.634712[2]
$1s^22p^4\ ^1S$	(94%)	+ $1s^22s^22p^2\ ^1S$	(5%)	0	−288.5333498	902970.85	1.0386350[6]	−1.3649334[5]	1.638598[2]
S XI									
$1s^22s^22p^2\ ^3P$	(98%)	+ $1s^22p^4\ ^3P$	(1%)	0	−336.1250101	0.00	1.2093283[6]	−8.3443437[4]	2.346528[2]
	(98%)	+ $1s^22p^4\ ^3P$	(1%)	1	−336.1013056	5202.55	1.2092805[6]	−8.3537074[4]	2.346499[2]
	(97%)	+ $1s^22p^4\ ^3P$	(1%)	2	−336.0685879	12383.25	1.2092215[6]	−8.3674249[4]	2.346398[2]
$1s^22s^22p^2\ ^1D$	(97%)	+ $1s^22p^4\ ^1D$	(1%)	2	−335.8184121	67290.49	1.2083221[6]	−8.3361299[4]	2.346576[2]
$1s^22s^22p^2\ ^1S$	(94%)	+ $1s^22p^4\ ^1S$	(5%)	0	−335.5183558	133145.23	1.2072417[6]	−8.4126914[4]	2.341448[2]
$1s^22s2p^3\ ^5S^o$	(100%)			2	−335.2772346	186065.22	1.2062947[6]	−1.2846679[5]	2.249504[2]
$1s^22s2p^3\ ^3D^o$	(98%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	2	−334.5068680	355141.13	1.2035596[6]	−1.2785165[5]	2.247258[2]
	(100%)			3	−334.5056214	355414.74	1.2035825[6]	−1.2792948[5]	2.247248[2]
	(99%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	1	−334.5055518	355430.00	1.2035516[6]	−1.2784468[5]	2.247259[2]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−334.2244366	417127.67	1.2025589[6]	−1.2589036[5]	2.247272[2]
	(99%)	+ $1s^22s2p^3\ ^3D^o$	(1%)	1	−334.2242702	417164.19	1.2025698[6]	−1.2592252[5]	2.247260[2]
	(98%)	+ $1s^22s2p^3\ ^3D^o$	(1%)	2	−334.2223244	417591.23	1.2025745[6]	−1.2597024[5]	2.247252[2]
$1s^22s2p^3\ ^1D^o$	(99%)			2	−333.7077365	530530.22	1.2007460[6]	−1.2674012[5]	2.241863[2]
$1s^22s2p^3\ ^3S^o$	(98%)	+ $1s^22s2p^3\ ^1P^o$	(1%)	1	−333.6851524	535486.87	1.2006368[6]	−1.2584348[5]	2.238694[2]
$1s^22s2p^3\ ^1P^o$	(98%)	+ $1s^22s2p^3\ ^3S^o$	(1%)	1	−333.4234398	592926.13	1.1997439[6]	−1.2438130[5]	2.241780[2]
$1s^22p^4\ ^3P$	(97%)	+ $1s^22s^22p^2\ ^3P$	(1%)	2	−332.4255377	811940.33	1.1960775[6]	−1.6841870[5]	2.145211[2]
	(98%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−332.3853807	820753.77	1.1959809[6]	−1.6856469[5]	2.145042[2]

Continued...

Table 10 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(98%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	0	−332.3710976	823888.55	1.1959469[6]	−1.6858301[5]	2.145014[2]
$1s^2 2p^4\ ^1D$	(97%)	+ $1s^2 2s^2 2p^2\ ^1D$	(1%)	2	−332.1664626	868800.72	1.1952106[6]	−1.6902296[5]	2.145558[2]
$1s^2 2p^4\ ^1S$	(94%)	+ $1s^2 2s^2 2p^2\ ^1S$	(5%)	0	−331.6262990	987352.94	1.1933090[6]	−1.6208265[5]	2.150751[2]
					Cl XII				
$1s^2 2s^2 2p^2\ ^3P$	(97%)	+ $1s^2 2p^4\ ^3P$	(1%)	0	−382.6576055	0.00	1.3762210[6]	−9.7689053[4]	3.038188[2]
	(98%)	+ $1s^2 2p^4\ ^3P$	(1%)	1	−382.6247038	7221.09	1.3761523[6]	−9.7815952[4]	3.038146[2]
	(97%)	+ $1s^2 2s^2 2p^2\ ^1D$	(2%)	2	−382.5819245	16610.06	1.3760688[6]	−9.7988012[4]	3.037986[2]
$1s^2 2s^2 2p^2\ ^1D$	(97%)	+ $1s^2 2s^2 2p^2\ ^3P$	(2%)	2	−382.3128716	75660.34	1.3751036[6]	−9.7671024[4]	3.038181[2]
$1s^2 2s^2 2p^2\ ^1S$	(94%)	+ $1s^2 2p^4\ ^1S$	(5%)	0	−381.9872552	147124.87	1.3739296[6]	−9.8627490[4]	3.031469[2]
$1s^2 2s 2p^3\ ^5S^o$	(100%)			2	−381.7193420	205925.02	1.3728758[6]	−1.4998717[5]	2.909907[2]
$1s^2 2s 2p^3\ ^3D^o$	(98%)	+ $1s^2 2s 2p^3\ ^3P^o$	(2%)	2	−380.8886353	388244.07	1.3699230[6]	−1.4933406[5]	2.907079[2]
	(98%)	+ $1s^2 2s 2p^3\ ^3P^o$	(1%)	1	−380.8868072	388645.28	1.3699126[6]	−1.4932809[5]	2.907076[2]
	(100%)			3	−380.8856367	388902.17	1.3699491[6]	−1.4944743[5]	2.907060[2]
$1s^2 2s 2p^3\ ^3P^o$	(100%)			0	−380.5820011	455542.49	1.3688380[6]	−1.4722663[5]	2.907085[2]
	(98%)	+ $1s^2 2s 2p^3\ ^3D^o$	(1%)	1	−380.5813139	455693.32	1.3688507[6]	−1.4727505[5]	2.907060[2]
	(97%)	+ $1s^2 2s 2p^3\ ^3D^o$	(2%)	2	−380.5779433	456433.08	1.3688551[6]	−1.4734422[5]	2.907046[2]
$1s^2 2s 2p^3\ ^1D^o$	(99%)			2	−380.0265010	577460.66	1.3668943[6]	−1.4825482[5]	2.900373[2]
$1s^2 2s 2p^3\ ^3S^o$	(97%)	+ $1s^2 2s 2p^3\ ^1P^o$	(2%)	1	−380.0083781	581438.19	1.3667942[6]	−1.4735465[5]	2.896526[2]
$1s^2 2s 2p^3\ ^1P^o$	(97%)	+ $1s^2 2s 2p^3\ ^3S^o$	(2%)	1	−379.7185633	645045.17	1.3658095[6]	−1.4575289[5]	2.900239[2]
$1s^2 2p^4\ ^3P$	(97%)	+ $1s^2 2p^4\ ^1D$	(1%)	2	−378.6355643	882735.99	1.3618196[6]	−1.9684060[5]	2.772610[2]
	(98%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	1	−378.5814390	894615.10	1.3616861[6]	−1.9703844[5]	2.772330[2]
	(98%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	0	−378.5635477	898541.80	1.3616396[6]	−1.9704219[5]	2.772305[2]
$1s^2 2p^4\ ^1D$	(97%)	+ $1s^2 2p^4\ ^3P$	(1%)	2	−378.3461291	946259.65	1.3608572[6]	−1.9747599[5]	2.772939[2]
$1s^2 2p^4\ ^1S$	(94%)	+ $1s^2 2s^2 2p^2\ ^1S$	(5%)	0	−377.7644131	1073931.57	1.3588052[6]	−1.8984371[5]	2.779742[2]
					Ar XIII				
$1s^2 2s^2 2p^2\ ^3P$	(97%)	+ $1s^2 2s^2 2p^2\ ^1S$	(2%)	0	−432.2532008	0.00	1.5539615[6]	−1.1300255[5]	3.878151[2]
	(99%)	+ $1s^2 2p^4\ ^3P$	(1%)	1	−432.2083036	9853.80	1.5538647[6]	−1.1317104[5]	3.878095[2]
	(96%)	+ $1s^2 2s^2 2p^2\ ^1D$	(3%)	2	−432.1536681	21844.91	1.5537510[6]	−1.1338107[5]	3.877856[2]
$1s^2 2s^2 2p^2\ ^1D$	(96%)	+ $1s^2 2s^2 2p^2\ ^3P$	(3%)	2	−431.8651603	85165.03	1.5527206[6]	−1.1307211[5]	3.878051[2]
$1s^2 2s^2 2p^2\ ^1S$	(94%)	+ $1s^2 2p^4\ ^1S$	(4%)	0	−431.5134024	162366.97	1.5514514[6]	−1.1422989[5]	3.869443[2]
$1s^2 2s 2p^3\ ^5S^o$	(100%)			2	−431.2174215	227327.28	1.5502832[6]	−1.7312586[5]	3.711336[2]
$1s^2 2s 2p^3\ ^3D^o$	(97%)	+ $1s^2 2s 2p^3\ ^3P^o$	(3%)	2	−430.3270767	422735.36	1.5471142[6]	−1.7242581[5]	3.707835[2]
	(98%)	+ $1s^2 2s 2p^3\ ^3P^o$	(2%)	1	−430.3245980	423279.37	1.5471008[6]	−1.7242184[5]	3.707826[2]
	(100%)			3	−430.3212742	424008.88	1.5471422[6]	−1.7258784[5]	3.707799[2]
$1s^2 2s 2p^3\ ^3P^o$	(100%)			0	−429.9950457	495607.73	1.5459420[6]	−1.7018310[5]	3.707826[2]
	(98%)	+ $1s^2 2s 2p^3\ ^3D^o$	(2%)	1	−429.9934990	495947.20	1.5459562[6]	−1.7025474[5]	3.707776[2]
	(96%)	+ $1s^2 2s 2p^3\ ^3D^o$	(3%)	2	−429.9879770	497159.15	1.5459591[6]	−1.7035331[5]	3.707751[2]
$1s^2 2s 2p^3\ ^1D^o$	(99%)	+ $1s^2 2s 2p^3\ ^3P^o$	(1%)	2	−429.4003600	626126.16	1.5438679[6]	−1.7139105[5]	3.699612[2]
$1s^2 2s 2p^3\ ^3S^o$	(96%)	+ $1s^2 2s 2p^3\ ^1P^o$	(3%)	1	−429.3878426	628873.41	1.5437787[6]	−1.7047366[5]	3.695007[2]
$1s^2 2s 2p^3\ ^1P^o$	(96%)	+ $1s^2 2s 2p^3\ ^3S^o$	(3%)	1	−429.0677621	699122.95	1.5426980[6]	−1.6875692[5]	3.699392[2]
$1s^2 2p^4\ ^3P$	(96%)	+ $1s^2 2p^4\ ^1D$	(2%)	2	−427.8999369	955430.96	1.5383813[6]	−2.2741475[5]	3.533511[2]
	(98%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	1	−427.8282900	971155.64	1.5382006[6]	−2.2767897[5]	3.533063[2]
	(97%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	0	−427.8066604	975902.80	1.5381396[6]	−2.2765245[5]	3.533059[2]
$1s^2 2p^4\ ^1D$	(96%)	+ $1s^2 2p^4\ ^3P$	(2%)	2	−427.5773860	1026222.69	1.5373168[6]	−2.2809591[5]	3.533778[2]
$1s^2 2p^4\ ^1S$	(94%)	+ $1s^2 2s^2 2p^2\ ^1S$	(4%)	0	−426.9536143	1163124.76	1.5351132[6]	−2.1977133[5]	3.542515[2]
					K XIV				
$1s^2 2s^2 2p^2\ ^3P$	(96%)	+ $1s^2 2s^2 2p^2\ ^1S$	(2%)	0	−484.9204774	0.00	1.7425613[6]	−1.2937444[5]	4.894720[2]
	(99%)	+ $1s^2 2p^4\ ^3P$	(1%)	1	−484.8601418	13242.12	1.7424272[6]	−1.2959403[5]	4.894650[2]
	(95%)	+ $1s^2 2s^2 2p^2\ ^1D$	(4%)	2	−484.7918504	28230.36	1.7422772[6]	−1.2984347[5]	4.894306[2]
$1s^2 2s^2 2p^2\ ^1D$	(95%)	+ $1s^2 2s^2 2p^2\ ^3P$	(4%)	2	−484.4827031	96080.34	1.7411810[6]	−1.2956038[5]	4.894470[2]
$1s^2 2s^2 2p^2\ ^1S$	(93%)	+ $1s^2 2p^4\ ^1S$	(4%)	0	−484.1041594	179161.08	1.7398138[6]	−1.3092417[5]	4.883618[2]
$1s^2 2s 2p^3\ ^5S^o$	(99%)			2	−483.7790199	250520.95	1.7385241[6]	−1.9787312[5]	4.680645[2]
$1s^2 2s 2p^3\ ^3D^o$	(96%)	+ $1s^2 2s 2p^3\ ^3P^o$	(4%)	2	−482.8299330	458821.44	1.7351408[6]	−1.9711512[5]	4.676369[2]
	(97%)	+ $1s^2 2s 2p^3\ ^3P^o$	(2%)	1	−482.8266691	459537.78	1.7351236[6]	−1.9711364[5]	4.676346[2]
	(100%)			3	−482.8198953	461024.45	1.7351687[6]	−1.9734191[5]	4.676303[2]
$1s^2 2s 2p^3\ ^3P^o$	(100%)			0	−482.4709132	537617.19	1.7338772[6]	−1.9475076[5]	4.676331[2]
	(97%)	+ $1s^2 2s 2p^3\ ^3D^o$	(2%)	1	−482.4680408	538247.61	1.7338924[6]	−1.9485469[5]	4.676239[2]
	(95%)	+ $1s^2 2s 2p^3\ ^3D^o$	(4%)	2	−482.4593991	540144.23	1.7338920[6]	−1.9499229[5]	4.676197[2]
$1s^2 2s 2p^3\ ^1D^o$	(99%)	+ $1s^2 2s 2p^3\ ^3P^o$	(1%)	2	−481.8364563	676864.37	1.7316728[6]	−1.9613970[5]	4.666388[2]
$1s^2 2s 2p^3\ ^3S^o$	(95%)	+ $1s^2 2s 2p^3\ ^1P^o$	(4%)	1	−481.8311139	678036.89	1.7315974[6]	−1.9518858[5]	4.660945[2]
$1s^2 2s 2p^3\ ^1P^o$	(95%)	+ $1s^2 2s 2p^3\ ^3S^o$	(4%)	1	−481.4778603	755567.10	1.7304143[6]	−1.9338767[5]	4.666029[2]
$1s^2 2p^4\ ^3P$	(96%)	+ $1s^2 2p^4\ ^1D$	(3%)	2	−480.2259517	1030329.26	1.7257683[6]	−2.6012776[5]	4.453292[2]
	(98%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	1	−480.1325978	1050818.07	1.7255284[6]	−2.6047579[5]	4.452595[2]
	(97%)	+ $1s^2 2p^4\ ^1S$	(2%)	0	−480.1074268	1056342.48	1.7254512[6]	−2.6039489[5]	4.452652[2]
$1s^2 2p^4\ ^1D$	(96%)	+ $1s^2 2p^4\ ^3P$	(3%)	2	−479.8668887	1109134.47	1.7245932[6]	−2.6087275[5]	4.453430[2]
$1s^2 2p^4\ ^1S$	(94%)	+ $1s^2 2s^2 2p^2\ ^1S$	(4%)	0	−479.2002424	1255446.42	1.7222366[6]	−2.5186581[5]	4.464460[2]
					Ca XV				

Continued. . .

Table 10 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s^22p^2\ ^3P$	(96%)	+ $1s^22s^22p^2\ ^1S$	(3%)	0	−540.6685955	0.00	1.9420219[6]	−1.4679503[5]	6.109172[2]
	(99%)	+ $1s^22p^4\ ^3P$	(1%)	1	−540.5886442	17547.29	1.9418394[6]	−1.4707642[5]	6.109091[2]
	(93%)	+ $1s^22s^22p^2\ ^1D$	(5%)	2	−540.5049737	35910.83	1.9416468[6]	−1.4736453[5]	6.108619[2]
$1s^22s^22p^2\ ^1D$	(93%)	+ $1s^22s^22p^2\ ^3P$	(5%)	2	−540.1731873	108729.53	1.9404821[6]	−1.4713231[5]	6.108691[2]
$1s^22s^22p^2\ ^1S$	(93%)	+ $1s^22p^4\ ^1S$	(4%)	0	−539.7671890	197835.85	1.9390138[6]	−1.4870034[5]	6.095241[2]
$1s^22s2p^3\ ^5S^o$	(99%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	2	−539.4120963	275769.69	1.9375949[6]	−2.2421788[5]	5.837929[2]
$1s^22s2p^3\ ^3D^o$	(94%)	+ $1s^22s2p^3\ ^3P^o$	(5%)	2	−538.4053697	496720.65	1.9340012[6]	−2.2339013[5]	5.832774[2]
	(96%)	+ $1s^22s2p^3\ ^3P^o$	(3%)	1	−538.4012286	497629.50	1.9339795[6]	−2.2339039[5]	5.832729[2]
	(100%)			3	−538.3892241	500264.19	1.9340255[6]	−2.2370039[5]	5.832661[2]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−538.0173092	581890.08	1.9326417[6]	−2.2092058[5]	5.832689[2]
	(96%)	+ $1s^22s2p^3\ ^3D^o$	(3%)	1	−538.0124929	582947.14	1.9326567[6]	−2.2106814[5]	5.832526[2]
	(93%)	+ $1s^22s2p^3\ ^3D^o$	(5%)	2	−537.9994897	585801.00	1.9326504[6]	−2.2125570[5]	5.832457[2]
$1s^22s2p^3\ ^3S^o$	(94%)	+ $1s^22s2p^3\ ^1P^o$	(5%)	1	−537.3461566	729191.04	1.9302491[6]	−2.2148730[5]	5.814435[2]
$1s^22s2p^3\ ^1D^o$	(98%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	2	−537.3422404	730050.55	1.9303067[6]	−2.2249170[5]	5.820784[2]
$1s^22s2p^3\ ^1P^o$	(94%)	+ $1s^22s2p^3\ ^3S^o$	(5%)	1	−536.9559392	814833.85	1.9289558[6]	−2.1963982[5]	5.820213[2]
$1s^22p^4\ ^3P$	(95%)	+ $1s^22p^4\ ^1D$	(3%)	2	−535.6212980	1107753.74	1.9239779[6]	−2.9496573[5]	5.550868[2]
	(99%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−535.5013531	1134078.59	1.9236645[6]	−2.9541811[5]	5.549813[2]
	(96%)	+ $1s^22p^4\ ^1S$	(2%)	0	−535.4733173	1140231.74	1.9235700[6]	−2.9524758[5]	5.550004[2]
$1s^22p^4\ ^1D$	(95%)	+ $1s^22p^4\ ^3P$	(3%)	2	−535.2215973	1195477.90	1.9226817[6]	−2.9579646[5]	5.550782[2]
$1s^22p^4\ ^1S$	(93%)	+ $1s^22s^22p^2\ ^1S$	(4%)	0	−534.5108116	1351477.32	1.9201698[6]	−2.8613023[5]	5.564469[2]
Sc XVI									
$1s^22s^22p^2\ ^3P$	(95%)	+ $1s^22s^22p^2\ ^1S$	(4%)	0	−599.5073802	0.00	2.1523464[6]	−1.6525414[5]	7.545521[2]
	(99%)	+ $1s^22p^4\ ^3P$	(1%)	1	−599.4028147	22949.47	2.1521017[6]	−1.6560936[5]	7.545434[2]
	(91%)	+ $1s^22s^22p^2\ ^1D$	(8%)	2	−599.3022067	45030.37	2.1518605[6]	−1.6593280[5]	7.544813[2]
$1s^22s^22p^2\ ^1D$	(91%)	+ $1s^22s^22p^2\ ^3P$	(7%)	2	−598.9447447	123484.21	2.1506220[6]	−1.6578457[5]	7.544692[2]
$1s^22s^22p^2\ ^1S$	(92%)	+ $1s^22p^4\ ^1S$	(4%)	0	−598.5106481	218757.40	2.1490492[6]	−1.6754813[5]	7.528291[2]
$1s^22s2p^3\ ^5S^o$	(99%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	2	−598.1251844	303356.91	2.1474952[6]	−2.5214892[5]	7.205873[2]
$1s^22s2p^3\ ^3D^o$	(93%)	+ $1s^22s2p^3\ ^3P^o$	(7%)	2	−597.0621058	536675.69	2.1436949[6]	−2.5123911[5]	7.199732[2]
	(95%)	+ $1s^22s2p^3\ ^3P^o$	(4%)	1	−597.0570992	537774.50	2.1436678[6]	−2.5123792[5]	7.199653[2]
	(100%)			3	−597.0374924	542077.70	2.1437107[6]	−2.5165349[5]	7.199545[2]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−596.6424483	628779.86	2.1422322[6]	−2.4868220[5]	7.199574[2]
	(94%)	+ $1s^22s2p^3\ ^3D^o$	(4%)	1	−596.6348983	630436.90	2.1422455[6]	−2.4888703[5]	7.199298[2]
	(90%)	+ $1s^22s2p^3\ ^3D^o$	(7%)	2	−596.6160017	634584.22	2.1422298[6]	−2.4913646[5]	7.199187[2]
$1s^22s2p^3\ ^3S^o$	(92%)	+ $1s^22s2p^3\ ^1P^o$	(7%)	1	−595.9414657	782627.75	2.1397320[6]	−2.4935751[5]	7.178154[2]
$1s^22s2p^3\ ^1D^o$	(98%)	+ $1s^22s2p^3\ ^3P^o$	(2%)	2	−595.9255960	786110.74	2.1397657[6]	−2.5043712[5]	7.185465[2]
$1s^22s2p^3\ ^1P^o$	(92%)	+ $1s^22s2p^3\ ^3S^o$	(7%)	1	−595.5094821	877437.18	2.1383165[6]	−2.4750632[5]	7.184579[2]
$1s^22p^4\ ^3P$	(94%)	+ $1s^22p^4\ ^1D$	(4%)	2	−594.0942210	1188051.08	2.1330081[6]	−3.3191400[5]	6.847600[2]
	(99%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−593.9420373	1221451.55	2.1326046[6]	−3.3249458[5]	6.846041[2]
	(95%)	+ $1s^22p^4\ ^1S$	(3%)	0	−593.9124780	1227939.05	2.1324931[6]	−3.3218499[5]	6.846492[2]
$1s^22p^4\ ^1D$	(94%)	+ $1s^22p^4\ ^3P$	(4%)	2	−593.6489435	1285778.20	2.1315779[6]	−3.3285624[5]	6.847155[2]
$1s^22p^4\ ^1S$	(92%)	+ $1s^22s^22p^2\ ^1S$	(4%)	0	−592.8921431	1451876.67	2.1289075[6]	−3.2257001[5]	6.863849[2]
Ti XVII									
$1s^22s^22p^2\ ^3P$	(94%)	+ $1s^22s^22p^2\ ^1S$	(5%)	0	−661.4474604	0.00	2.3735498[6]	−1.8474109[5]	9.242743[2]
	(99%)	+ $1s^22p^4\ ^3P$	(1%)	1	−661.3123823	29646.22	2.3732262[6]	−1.8518362[5]	9.242656[2]
	(89%)	+ $1s^22s^22p^2\ ^1D$	(10%)	2	−661.1935264	55732.07	2.3729310[6]	−1.8553642[5]	9.241871[2]
$1s^22s^22p^2\ ^1D$	(89%)	+ $1s^22s^22p^2\ ^3P$	(10%)	2	−660.8061017	140761.97	2.3716096[6]	−1.8551361[5]	9.241403[2]
$1s^22s^22p^2\ ^1S$	(91%)	+ $1s^22s^22p^2\ ^3P$	(5%)	0	−660.3433405	242326.30	2.3699290[6]	−1.8745691[5]	9.221680[2]
$1s^22s2p^3\ ^5S^o$	(99%)	+ $1s^22s2p^3\ ^3P^o$	(1%)	2	−659.9276364	333562.80	2.3682364[6]	−2.8165399[5]	8.821414[2]
$1s^22s2p^3\ ^3D^o$	(91%)	+ $1s^22s2p^3\ ^3P^o$	(9%)	2	−658.8096422	578934.16	2.3642337[6]	−2.8065161[5]	8.814165[2]
	(93%)	+ $1s^22s2p^3\ ^3P^o$	(6%)	1	−658.8039804	580176.77	2.3642005[6]	−2.8064207[5]	8.814034[2]
	(100%)			3	−658.7736882	586825.16	2.3642343[6]	−2.8119150[5]	8.813868[2]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−658.3553085	678648.88	2.3626587[6]	−2.7802583[5]	8.813896[2]
	(93%)	+ $1s^22s2p^3\ ^3D^o$	(6%)	1	−658.3440501	681119.81	2.3626681[6]	−2.7830368[5]	8.813449[2]
	(88%)	+ $1s^22s2p^3\ ^3D^o$	(9%)	2	−658.3174391	686960.25	2.3626387[6]	−2.7862717[5]	8.813273[2]
$1s^22s2p^3\ ^3S^o$	(90%)	+ $1s^22s2p^3\ ^1P^o$	(8%)	1	−657.6263094	838645.67	2.3600559[6]	−2.7878766[5]	8.788980[2]
$1s^22s2p^3\ ^1D^o$	(97%)	+ $1s^22s2p^3\ ^3P^o$	(2%)	2	−657.5950890	845497.77	2.3600580[6]	−2.7996667[5]	8.797308[2]
$1s^22s2p^3\ ^1P^o$	(90%)	+ $1s^22s2p^3\ ^3S^o$	(8%)	1	−657.1466412	943920.67	2.3585032[6]	−2.7698041[5]	8.795967[2]
$1s^22p^4\ ^3P$	(93%)	+ $1s^22p^4\ ^1D$	(5%)	2	−655.6536446	1271595.55	2.3528676[6]	−3.7095723[5]	8.378352[2]
	(99%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−655.4627479	1313492.53	2.3523544[6]	−3.7169324[5]	8.376096[2]
	(94%)	+ $1s^22p^4\ ^1S$	(4%)	0	−655.4338849	1319827.24	2.3522282[6]	−3.7117834[5]	8.377011[2]
$1s^22p^4\ ^1D$	(93%)	+ $1s^22p^4\ ^3P$	(5%)	2	−655.1569614	1380604.91	2.3512875[6]	−3.7204083[5]	8.377368[2]
$1s^22p^4\ ^1S$	(91%)	+ $1s^22p^4\ ^3P$	(5%)	0	−654.3514614	1557391.72	2.3484537[6]	−3.6119293[5]	8.397409[2]
V XVIII									
$1s^22s^22p^2\ ^3P$	(93%)	+ $1s^22s^22p^2\ ^1S$	(6%)	0	−726.4998942	0.00	2.6056333[6]	−2.0524461[5]	1.122773[3]
	(99%)	+ $1s^22p^4\ ^3P$	(1%)	1	−726.3274350	37850.42	2.6052109[6]	−2.0578962[5]	1.122765[3]
	(86%)	+ $1s^22s^22p^2\ ^1D$	(13%)	2	−726.1893339	68160.10	2.6048572[6]	−2.0616369[5]	1.122670[3]
$1s^22s^22p^2\ ^1D$	(86%)	+ $1s^22s^22p^2\ ^3P$	(13%)	2	−725.7662308	161020.50	2.6034394[6]	−2.0631517[5]	1.122566[3]
$1s^22s^22p^2\ ^1S$	(90%)	+ $1s^22s^22p^2\ ^3P$	(6%)	0	−725.2743618	268973.28	2.6016480[6]	−2.0841604[5]	1.120227[3]

Continued...

Table 10 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$1s^22s2p^3\ ^5S^o$	(98%)	+ $1s^22s2p^3\ ^3P^o$	(2%)	2	−724.8290842	366700.41	2.5998119[6]	−3.1271851[5]	1.070989[3]
$1s^22s2p^3\ ^3D^o$	(89%)	+ $1s^22s2p^3\ ^3P^o$	(11%)	2	−723.6576261	623805.74	2.5956133[6]	−3.1161702[5]	1.070142[3]
	(91%)	+ $1s^22s2p^3\ ^3P^o$	(7%)	1	−723.6518398	625075.68	2.5955740[6]	−3.1158712[5]	1.070121[3]
	(100%)			3	−723.6069553	634926.68	2.5955902[6]	−3.1230289[5]	1.070096[3]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−723.1650084	731922.83	2.5939155[6]	−3.0893963[5]	1.070099[3]
	(91%)	+ $1s^22s2p^3\ ^3D^o$	(7%)	1	−723.1488813	735462.30	2.5939182[6]	−3.0930763[5]	1.070029[3]
	(85%)	+ $1s^22s2p^3\ ^3D^o$	(11%)	2	−723.1124762	743452.31	2.5938691[6]	−3.0971678[5]	1.070001[3]
$1s^22s2p^3\ ^3S^o$	(87%)	+ $1s^22s2p^3\ ^1P^o$	(10%)	1	−722.4100626	897614.26	2.5912187[6]	−3.0976593[5]	1.067229[3]
$1s^22s2p^3\ ^1D^o$	(96%)	+ $1s^22s2p^3\ ^3P^o$	(3%)	2	−722.3592942	908756.65	2.5911783[6]	−3.1106963[5]	1.068166[3]
$1s^22s2p^3\ ^1P^o$	(88%)	+ $1s^22s2p^3\ ^3S^o$	(10%)	1	−721.8755851	1014918.51	2.5895094[6]	−3.0805299[5]	1.067969[3]
$1s^22p^4\ ^3P$	(92%)	+ $1s^22p^4\ ^1D$	(6%)	2	−720.3088388	1358779.58	2.5835521[6]	−4.1207945[5]	1.016695[3]
	(99%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−720.0718709	1410788.01	2.5829070[6]	−4.1300160[5]	1.016375[3]
	(93%)	+ $1s^22p^4\ ^1S$	(6%)	0	−720.0470351	1416238.83	2.5827708[6]	−4.1219625[5]	1.016544[3]
$1s^22p^4\ ^1D$	(92%)	+ $1s^22p^4\ ^3P$	(6%)	2	−719.7539632	1480560.69	2.5818032[6]	−4.1333822[5]	1.016519[3]
$1s^22p^4\ ^1S$	(90%)	+ $1s^22p^4\ ^3P$	(6%)	0	−718.8960451	1668851.93	2.5787987[6]	−4.0200794[5]	1.018885[3]
Cr XIX									
$1s^22s^22p^2\ ^3P$	(92%)	+ $1s^22s^22p^2\ ^1S$	(7%)	0	−794.6765942	0.00	2.8486141[6]	−2.2675270[5]	1.354825[3]
	(99%)	+ $1s^22p^4\ ^3P$	(1%)	1	−794.4588560	47788.01	2.8480696[6]	−2.2741741[5]	1.354818[3]
	(82%)	+ $1s^22s^22p^2\ ^1D$	(16%)	2	−794.3008594	82464.24	2.8476543[6]	−2.2780347[5]	1.354706[3]
$1s^22s^22p^2\ ^1D$	(82%)	+ $1s^22s^22p^2\ ^3P$	(16%)	2	−793.8348168	184748.77	2.8461214[6]	−2.2818377[5]	1.354514[3]
$1s^22s^22p^2\ ^1S$	(89%)	+ $1s^22s^22p^2\ ^3P$	(7%)	0	−793.3135440	299154.94	2.8442164[6]	−2.3041486[5]	1.351773[3]
$1s^22s2p^3\ ^5S^o$	(98%)	+ $1s^22s2p^3\ ^3P^o$	(2%)	2	−792.8402107	403039.57	2.8422382[6]	−3.4532890[5]	1.291653[3]
$1s^22s2p^3\ ^3D^o$	(87%)	+ $1s^22s2p^3\ ^3P^o$	(12%)	2	−791.6166651	671576.78	2.8378483[6]	−3.4412753[5]	1.290669[3]
	(89%)	+ $1s^22s2p^3\ ^3P^o$	(9%)	1	−791.6117716	672650.79	2.8378033[6]	−3.4405888[5]	1.290638[3]
	(100%)			3	−791.5474338	686771.29	2.8377912[6]	−3.4497752[5]	1.290602[3]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−791.0816866	788991.00	2.8360144[6]	−3.4141368[5]	1.290604[3]
	(88%)	+ $1s^22s2p^3\ ^3D^o$	(9%)	1	−791.0593561	793891.97	2.8360067[6]	−3.4188978[5]	1.290497[3]
	(81%)	+ $1s^22s2p^3\ ^3D^o$	(13%)	2	−791.0108689	804533.68	2.8359319[6]	−3.4239540[5]	1.290455[3]
$1s^22s2p^3\ ^3S^o$	(85%)	+ $1s^22s2p^3\ ^1P^o$	(12%)	1	−790.3031079	959869.25	2.8332292[6]	−3.4228186[5]	1.287321[3]
$1s^22s2p^3\ ^1D^o$	(95%)	+ $1s^22s2p^3\ ^3P^o$	(4%)	2	−790.2277060	976418.06	2.8331339[6]	−3.4373676[5]	1.288367[3]
$1s^22s2p^3\ ^1P^o$	(86%)	+ $1s^22s2p^3\ ^3S^o$	(12%)	1	−789.7054589	1091038.06	2.8313403[6]	−3.4071516[5]	1.288082[3]
$1s^22p^4\ ^3P$	(91%)	+ $1s^22p^4\ ^1D$	(8%)	2	−788.0698004	1450023.59	2.8250715[6]	−4.5526387[5]	1.225604[3]
	(99%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−787.7784654	1513964.23	2.8242690[6]	−4.5640613[5]	1.225158[3]
	(91%)	+ $1s^22p^4\ ^1S$	(8%)	0	−787.7623359	1517504.24	2.8241312[6]	−4.5520641[5]	1.225450[3]
$1s^22p^4\ ^1D$	(91%)	+ $1s^22p^4\ ^3P$	(8%)	2	−787.4489302	1586288.84	2.8231314[6]	−4.5673539[5]	1.225320[3]
$1s^22p^4\ ^1S$	(88%)	+ $1s^22p^4\ ^3P$	(8%)	0	−786.5336096	1787178.49	2.8199451[6]	−4.4502319[5]	1.228067[3]
Mn XX									
$1s^22s^22p^2\ ^3P$	(91%)	+ $1s^22s^22p^2\ ^1S$	(8%)	0	−865.9898446	0.00	3.1024912[6]	−2.4925275[5]	1.623458[3]
	(99%)			1	−865.7178502	59695.88	3.1017977[6]	−2.5005679[5]	1.623451[3]
	(79%)	+ $1s^22s^22p^2\ ^1D$	(20%)	2	−865.5396518	98805.91	3.1013189[6]	−2.5044559[5]	1.623323[3]
$1s^22s^22p^2\ ^1D$	(79%)	+ $1s^22s^22p^2\ ^3P$	(20%)	2	−865.0218197	212456.91	3.0996464[6]	−2.5111254[5]	1.623004[3]
$1s^22s^22p^2\ ^1S$	(88%)	+ $1s^22s^22p^2\ ^3P$	(8%)	0	−864.4709942	333349.12	3.0976258[6]	−2.5344294[5]	1.619831[3]
$1s^22s2p^3\ ^5S^o$	(97%)	+ $1s^22s2p^3\ ^3P^o$	(3%)	2	−863.9718899	442889.87	3.0955059[6]	−3.7946763[5]	1.546979[3]
$1s^22s2p^3\ ^3D^o$	(84%)	+ $1s^22s2p^3\ ^3P^o$	(14%)	2	−862.6972820	722633.95	3.0909314[6]	−3.7817446[5]	1.545844[3]
	(87%)	+ $1s^22s2p^3\ ^3P^o$	(11%)	1	−862.6949638	723142.75	3.0908828[6]	−3.7804127[5]	1.545800[3]
	(100%)			3	−862.6052582	742830.85	3.0908280[6]	−3.7920266[5]	1.545748[3]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−862.1154512	850331.05	3.0889467[6]	−3.7543457[5]	1.545750[3]
	(86%)	+ $1s^22s2p^3\ ^3D^o$	(11%)	1	−862.0854368	856918.45	3.0889244[6]	−3.7603638[5]	1.545591[3]
	(77%)	+ $1s^22s2p^3\ ^3D^o$	(15%)	2	−862.0224608	870740.08	3.0888163[6]	−3.7664768[5]	1.545528[3]
$1s^22s2p^3\ ^3S^o$	(82%)	+ $1s^22s2p^3\ ^1P^o$	(14%)	1	−861.3157026	1025855.57	3.0860835[6]	−3.7632485[5]	1.542025[3]
$1s^22s2p^3\ ^1D^o$	(94%)	+ $1s^22s2p^3\ ^3P^o$	(6%)	2	−861.2095744	1049148.02	3.0859168[6]	−3.7795731[5]	1.543182[3]
$1s^22s2p^3\ ^1P^o$	(83%)	+ $1s^22s2p^3\ ^3S^o$	(14%)	1	−860.6452468	1173003.62	3.0839869[6]	−3.7495534[5]	1.542781[3]
$1s^22p^4\ ^3P$	(90%)	+ $1s^22p^4\ ^1D$	(9%)	2	−858.9468307	1545762.84	3.0774194[6]	−5.0049325[5]	1.467233[3]
	(99%)	+ $1s^22s^22p^2\ ^3P$	(1%)	1	−858.5918451	1623673.19	3.0764306[6]	−5.0189301[5]	1.466622[3]
	(88%)	+ $1s^22p^4\ ^1S$	(10%)	0	−858.5906662	1623931.92	3.0763043[6]	−5.0017825[5]	1.467100[3]
$1s^22p^4\ ^1D$	(90%)	+ $1s^22p^4\ ^3P$	(9%)	2	−858.2510988	1698458.35	3.0752624[6]	−5.0221873[5]	1.466802[3]
$1s^22p^4\ ^1S$	(86%)	+ $1s^22p^4\ ^3P$	(11%)	0	−857.2719051	1913366.52	3.0718794[6]	−4.9024420[5]	1.469936[3]
Fe XXI									
$1s^22s^22p^2\ ^3P$	(90%)	+ $1s^22s^22p^2\ ^1S$	(9%)	0	−940.4527925	0.00	3.3672807[6]	−2.7273128[5]	1.934030[3]
	(99%)			1	−940.1164436	73820.06	3.3664072[6]	−2.7369717[5]	1.934020[3]
	(75%)	+ $1s^22s^22p^2\ ^1D$	(24%)	2	−939.9180433	117363.88	3.3658648[6]	−2.7408060[5]	1.933878[3]
$1s^22s^22p^2\ ^1D$	(75%)	+ $1s^22s^22p^2\ ^3P$	(24%)	2	−939.3380064	244667.27	3.3640221[6]	−2.7509316[5]	1.933382[3]
$1s^22s^22p^2\ ^1S$	(87%)	+ $1s^22s^22p^2\ ^3P$	(9%)	0	−938.7575991	372051.93	3.3618847[6]	−2.7749013[5]	1.929747[3]
$1s^22s2p^3\ ^5S^o$	(96%)	+ $1s^22s2p^3\ ^3P^o$	(3%)	2	−938.2360392	486521.11	3.3596268[6]	−4.1511722[5]	1.842032[3]
$1s^22s2p^3\ ^3D^o$	(84%)	+ $1s^22s2p^3\ ^3P^o$	(12%)	1	−936.9136551	776750.85	3.3548253[6]	−4.1351931[5]	1.840668[3]
	(82%)	+ $1s^22s2p^3\ ^3P^o$	(16%)	2	−936.9108304	777370.81	3.3548734[6]	−4.1375085[5]	1.840730[3]
	(100%)			3	−936.7914959	803561.69	3.3547098[6]	−4.1496620[5]	1.840596[3]
$1s^22s2p^3\ ^3P^o$	(100%)			0	−936.2773592	916401.65	3.3527212[6]	−4.1099014[5]	1.840597[3]

Continued...

Table 10 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(83%)	+ $1s^2 2s 2p^3\ ^3D^o$	(13%)	1	−936.2380745	925023.66	3.3526794[6]	−4.1173409[5]	1.840368[3]
	(73%)	+ $1s^2 2s 2p^3\ ^3D^o$	(17%)	2	−936.1581921	942555.81	3.3525300[6]	−4.1245870[5]	1.840274[3]
$1s^2 2s 2p^3\ ^3S^o$	(79%)	+ $1s^2 2s 2p^3\ ^1P^o$	(16%)	1	−935.4589964	1096011.52	3.3497898[6]	−4.1188479[5]	1.836400[3]
$1s^2 2s 2p^3\ ^1D^o$	(92%)	+ $1s^2 2s 2p^3\ ^3P^o$	(8%)	2	−935.3149284	1127630.80	3.3495320[6]	−4.1372183[5]	1.837670[3]
$1s^2 2s 2p^3\ ^1P^o$	(81%)	+ $1s^2 2s 2p^3\ ^3S^o$	(16%)	1	−934.7048425	1261529.17	3.3474528[6]	−4.1076184[5]	1.837118[3]
$1s^2 2p^4\ ^3P$	(88%)	+ $1s^2 2p^4\ ^1D$	(10%)	2	−932.9509614	1646461.57	3.3406037[6]	−5.4774917[5]	1.746354[3]
	(86%)	+ $1s^2 2p^4\ ^1S$	(13%)	0	−932.5437626	1735831.37	3.3392999[6]	−5.4708499[5]	1.746275[3]
	(99%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	1	−932.5220075	1740606.07	3.3393962[6]	−5.4944700[5]	1.745528[3]
$1s^2 2p^4\ ^1D$	(89%)	+ $1s^2 2p^4\ ^3P$	(10%)	2	−932.1703941	1817776.29	3.3381999[6]	−5.4977322[5]	1.745727[3]
$1s^2 2p^4\ ^1S$	(83%)	+ $1s^2 2p^4\ ^3P$	(13%)	0	−931.1191915	2048488.59	3.3345996[6]	−5.3766965[5]	1.749242[3]
Co XXII									
$1s^2 2s^2 2p^2\ ^3P$	(88%)	+ $1s^2 2s^2 2p^2\ ^1S$	(11%)	0	−1018.0790759	0.00	3.6429892[6]	−2.9717415[5]	2.291295[3]
	(99%)			1	−1017.6671163	90414.67	3.6419010[6]	−2.9832769[5]	2.291275[3]
	(72%)	+ $1s^2 2s^2 2p^2\ ^1D$	(27%)	2	−1017.4487608	138338.16	3.6412960[6]	−2.9869958[5]	2.291123[3]
$1s^2 2s^2 2p^2\ ^1D$	(71%)	+ $1s^2 2s^2 2p^2\ ^3P$	(27%)	2	−1016.7946054	281908.67	3.6392466[6]	−3.0011628[5]	2.290388[3]
$1s^2 2s^2 2p^2\ ^1S$	(86%)	+ $1s^2 2s^2 2p^2\ ^3P$	(11%)	0	−1016.1846667	415774.75	3.6369910[6]	−3.0254646[5]	2.286263[3]
$1s^2 2s 2p^3\ ^5S^o$	(95%)	+ $1s^2 2s 2p^3\ ^3P^o$	(4%)	2	−1015.6451465	534185.74	3.6346037[6]	−4.5225833[5]	2.181290[3]
$1s^2 2s 2p^3\ ^3D^o$	(82%)	+ $1s^2 2s 2p^3\ ^3P^o$	(14%)	1	−1014.2805689	833675.90	3.6296349[6]	−4.5047741[5]	2.179718[3]
	(80%)	+ $1s^2 2s 2p^3\ ^3P^o$	(18%)	2	−1014.2689159	836233.42	3.6296753[6]	−4.5084998[5]	2.179804[3]
	(100%)			3	−1014.1176006	869443.31	3.6294364[6]	−4.5225515[5]	2.179621[3]
$1s^2 2s 2p^3\ ^3P^o$	(100%)			0	−1013.5788496	987685.47	3.6273378[6]	−4.4806718[5]	2.179621[3]
	(80%)	+ $1s^2 2s 2p^3\ ^3D^o$	(15%)	1	−1013.5286534	998702.27	3.6272710[6]	−4.4896767[5]	2.179298[3]
	(68%)	+ $1s^2 2s 2p^3\ ^3D^o$	(19%)	2	−1013.4295743	1020447.62	3.6270725[6]	−4.4981124[5]	2.179160[3]
$1s^2 2s 2p^3\ ^3S^o$	(76%)	+ $1s^2 2s 2p^3\ ^1P^o$	(18%)	1	−1012.7444302	1170819.36	3.6243484[6]	−4.4895136[5]	2.174925[3]
$1s^2 2s 2p^3\ ^1D^o$	(89%)	+ $1s^2 2s 2p^3\ ^3P^o$	(10%)	2	−1012.5539418	1212626.72	3.6239759[6]	−4.5102089[5]	2.176309[3]
$1s^2 2s 2p^3\ ^1P^o$	(78%)	+ $1s^2 2s 2p^3\ ^3S^o$	(18%)	1	−1011.8944485	1357368.78	3.6217341[6]	−4.4812204[5]	2.175562[3]
$1s^2 2p^4\ ^3P$	(87%)	+ $1s^2 2p^4\ ^1D$	(11%)	2	−1010.0936576	1752596.67	3.6146245[6]	−5.9701279[5]	2.067175[3]
	(83%)	+ $1s^2 2p^4\ ^1S$	(16%)	0	−1009.6338604	1853510.51	3.6131211[6]	−5.9590652[5]	2.067195[3]
	(99%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	1	−1009.5793390	1865476.56	3.6131623[6]	−5.9905233[5]	2.066077[3]
$1s^2 2p^4\ ^1D$	(87%)	+ $1s^2 2p^4\ ^3P$	(12%)	2	−1009.2171377	1944970.55	3.6119405[6]	−5.9938314[5]	2.066294[3]
$1s^2 2p^4\ ^1S$	(80%)	+ $1s^2 2p^4\ ^3P$	(16%)	0	−1008.0840049	2193664.45	3.6080964[6]	−5.8729051[5]	2.070166[3]
Ni XXIII									
$1s^2 2s^2 2p^2\ ^3P$	(87%)	+ $1s^2 2s^2 2p^2\ ^1S$	(12%)	0	−1098.8830366	0.00	3.9296269[6]	−3.2256649[5]	2.700763[3]
	(99%)			1	−1098.3830194	109741.08	3.9282849[6]	−3.2393718[5]	2.700723[3]
	(68%)	+ $1s^2 2s^2 2p^2\ ^1D$	(31%)	2	−1098.1451334	161951.02	3.9276193[6]	−3.2429359[5]	2.700562[3]
$1s^2 2s^2 2p^2\ ^1D$	(68%)	+ $1s^2 2s^2 2p^2\ ^3P$	(31%)	2	−1097.4035318	324713.74	3.9253215[6]	−3.2617206[5]	2.699516[3]
$1s^2 2s^2 2p^2\ ^1S$	(85%)	+ $1s^2 2s^2 2p^2\ ^3P$	(12%)	0	−1096.7641427	465043.44	3.9229472[6]	−3.2860249[5]	2.694876[3]
$1s^2 2s 2p^3\ ^5S^o$	(94%)	+ $1s^2 2s 2p^3\ ^3P^o$	(5%)	2	−1096.2124762	586120.24	3.9204418[6]	−4.9086990[5]	2.569948[3]
$1s^2 2s 2p^3\ ^3D^o$	(79%)	+ $1s^2 2s 2p^3\ ^3P^o$	(16%)	1	−1094.8091024	894125.16	3.9153175[6]	−4.8889974[5]	2.568141[3]
	(78%)	+ $1s^2 2s 2p^3\ ^3P^o$	(19%)	2	−1094.7835694	899729.01	3.9153398[6]	−4.8946498[5]	2.568257[3]
	(100%)			3	−1094.5956060	940982.21	3.9150099[6]	−4.9105593[5]	2.568012[3]
$1s^2 2s 2p^3\ ^3P^o$	(100%)			0	−1094.0319421	1064692.14	3.9127977[6]	−4.8665168[5]	2.568010[3]
	(77%)	+ $1s^2 2s 2p^3\ ^3D^o$	(17%)	1	−1093.9691946	1078463.62	3.9127002[6]	−4.8772063[5]	2.567564[3]
	(64%)	+ $1s^2 2s 2p^3\ ^3D^o$	(21%)	2	−1093.8489125	1104862.49	3.9124450[6]	−4.8868652[5]	2.567363[3]
$1s^2 2s 2p^3\ ^3S^o$	(73%)	+ $1s^2 2s 2p^3\ ^1P^o$	(20%)	1	−1093.1839384	1250807.44	3.9097607[6]	−4.8751369[5]	2.562787[3]
$1s^2 2s 2p^3\ ^1D^o$	(87%)	+ $1s^2 2s 2p^3\ ^3P^o$	(12%)	2	−1092.9371159	1304978.71	3.9092456[6]	−4.8984596[5]	2.564290[3]
$1s^2 2s 2p^3\ ^1P^o$	(76%)	+ $1s^2 2s 2p^3\ ^3S^o$	(20%)	1	−1092.2247859	1461317.07	3.9068272[6]	−4.8702270[5]	2.563294[3]
$1s^2 2p^4\ ^3P$	(86%)	+ $1s^2 2p^4\ ^1D$	(13%)	2	−1090.3869559	1864674.11	3.8994837[6]	−6.4826409[5]	2.434579[3]
	(80%)	+ $1s^2 2p^4\ ^1S$	(19%)	0	−1089.8737589	1977307.82	3.8977729[6]	−6.4662982[5]	2.434751[3]
	(99%)	+ $1s^2 2s^2 2p^2\ ^3P$	(1%)	1	−1089.7747529	1999037.13	3.8977270[6]	−6.5069208[5]	2.433135[3]
$1s^2 2p^4\ ^1D$	(86%)	+ $1s^2 2p^4\ ^3P$	(13%)	2	−1089.4021877	2080805.75	3.8964817[6]	−6.5103155[5]	2.433372[3]
$1s^2 2p^4\ ^1S$	(77%)	+ $1s^2 2p^4\ ^3P$	(20%)	0	−1088.1753696	2350061.20	3.8923608[6]	−6.3908806[5]	2.437562[3]

Table 11
Comparison of corrected (K_{SMS}) and uncorrected (K^1_{SMS}) specific shift parameters (in $m_e E_{\mathrm{h}}$) for several states of N II, O III, F IV, Ne V and Ti XVII. See page 17 for explanations.

		N II			O III			F IV		
		[53]	This work		[53]	This work		[53]	This work	
Level	J	K^1_{SMS}	K^1_{SMS}	K_{SMS}	K^1_{SMS}	K^1_{SMS}	K_{SMS}	K^1_{SMS}	K^1_{SMS}	K_{SMS}
$2s^2 2p^2\ ^3P$	0	−1.280	−1.278	−1.275	−2.473	−2.471	−2.461	−3.984	−3.983	−3.963
	1	−1.279	−1.277	−1.275	−2.471	−2.469	−2.462	−3.981	−3.980	−3.964
	2	−1.278	−1.276	−1.276	−2.468	−2.467	−2.464	−3.977	−3.976	−3.967
$2s^2 2p^2\ ^1D$	2	−1.236	−1.239	−1.237	−2.422	−2.423	−2.418	−3.926	−3.927	−3.915
$2s^2 2p^2\ ^1S$	0	−1.230	−1.237	−1.236	−2.415	−2.420	−2.414	−3.924	−3.927	−3.915
$2s2p^3\ ^5S^o$	2	−2.487	−2.481	−2.477	−4.323	−4.316	−4.306	−6.631	−6.624	−6.602
$2s2p^3\ ^3D^o$	3	−2.387	−2.386	−2.382	−4.208	−4.208	−4.198	−6.506	−6.505	−6.484
	2	−2.387	−2.386	−2.382	−4.208	−4.208	−4.197	−6.505	−6.505	−6.483
	1	−2.387	−2.387	−2.383	−4.208	−4.208	−4.198	−6.504	−6.505	−6.483
$2s2p^3\ ^3P^o$	2	−2.250	−2.251	−2.247	−4.025	−4.028	−4.018	−6.277	−6.279	−6.258
	1	−2.250	−2.251	−2.248	−4.025	−4.027	−4.017	−6.277	−6.279	−6.257
	0	−2.250	−2.251	−2.248	−4.026	−4.028	−4.017	−6.277	−6.279	−6.257
$2s2p^3\ ^1D^o$	2	−2.127	−2.133	−2.129	−3.918	−3.920	−3.909	−6.199	−6.200	−6.177
$2s2p^3\ ^3S^o$	1	—	−1.768	−1.764	−3.592	−3.590	−3.579	−5.895	−5.893	−5.868
$2s2p^3\ ^1P^o$	1	—	−1.461	−1.457	−3.569	−3.583	−3.572	−5.830	−5.841	−5.819

		Ne V			Ti XVII		
		[53]	This work		[53]	This work	
Level	J	K^1_{SMS}	K^1_{SMS}	K_{SMS}	K^1_{SMS}	K^1_{SMS}	K_{SMS}
$2s^2 2p^2\ ^3P$	0	−5.816	−5.815	−5.776	−53.279	−53.279	−51.182
	1	−5.810	−5.809	−5.779	−52.831	−52.831	−51.305
	2	−5.802	−5.801	−5.784	−52.647	−52.647	−51.402
$2s^2 2p^2\ ^1D$	2	−5.748	−5.750	−5.726	−52.393	−52.395	−51.396
$2s^2 2p^2\ ^1S$	0	−5.758	−5.760	−5.736	−52.897	−52.908	−51.935
$2s2p^3\ ^5S^o$	2	−9.411	−9.404	−9.364	−80.082	−80.066	−78.032
$2s2p^3\ ^3D^o$	3	−9.277	−9.277	−9.237	−79.832	−79.829	−77.904
	2	−9.276	−9.276	−9.236	−79.937	−79.933	−77.754
	1	−9.276	−9.276	−9.236	−79.936	−79.933	−77.751
$2s2p^3\ ^3P^o$	2	−9.002	−9.004	−8.965	−78.863	−78.863	−77.193
	1	−9.001	−9.004	−8.964	−78.937	−78.937	−77.103
	0	−9.001	−9.003	−8.964	−78.946	−78.946	−77.027
$2s2p^3\ ^1D^o$	2	−8.961	−8.963	−8.921	−79.407	−79.407	−77.564
$2s2p^3\ ^3S^o$	1	−8.674	−8.672	−8.628	−79.405	−79.402	−77.238
$2s2p^3\ ^1P^o$	1	−8.556	−8.566	−8.525	−78.355	−78.360	−76.737

Table 12

Comparison of MCHF and MCDHF specific mass shift parameters for O III (in atomic units $E_{\rm h} m_e$).

	MCHF	MCDHF		
	$K^1_{\rm SMS}$	J	$K^1_{\rm SMS}$	$K_{\rm SMS}$
$1s^2 2s^2 2p^2\ {}^3P$	−2.4877	0	−2.4710	−2.4614
		1	−2.4695	−2.4621
		2	−2.4671	−2.4638
$1s^2 2s^2 2p^2\ {}^1D$	−2.4316	2	−2.4232	−2.4181
$1s^2 2s^2 2p^2\ {}^1S$	−2.4171	0	−2.4195	−2.4144
$1s^2 2s 2p^3\ {}^5S^o$	−4.3259	2	−4.3164	−4.3061
$1s^2 2s 2p^3\ {}^3D^o$	−4.2151	3	−4.2078	−4.1978
		2	−4.2077	−4.1974
		1	−4.2082	−4.1978
$1s^2 2s 2p^3\ {}^3P^o$	−4.0183	2	−4.0280	−4.0182
		1	−4.0275	−4.0174
		0	−4.0276	−4.0175
$1s^2 2s 2p^3\ {}^1D^o$	−3.9245	2	−3.9200	−3.9094
$1s^2 2s 2p^3\ {}^3S^o$	−3.5915	1	−3.5903	−3.5786
$1s^2 2s 2p^3\ {}^1P^o$	−3.5399	1	−3.5825	−3.5720
$1s^2 2p^4\ {}^3P$	−5.5479	2	−5.5704	−5.5532
		1	−5.5680	−5.5545
		0	−5.5666	−5.5549
$1s^2 2p^4\ {}^1D$	−5.7031	2	−5.7273	−5.7124

Table 13

Total energies (in E_h), excitation energies (in cm^{-1}), normal and specific mass shift $\widetilde{K}$ parameters (in GHz u), $\widetilde{\mathcal{F}}$ field shift factors (in $\mathrm{GHz/fm}^2$) for levels in the nitrogen isoelectronic sequence ($7 \le Z \le 36$ and $Z = 42, 74$). For each of the many-electron wave functions, the leading components are given in the LSJ coupling scheme. The number in square brackets is the power of 10. See page 18 for Explanation of Tables.

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ ($\mathrm{GHz/fm}^2$)
					N I				
$2s^22p^3\ ^4S^o$	(96%)	+ $2s2p^3 3d\ ^4S^o$	(2%)	3/2	−54.6073794	0.00	1.9688775[5]	−6.3040379[3]	7.239658
$2s^22p^3\ ^2D^o$	(96%)	+ $2s2p^3 3d\ ^2D^o$	(1%)	5/2	−54.5185543	19494.84	1.9662690[5]	−6.1196713[3]	7.245065
	(96%)	+ $2s2p^3 3d\ ^2D^o$	(1%)	3/2	−54.5185222	19501.91	1.9662598[5]	−6.1185845[3]	7.245077
$2s^22p^3\ ^2P^o$	(93%)	+ $2p^5\ ^2P^o$	(3%)	3/2	−54.4735477	29372.66	1.9648715[5]	−6.1771300[3]	7.241464
	(93%)	+ $2p^5\ ^2P^o$	(3%)	1/2	−54.4735265	29377.32	1.9648663[5]	−6.1780280[3]	7.241484
$2s2p^4\ ^4P$	(91%)	+ $2s^22p^23d\ ^4P$	(3%)	5/2	−54.2058086	88134.61	1.9543893[5]	−9.7150959[3]	7.090616
	(91%)	+ $2s^22p^23d\ ^4P$	(3%)	3/2	−54.2055167	88198.66	1.9543814[5]	−9.7145389[3]	7.090708
	(91%)	+ $2s^22p^23d\ ^4P$	(3%)	1/2	−54.2053304	88239.55	1.9543757[5]	−9.7192933[3]	7.090752
					O II				
$2s^22p^3\ ^4S^o$	(97%)	+ $2s2p^3 3d\ ^4S^o$	(1%)	3/2	−74.6062512	0.00	2.6897257[5]	−1.2214679[4]	1.265142[1]
$2s^22p^3\ ^2D^o$	(97%)	+ $2s2p^3 3d\ ^2D^o$	(1%)	5/2	−74.4831059	27027.27	2.6857762[5]	−1.1981788[4]	1.265835[1]
	(97%)	+ $2s2p^3 3d\ ^2D^o$	(1%)	3/2	−74.4830197	27046.19	2.6857602[5]	−1.1979832[4]	1.265837[1]
$2s^22p^3\ ^2P^o$	(95%)	+ $2p^5\ ^2P^o$	(3%)	3/2	−74.4202118	40830.92	2.6836849[5]	−1.2024687[4]	1.264950[1]
	(95%)	+ $2p^5\ ^2P^o$	(3%)	1/2	−74.4201846	40836.89	2.6836754[5]	−1.2024924[4]	1.264953[1]
$2s2p^4\ ^4P$	(96%)	+ $2s^22p^23d\ ^4P$	(2%)	5/2	−74.0588300	120145.06	2.6701545[5]	−1.7573247[4]	1.233499[1]
	(96%)	+ $2s^22p^23d\ ^4P$	(2%)	3/2	−74.0580811	120309.43	2.6701398[5]	−1.7575393[4]	1.233504[1]
	(96%)	+ $2s^22p^23d\ ^4P$	(2%)	1/2	−74.0576760	120398.33	2.6701412[5]	−1.7580201[4]	1.233507[1]
$2s2p^4\ ^2D$	(93%)	+ $2s^22p^23d\ ^2D$	(3%)	5/2	−73.8469156	166654.88	2.6632125[5]	−1.7063524[4]	1.233145[1]
	(93%)	+ $2s^22p^23d\ ^2D$	(3%)	3/2	−73.8468823	166662.20	2.6631989[5]	−1.7061358[4]	1.233147[1]
$2s2p^4\ ^2S$	(93%)	+ $2s^22p^23d\ ^2S$	(2%)	1/2	−73.7069689	197369.64	2.6587044[5]	−1.6141558[4]	1.233614[1]
					F III				
$2s^22p^3\ ^4S^o$	(98%)	+ $2s2p^3 3d\ ^4S^o$	(1%)	3/2	−97.8791584	0.00	3.5283141[5]	−1.9807514[4]	2.070857[1]
$2s^22p^3\ ^2D^o$	(98%)			5/2	−97.7228884	34297.31	3.5231120[5]	−1.9539214[4]	2.071721[1]
	(98%)			3/2	−97.7227397	34329.92	3.5230855[5]	−1.9535973[4]	2.071723[1]
$2s^22p^3\ ^2P^o$	(96%)	+ $2p^5\ ^2P^o$	(3%)	3/2	−97.6427889	51877.10	3.5203727[5]	−1.9577071[4]	2.069970[1]
	(96%)	+ $2p^5\ ^2P^o$	(3%)	1/2	−97.6427648	51882.40	3.5203589[5]	−1.9576162[4]	2.069977[1]
$2s2p^4\ ^4P$	(97%)	+ $2s^22p^23d\ ^4P$	(1%)	5/2	−97.1862603	152073.55	3.5035841[5]	−2.7669163[4]	2.012156[1]
	(97%)	+ $2s^22p^23d\ ^4P$	(1%)	3/2	−97.1847236	152410.82	3.5035556[5]	−2.7673491[4]	2.012163[1]
	(97%)	+ $2s^22p^23d\ ^4P$	(1%)	1/2	−97.1839059	152590.29	3.5035533[5]	−2.7679566[4]	2.012168[1]
$2s2p^4\ ^2D$	(96%)	+ $2s^22p^23d\ ^2D$	(2%)	5/2	−96.9191468	210698.18	3.4945896[5]	−2.7095134[4]	2.010674[1]
	(96%)	+ $2s^22p^23d\ ^2D$	(2%)	3/2	−96.9190754	210713.85	3.4945744[5]	−2.7091709[4]	2.010676[1]
$2s2p^4\ ^2S$	(96%)	+ $2s^22p^23d\ ^2S$	(1%)	1/2	−96.7437767	249187.47	3.4887923[5]	−2.5930544[4]	2.010852[1]
$2s2p^4\ ^2P$	(95%)	+ $2s^22p^23d\ ^2P$	(2%)	3/2	−96.6603346	267500.89	3.4857952[5]	−2.5220115[4]	2.005521[1]
	(95%)	+ $2s^22p^23d\ ^2P$	(2%)	1/2	−96.6585348	267895.90	3.4857751[5]	−2.5228975[4]	2.005528[1]
					Ne IV				
$2s^22p^3\ ^4S^o$	(98%)	+ $2s2p^3 3d\ ^4S^o$	(1%)	3/2	−124.4241779	0.00	4.4844166[5]	−2.9081654[4]	3.219648[1]
$2s^22p^3\ ^2D^o$	(98%)			5/2	−124.2353345	41446.34	4.4780094[5]	−2.8784180[4]	3.220703[1]
	(98%)			3/2	−124.2351338	41490.39	4.4779676[5]	−2.8778953[4]	3.220704[1]
$2s^22p^3\ ^2P^o$	(96%)	+ $2p^5\ ^2P^o$	(3%)	1/2	−124.1383198	62738.60	4.4746248[5]	−2.8826992[4]	3.217634[1]
	(96%)	+ $2p^5\ ^2P^o$	(3%)	3/2	−124.1383032	62742.26	4.4746443[5]	−2.8830038[4]	3.217620[1]
$2s2p^4\ ^4P$	(98%)	+ $2s^22p^23d\ ^4P$	(1%)	5/2	−123.5858394	183994.04	4.4544547[5]	−4.0014177[4]	3.119539[1]
	(98%)	+ $2s^22p^23d\ ^4P$	(1%)	3/2	−123.5830378	184608.91	4.4543991[5]	−4.0021519[4]	3.119547[1]
	(98%)	+ $2s^22p^23d\ ^4P$	(1%)	1/2	−123.5815480	184935.88	4.4543872[5]	−4.0029521[4]	3.119554[1]
$2s2p^4\ ^2D$	(97%)	+ $2s^22p^23d\ ^2D$	(1%)	5/2	−123.2646630	254484.10	4.4434692[5]	−3.9387805[4]	3.116674[1]
	(97%)	+ $2s^22p^23d\ ^2D$	(1%)	3/2	−123.2645505	254508.79	4.4434501[5]	−3.9382557[4]	3.116677[1]
$2s2p^4\ ^2S$	(97%)	+ $2s^22p^23d\ ^2S$	(1%)	1/2	−123.0555597	300376.97	4.4364040[5]	−3.7966734[4]	3.116802[1]
$2s2p^4\ ^2P$	(97%)	+ $2s^22p^23d\ ^2P$	(1%)	3/2	−122.9632230	320642.53	4.4329602[5]	−3.7452495[4]	3.107733[1]
	(97%)	+ $2s^22p^23d\ ^2P$	(1%)	1/2	−122.9599401	321363.04	4.4329122[5]	−3.7466402[4]	3.107741[1]
$2p^5\ ^2P^o$	(92%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−122.2118055	485559.61	4.4064374[5]	−4.8671521[4]	3.015478[1]
	(92%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−122.2073660	486533.97	4.4063930[5]	−4.8695798[4]	3.015456[1]
					Na V				
$2s^22p^3\ ^4S^o$	(99%)	+ $2s2p^3 3d\ ^4S^o$	(1%)	3/2	−154.2425695	0.00	5.5579352[5]	−4.0030759[4]	4.801120[1]
$2s^22p^3\ ^2D^o$	(99%)			5/2	−154.0214506	48529.98	5.5503516[5]	−3.9707876[4]	4.802385[1]
	(98%)			3/2	−154.0212512	48573.76	5.5502899[5]	−3.9699611[4]	4.802379[1]
$2s^22p^3\ ^2P^o$	(97%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−153.9076866	73498.31	5.5463433[5]	−3.9769671[4]	4.797393[1]
	(96%)	+ $2p^5\ ^2P^o$	(2%)	3/2	−153.9075339	73531.81	5.5463704[5]	−3.9776511[4]	4.797366[1]
$2s2p^4\ ^4P$	(99%)			5/2	−153.2585529	215966.69	5.5227174[5]	−5.4598027[4]	4.640873[1]
	(99%)			3/2	−153.2538432	217000.33	5.5226178[5]	−5.4609559[4]	4.640878[1]
	(99%)			1/2	−153.2513363	217550.55	5.5225882[5]	−5.4620193[4]	4.640886[1]
$2s2p^4\ ^2D$	(98%)	+ $2s^22p^23d\ ^2D$	(1%)	5/2	−152.8836571	298246.80	5.5097872[5]	−5.3932251[4]	4.636207[1]
	(98%)	+ $2s^22p^23d\ ^2D$	(1%)	3/2	−152.8835013	298281.00	5.5097623[5]	−5.3924393[4]	4.636211[1]

Continued...

Table 13 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$2s2p^4\ ^2S$	(98%)	$+\ 2s^22p^23d\ ^2S$	(1%)	1/2	−152.6414537	351404.30	5.5014948[5]	−5.2254379[4]	4.636310[1]
$2s2p^4\ ^2P$	(98%)	$+\ 2s^22p^23d\ ^2P$	(1%)	3/2	−152.5419009	373253.60	5.4977470[5]	−5.1955189[4]	4.622796[1]
	(97%)	$+\ 2s^22p^23d\ ^2P$	(1%)	1/2	−152.5363478	374472.37	5.4976546[5]	−5.1976150[4]	4.622813[1]
$2p^5\ ^2P^o$	(94%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−151.6504252	568909.90	5.4659652[5]	−6.6384705[4]	4.474721[1]
	(94%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	1/2	−151.6429405	570552.60	5.4658681[5]	−6.6420537[4]	4.474659[1]
					Mg VI				
$2s^22p^3\ ^4S^o$	(99%)	$+\ 2s2p^33d\ ^4S^o$	(1%)	3/2	−187.3372524	0.00	6.7488258[5]	−5.2647286[4]	6.919721[1]
$2s^22p^3\ ^2D^o$	(99%)			5/2	−187.0840241	55577.20	6.7400865[5]	−5.2301790[4]	6.921218[1]
	(98%)			3/2	−187.0839565	55592.04	6.7399995[5]	−5.2288998[4]	6.921193[1]
$2s^22p^3\ ^2P^o$	(97%)	$+\ 2p^5\ ^2P^o$	(2%)	1/2	−186.9535534	84212.21	6.7354552[5]	−5.2395821[4]	6.913551[1]
	(96%)	$+\ 2p^5\ ^2P^o$	(2%)	3/2	−186.9530688	84318.56	6.7354902[5]	−5.2409002[4]	6.913506[1]
$2s2p^4\ ^4P$	(99%)			5/2	−186.2070645	248047.57	6.7083144[5]	−7.1409924[4]	6.675403[1]
	(99%)			3/2	−186.1996155	249682.44	6.7081483[5]	−7.1427199[4]	6.675397[1]
	(99%)			1/2	−186.1956529	250552.13	6.7080881[5]	−7.1441540[4]	6.675400[1]
$2s2p^4\ ^2D$	(98%)	$+\ 2s^22p^23d\ ^2D$	(1%)	5/2	−185.7783916	342130.39	6.6934621[5]	−7.0714395[4]	6.668471[1]
	(98%)	$+\ 2s^22p^23d\ ^2D$	(1%)	3/2	−185.7782064	342171.06	6.6934289[5]	−7.0702902[4]	6.668476[1]
$2s2p^4\ ^2S$	(98%)			1/2	−185.5034466	402473.85	6.6839666[5]	−6.8780207[4]	6.668544[1]
$2s2p^4\ ^2P$	(98%)	$+\ 2s^22p^23d\ ^2P$	(1%)	3/2	−185.3975248	425720.99	6.6799947[5]	−6.8710049[4]	6.649652[1]
	(98%)	$+\ 2s^22p^23d\ ^2P$	(1%)	1/2	−185.3886476	427669.31	6.6798341[5]	−6.8740531[4]	6.649694[1]
$2p^5\ ^2P^o$	(95%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−184.3644856	652446.90	6.6432989[5]	−8.6921574[4]	6.423131[1]
	(95%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	1/2	−184.3526008	655055.30	6.6431188[5]	−8.6973583[4]	6.422990[1]
					Al VII				
$2s^22p^3\ ^4S^o$	(99%)			3/2	−223.7122500	0.00	8.0570675[5]	−6.6924139[4]	9.692775[1]
$2s^22p^3\ ^2D^o$	(98%)	$+\ 2s^22p^3\ ^2P^o$	(1%)	3/2	−223.4272969	62539.95	8.0470721[5]	−6.6538765[4]	9.694455[1]
	(99%)			5/2	−223.4269773	62610.11	8.0471884[5]	−6.6558105[4]	9.694528[1]
$2s^22p^3\ ^2P^o$	(97%)	$+\ 2p^5\ ^2P^o$	(2%)	1/2	−223.2797752	94917.23	8.0419293[5]	−6.6697009[4]	9.683271[1]
	(96%)	$+\ 2p^5\ ^2P^o$	(2%)	3/2	−223.2786013	95174.87	8.0419723[5]	−6.6720192[4]	9.683205[1]
$2s2p^4\ ^4P$	(99%)			5/2	−222.4351706	280286.51	8.0112440[5]	−9.0438617[4]	9.334685[1]
	(99%)			3/2	−222.4239363	282752.16	8.0109816[5]	−9.0463483[4]	9.334653[1]
	(99%)			1/2	−222.4179871	284057.85	8.0108784[5]	−9.0481769[4]	9.334645[1]
$2s2p^4\ ^2D$	(99%)			5/2	−221.9523541	386252.47	7.9944563[5]	−8.9720590[4]	9.324815[1]
	(99%)			3/2	−221.9521788	386290.96	7.9944137[5]	−8.9704153[4]	9.324817[1]
$2s2p^4\ ^2S$	(98%)	$+\ 2s2p^4\ ^2P$	(1%)	1/2	−221.6451215	453682.24	7.9837048[5]	−8.7525177[4]	9.324793[1]
$2s2p^4\ ^2P$	(98%)			3/2	−221.5333241	478218.94	7.9795113[5]	−8.7696815[4]	9.299167[1]
	(98%)	$+\ 2s2p^4\ ^2S$	(1%)	1/2	−221.5197565	481196.69	7.9792463[5]	−8.7738909[4]	9.299270[1]
$2p^5\ ^2P^o$	(96%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−220.3573568	736313.92	7.9377481[5]	−1.1022774[5]	8.966212[1]
	(96%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	1/2	−220.3393610	740263.54	7.9374417[5]	−1.1030147[5]	8.965921[1]
					Si VIII				
$2s^22p^3\ ^4S^o$	(99%)			3/2	−263.3723635	0.00	9.4827178[5]	−8.2861559[4]	1.325294[2]
$2s^22p^3\ ^2D^o$	(98%)	$+\ 2s^22p^3\ ^2P^o$	(1%)	3/2	−263.0561084	69409.98	9.4715035[5]	−8.2445180[4]	1.325483[2]
	(99%)			5/2	−263.0549606	69661.88	9.4716525[5]	−8.2473807[4]	1.325501[2]
$2s^22p^3\ ^2P^o$	(97%)	$+\ 2p^5\ ^2P^o$	(2%)	1/2	−262.8909573	105656.45	9.4657012[5]	−8.2667052[4]	1.323909[2]
	(96%)	$+\ 2p^5\ ^2P^o$	(2%)	3/2	−262.8884965	106196.53	9.4657503[5]	−8.2705020[4]	1.323901[2]
$2s2p^4\ ^4P$	(99%)			5/2	−261.9474839	312724.91	9.4314844[5]	−1.1167512[5]	1.274461[2]
	(99%)			3/2	−261.9311743	316304.46	9.4310885[5]	−1.1170995[5]	1.274453[2]
	(99%)			1/2	−261.9226059	318185.01	9.4309239[5]	−1.1173283[5]	1.274450[2]
$2s2p^4\ ^2D$	(99%)			5/2	−261.4098825	430714.79	9.4127678[5]	−1.1094161[5]	1.273120[2]
	(99%)			3/2	−261.4097979	430733.34	9.4127147[5]	−1.1091848[5]	1.273120[2]
$2s2p^4\ ^2S$	(98%)	$+\ 2s2p^4\ ^2P$	(1%)	1/2	−261.0706507	505167.55	9.4008136[5]	−1.0848805[5]	1.273098[2]
$2s2p^4\ ^2P$	(99%)			3/2	−260.9533876	530903.82	9.3964356[5]	−1.0890395[5]	1.269750[2]
	(98%)	$+\ 2s2p^4\ ^2S$	(1%)	1/2	−260.9333781	535295.40	9.3960216[5]	−1.0895967[5]	1.269774[2]
$2p^5\ ^2P^o$	(96%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−259.6329967	820696.13	9.3494098[5]	−1.3629682[5]	1.222332[2]
	(96%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	1/2	−259.6067916	826447.48	9.3489222[5]	−1.3639919[5]	1.222276[2]
					P IX				
$2s^22p^3\ ^4S^o$	(99%)			3/2	−306.3233443	0.00	1.1025653[6]	−1.0043371[5]	1.774959[2]
$2s^22p^3\ ^2D^o$	(97%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−305.9764445	76135.70	1.1013300[6]	−9.9989759[4]	1.775159[2]
	(99%)			5/2	−305.9737674	76723.25	1.1013476[6]	−1.0003058[5]	1.775198[2]
$2s^22p^3\ ^2P^o$	(97%)	$+\ 2p^5\ ^2P^o$	(2%)	1/2	−305.7928394	116432.36	1.1006888[6]	−1.0029136[5]	1.773009[2]
	(95%)	$+\ 2s^22p^3\ ^2D^o$	(2%)	3/2	−305.7881477	117462.06	1.1006931[6]	−1.0035091[5]	1.773003[2]
$2s2p^4\ ^4P$	(99%)			5/2	−304.7493600	345449.60	1.0969036[6]	−1.3510816[5]	1.704677[2]
	(99%)			3/2	−304.7264121	350486.08	1.0968460[6]	−1.3515587[5]	1.704659[2]
	(99%)			1/2	−304.7144958	353101.41	1.0968213[6]	−1.3518376[5]	1.704652[2]
$2s2p^4\ ^2D$	(99%)			3/2	−304.1562024	475632.64	1.0948310[6]	−1.3433304[5]	1.702904[2]
	(99%)			5/2	−304.1560527	475665.51	1.0948376[6]	−1.3436517[5]	1.702907[2]
$2s2p^4\ ^2S$	(97%)	$+\ 2s2p^4\ ^2P$	(2%)	1/2	−303.7853073	557034.71	1.0935222[6]	−1.3165483[5]	1.702844[2]
$2s2p^4\ ^2P$	(99%)			3/2	−303.6628159	583918.46	1.0930683[6]	−1.3231545[5]	1.698579[2]
	(97%)	$+\ 2s2p^4\ ^2S$	(2%)	1/2	−303.6341659	590206.42	1.0930064[6]	−1.3238588[5]	1.698632[2]
$2p^5\ ^2P^o$	(96%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−302.1962762	905786.72	1.0878311[6]	−1.6511456[5]	1.632863[2]

Continued...

Table 13 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(96%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−302.1593267	913896.20	1.0877573[6]	−1.6525391[5]	1.632765[2]
					S X				
$2s^22p^3\ ^4S^o$	(99%)			3/2	−352.5714336	0.00	1.2685964[6]	−1.1964099[5]	2.334954[2]
$2s^22p^3\ ^2D^o$	(96%)	+ $2s^22p^3\ ^2P^o$	(3%)	3/2	−352.1946773	82688.45	1.2672485[6]	−1.1916908[5]	2.335148[2]
	(99%)			5/2	−352.1894333	83839.38	1.2672677[6]	−1.1922547[5]	2.335228[2]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−351.9914264	127296.88	1.2665440[6]	−1.1956291[5]	2.332293[2]
	(94%)	+ $2s^22p^3\ ^2D^o$	(4%)	3/2	−351.9831074	129122.67	1.2665454[6]	−1.1965205[5]	2.332296[2]
$2s2p^4\ ^4P$	(99%)			5/2	−350.8468052	378512.17	1.2623907[6]	−1.6072681[5]	2.239944[2]
	(99%)			3/2	−350.8153514	385415.49	1.2623097[6]	−1.6079087[5]	2.239910[2]
	(99%)			1/2	−350.7992707	388944.80	1.2622739[6]	−1.6082382[5]	2.239895[2]
$2s2p^4\ ^2D$	(99%)			3/2	−350.1971832	521087.72	1.2601200[6]	−1.5993618[5]	2.237654[2]
	(99%)			5/2	−350.1965663	521223.12	1.2601277[6]	−1.5998031[5]	2.237660[2]
$2s2p^4\ ^2S$	(96%)	+ $2s2p^4\ ^2P$	(3%)	1/2	−349.7949620	609365.07	1.2586931[6]	−1.5701652[5]	2.237524[2]
$2s2p^4\ ^2P$	(99%)			3/2	−349.6673249	637378.17	1.2582251[6]	−1.5791851[5]	2.232208[2]
	(96%)	+ $2s2p^4\ ^2S$	(3%)	1/2	−349.6273205	646158.14	1.2581354[6]	−1.5800344[5]	2.232312[2]
$2p^5\ ^2P^o$	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−348.0526940	991748.69	1.2524468[6]	−1.9666442[5]	2.143140[2]
	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−348.0019880	1002877.36	1.2523398[6]	−1.9685060[5]	2.142972[2]
					Cl XI				
$2s^22p^3\ ^4S^o$	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−402.1236145	0.00	1.4463681[6]	−1.4047402[5]	3.023892[2]
$2s^22p^3\ ^2D^o$	(94%)	+ $2s^22p^3\ ^2P^o$	(5%)	3/2	−401.7180182	89018.09	1.4449100[6]	−1.3997439[5]	3.024057[2]
	(100%)			5/2	−401.7087611	91049.80	1.4449286[6]	−1.4004991[5]	3.024206[2]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−401.4934863	138297.14	1.4441384[6]	−1.4047144[5]	3.020355[2]
	(92%)	+ $2s^22p^3\ ^2D^o$	(5%)	3/2	−401.4795713	141351.12	1.4441334[6]	−1.4059998[5]	3.020381[2]
$2s2p^4\ ^4P$	(99%)			5/2	−400.2464490	411990.19	1.4396110[6]	−1.8851964[5]	2.897906[2]
	(100%)			3/2	−400.2042838	421244.38	1.4395000[6]	−1.8860418[5]	2.897847[2]
	(99%)			1/2	−400.1831488	425882.97	1.4394503[6]	−1.8864166[5]	2.897820[2]
$2s2p^4\ ^2D$	(99%)			3/2	−399.5391514	567224.07	1.4371391[6]	−1.8771597[5]	2.895001[2]
	(99%)			5/2	−399.5377104	567540.32	1.4371477[6]	−1.8777600[5]	2.895013[2]
$2s2p^4\ ^2S$	(95%)	+ $2s2p^4\ ^2P$	(4%)	1/2	−399.1061172	662264.08	1.4355953[6]	−1.8456412[5]	2.894755[2]
$2s2p^4\ ^2P$	(99%)			3/2	−398.9732423	691426.76	1.4351144[6]	−1.8570083[5]	2.888253[2]
	(95%)	+ $2s2p^4\ ^2S$	(4%)	1/2	−398.9185937	703420.74	1.4349878[6]	−1.8579859[5]	2.888443[2]
$2p^5\ ^2P^o$	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−397.2083511	1078775.59	1.4287866[6]	−2.3093192[5]	2.769859[2]
	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−397.1403561	1093698.76	1.4286364[6]	−2.3117662[5]	2.769587[2]
					Ar XII				
$2s^22p^3\ ^4S^o$	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−454.9874713	0.00	1.6358812[6]	−1.6292307[5]	3.860722[2]
$2s^22p^3\ ^2D^o$	(93%)	+ $2s^22p^3\ ^2P^o$	(7%)	3/2	−454.5542874	95072.87	1.6343164[6]	−1.6239719[5]	3.860822[2]
	(100%)			5/2	−454.5391102	98403.88	1.6343306[6]	−1.6249522[5]	3.861081[2]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−454.3063480	149489.28	1.6334723[6]	−1.6300636[5]	3.856127[2]
	(90%)	+ $2s^22p^3\ ^2D^o$	(7%)	3/2	−454.2841828	154353.97	1.6334556[6]	−1.6318574[5]	3.856193[2]
$2s2p^4\ ^4P$	(99%)			5/2	−452.9554994	445966.28	1.6285646[6]	−2.1847465[5]	3.696501[2]
	(100%)			3/2	−452.9000452	458137.06	1.6284159[6]	−2.1858454[5]	3.696404[2]
	(99%)			1/2	−452.8729153	464091.39	1.6283489[6]	−2.1862514[5]	3.696360[2]
$2s2p^4\ ^2D$	(99%)			3/2	−452.1890899	614173.70	1.6258876[6]	−2.1766007[5]	3.692871[2]
	(99%)			5/2	−452.1863022	614785.55	1.6258966[6]	−2.1774102[5]	3.692894[2]
$2s2p^4\ ^2S$	(93%)	+ $2s2p^4\ ^2P$	(6%)	1/2	−451.7258357	715846.25	1.6242283[6]	−2.1428847[5]	3.692446[2]
$2s2p^4\ ^2P$	(99%)			3/2	−451.5874387	746220.89	1.6237354[6]	−2.1565023[5]	3.684629[2]
	(93%)	+ $2s2p^4\ ^2S$	(6%)	1/2	−451.5142313	762288.04	1.6235609[6]	−2.1575797[5]	3.684953[2]
$2p^5\ ^2P^o$	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−449.6698921	1167073.71	1.6168484[6]	−2.6790210[5]	3.529954[2]
	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−449.5805115	1186690.47	1.6166432[6]	−2.6821895[5]	3.529526[2]
					K XIII				
$2s^22p^3\ ^4S^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−511.1713736	0.00	1.8371450[6]	−1.8697766[5]	4.873678[2]
$2s^22p^3\ ^2D^o$	(91%)	+ $2s^22p^3\ ^2P^o$	(9%)	3/2	−510.7120286	100814.56	1.8354779[6]	−1.8642880[5]	4.873666[2]
	(100%)			5/2	−510.6885474	105968.09	1.8354824[6]	−1.8655231[5]	4.874088[2]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−510.4380486	160946.24	1.8345542[6]	−1.8715647[5]	4.867817[2]
	(88%)	+ $2s^22p^3\ ^2D^o$	(9%)	3/2	−510.4042008	168374.96	1.8345179[6]	−1.8739996[5]	4.867947[2]
$2s2p^4\ ^4P$	(99%)			5/2	−508.9818728	480539.86	1.8292593[6]	−2.5057914[5]	4.662524[2]
	(100%)			3/2	−508.9101451	496282.27	1.8290637[6]	−2.5072004[5]	4.662369[2]
	(99%)	+ $2s2p^4\ ^2S$	(1%)	1/2	−508.8760601	503763.05	1.8289757[6]	−2.5076109[5]	4.662301[2]
$2s2p^4\ ^2D$	(99%)	+ $2s2p^4\ ^2P$	(1%)	3/2	−508.1546814	662087.38	1.8263723[6]	−2.4975549[5]	4.658038[2]
	(99%)			5/2	−508.1498074	663157.11	1.8263808[6]	−2.4986373[5]	4.658078[2]
$2s2p^4\ ^2S$	(91%)	+ $2s2p^4\ ^2P$	(8%)	1/2	−507.6618420	770253.12	1.8245996[6]	−2.4617962[5]	4.657352[2]
$2s2p^4\ ^2P$	(99%)	+ $2s2p^4\ ^2D$	(1%)	3/2	−507.5174373	801946.29	1.8240947[6]	−2.4775439[5]	4.648085[2]
	(91%)	+ $2s2p^4\ ^2S$	(8%)	1/2	−507.4210970	823090.55	1.8238587[6]	−2.4786879[5]	4.648598[2]
$2p^5\ ^2P^o$	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−505.4446215	1256876.76	1.8166376[6]	−3.0755971[5]	4.448778[2]
	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−505.3291503	1282219.77	1.8163637[6]	−3.0796439[5]	4.448125[2]
					Ca XIV				
$2s^22p^3\ ^4S^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−570.6842094	0.00	2.0501591[6]	−2.1262653[5]	6.084010[2]

Continued...

Table 13 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$2s^22p^3\ ^2D^o$	(88%)	+ $2s^22p^3\ ^2P^o$	(11%)	3/2	−570.2001784	106232.52	2.0483954[6]	−2.1206028[5]	6.083833[2]
	(100%)			5/2	−570.1655613	113830.09	2.0483830[6]	−2.1221174[5]	6.084480[2]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−569.8970487	172761.78	2.0473829[6]	−2.1291011[5]	6.076663[2]
	(85%)	+ $2s^22p^3\ ^2D^o$	(11%)	3/2	−569.8472394	183693.66	2.0473163[6]	−2.1323315[5]	6.076878[2]
$2s2p^4\ ^4P$	(99%)	+ $2s2p^4\ ^2D$	(1%)	5/2	−568.3339309	515826.48	2.0416934[6]	−2.8481977[5]	5.816048[2]
	(99%)			3/2	−568.2425039	535892.38	2.0414406[6]	−2.8499815[5]	5.815809[2]
	(99%)	+ $2s2p^4\ ^2S$	(1%)	1/2	−568.2005260	545105.46	2.0413277[6]	−2.8503529[5]	5.815710[2]
$2s2p^4\ ^2D$	(99%)	+ $2s2p^4\ ^2P$	(1%)	3/2	−567.4440425	711134.41	2.0385909[6]	−2.8398872[5]	5.810560[2]
	(99%)	+ $2s2p^4\ ^4P$	(1%)	5/2	−567.4360677	712884.68	2.0385973[6]	−2.8413223[5]	5.810629[2]
$2s2p^4\ ^2S$	(89%)	+ $2s2p^4\ ^2P$	(10%)	1/2	−566.9222314	825658.70	2.0367072[6]	−2.8022668[5]	5.809519[2]
$2s2p^4\ ^2P$	(99%)	+ $2s2p^4\ ^2D$	(1%)	3/2	−566.7711328	858821.01	2.0361896[6]	−2.8200106[5]	5.798678[2]
	(89%)	+ $2s2p^4\ ^2S$	(10%)	1/2	−566.6464043	886195.75	2.0358761[6]	−2.8211908[5]	5.799442[2]
$2p^5\ ^2P^o$	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−564.5402424	1348444.85	2.0281508[6]	−3.4988915[5]	5.545235[2]
	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−564.3933216	1380690.23	2.0277924[6]	−3.5039962[5]	5.544265[2]
Sc XV									
$2s^22p^3\ ^4S^o$	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−633.5355879	0.00	2.2749247[6]	−2.3985745[5]	7.515694[2]
$2s^22p^3\ ^2D^o$	(86%)	+ $2s^22p^3\ ^2P^o$	(13%)	3/2	−633.0281954	111359.80	2.2730710[6]	−2.3928231[5]	7.515301[2]
	(100%)			5/2	−632.9792406	122104.13	2.2730322[6]	−2.3946361[5]	7.516237[2]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−632.6924108	185055.98	2.2719583[6]	−2.4025507[5]	7.506631[2]
	(83%)	+ $2s^22p^3\ ^2D^o$	(14%)	3/2	−632.6214704	200625.62	2.2718476[6]	−2.4067581[5]	7.506947[2]
$2s2p^4\ ^4P$	(99%)	+ $2s2p^4\ ^2D$	(1%)	5/2	−631.0206520	551964.61	2.2658665[6]	−3.2118238[5]	7.179731[2]
	(99%)			3/2	−630.9056266	577209.79	2.2655445[6]	−3.2140555[5]	7.179374[2]
	(99%)	+ $2s2p^4\ ^2S$	(1%)	1/2	−630.8548933	588344.45	2.2654028[6]	−3.2143218[5]	7.179234[2]
$2s2p^4\ ^2D$	(98%)	+ $2s2p^4\ ^2P$	(1%)	3/2	−630.0658944	761509.69	2.2625420[6]	−3.2034548[5]	7.173077[2]
	(99%)	+ $2s2p^4\ ^4P$	(1%)	5/2	−630.0534638	764237.89	2.2625440[6]	−3.2053412[5]	7.173189[2]
$2s2p^4\ ^2S$	(86%)	+ $2s2p^4\ ^2P$	(13%)	1/2	−629.5156181	882281.38	2.2605500[6]	−3.1641792[5]	7.171574[2]
$2s2p^4\ ^2P$	(98%)	+ $2s2p^4\ ^2D$	(1%)	3/2	−629.3569469	917105.67	2.2600181[6]	−3.1837767[5]	7.159045[2]
	(87%)	+ $2s2p^4\ ^2S$	(12%)	1/2	−629.1978828	952016.21	2.2596089[6]	−3.1849753[5]	7.160120[2]
$2p^5\ ^2P^o$	(97%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−626.9650160	1442073.81	2.2513858[6]	−3.9487424[5]	6.840669[2]
	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−626.7805872	1482551.25	2.2509247[6]	−3.9551088[5]	6.839260[2]
Ti XVI									
$2s^22p^3\ ^4S^o$	(96%)	+ $2s^22p^3\ ^2P^o$	(3%)	3/2	−699.7360107	0.00	2.5114551[6]	−2.6865704[5]	9.207607[2]
$2s^22p^3\ ^2D^o$	(83%)	+ $2s^22p^3\ ^2P^o$	(15%)	3/2	−699.2061560	116289.66	2.5095179[6]	−2.6808521[5]	9.206954[2]
	(100%)			5/2	−699.1394159	130937.41	2.5094419[6]	−2.6829758[5]	9.208240[2]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−698.8339401	197981.61	2.5082920[6]	−2.6917856[5]	9.196577[2]
	(80%)	+ $2s^22p^3\ ^2D^o$	(16%)	3/2	−698.7357808	219525.07	2.5081201[6]	−2.6971846[5]	9.196989[2]
$2s2p^4\ ^4P$	(99%)	+ $2s2p^4\ ^2D$	(1%)	5/2	−697.0517704	589122.63	2.5017895[6]	−3.5965199[5]	8.790432[2]
	(99%)			3/2	−696.9087463	620512.79	2.5013847[6]	−3.5992798[5]	8.789911[2]
	(98%)	+ $2s2p^4\ ^2S$	(2%)	1/2	−696.8485356	633727.51	2.5012100[6]	−3.5993464[5]	8.789720[2]
$2s2p^4\ ^2D$	(98%)	+ $2s2p^4\ ^2P$	(2%)	3/2	−696.0296995	813441.24	2.4982355[6]	−3.5881077[5]	8.782413[2]
	(99%)	+ $2s2p^4\ ^4P$	(1%)	5/2	−696.0110472	817534.97	2.4982299[6]	−3.5905644[5]	8.782591[2]
$2s2p^4\ ^2S$	(84%)	+ $2s2p^4\ ^2P$	(15%)	1/2	−695.4512530	940395.59	2.4961378[6]	−3.5474060[5]	8.780330[2]
$2s2p^4\ ^2P$	(98%)	+ $2s2p^4\ ^2D$	(2%)	3/2	−695.2839519	977113.93	2.4955895[6]	−3.5687137[5]	8.765988[2]
	(85%)	+ $2s2p^4\ ^2S$	(15%)	1/2	−695.0839064	1021018.84	2.4950633[6]	−3.5699318[5]	8.767428[2]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−692.7278341	1538116.91	2.4863462[6]	−4.4249645[5]	8.369935[2]
	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−692.4990939	1588319.60	2.4857620[6]	−4.4328198[5]	8.367934[2]
V XVII									
$2s^22p^3\ ^4S^o$	(95%)	+ $2s^22p^3\ ^2P^o$	(4%)	3/2	−769.2965442	0.00	2.7597498[6]	−2.9901037[5]	1.118661[3]
$2s^22p^3\ ^2D^o$	(81%)	+ $2s^22p^3\ ^2P^o$	(16%)	3/2	−768.7443559	121191.32	2.7577350[6]	−2.9845886[5]	1.118567[3]
	(100%)			5/2	−768.6563006	140517.22	2.7576097[6]	−2.9870265[5]	1.118735[3]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−768.3318257	211731.24	2.7563814[6]	−2.9966717[5]	1.117335[3]
	(77%)	+ $2s^22p^3\ ^2D^o$	(18%)	3/2	−768.1994218	240790.53	2.7561281[6]	−3.0035172[5]	1.117383[3]
$2s2p^4\ ^4P$	(98%)	+ $2s2p^4\ ^2D$	(1%)	5/2	−766.4374314	627502.71	2.7494598[6]	−4.0021280[5]	1.067348[3]
	(99%)			3/2	−766.2614879	666117.85	2.7489566[6]	−4.0055025[5]	1.067273[3]
	(98%)	+ $2s2p^4\ ^2S$	(2%)	1/2	−766.1912951	681523.39	2.7487455[6]	−4.0052391[5]	1.067249[3]
$2s2p^4\ ^2D$	(97%)	+ $2s2p^4\ ^2P$	(2%)	3/2	−765.3453124	867195.12	2.7456680[6]	−3.9936898[5]	1.066387[3]
	(98%)	+ $2s2p^4\ ^4P$	(1%)	5/2	−765.3181896	873147.89	2.7456501[6]	−3.9968575[5]	1.066415[3]
$2s2p^4\ ^2S$	(81%)	+ $2s2p^4\ ^2P$	(17%)	1/2	−764.7386612	1000339.67	2.7434667[6]	−3.9518230[5]	1.066109[3]
$2s2p^4\ ^2P$	(97%)	+ $2s2p^4\ ^2D$	(2%)	3/2	−764.5615137	1039219.05	2.7428990[6]	−3.9746906[5]	1.064483[3]
	(82%)	+ $2s2p^4\ ^2S$	(17%)	1/2	−764.3131369	1093731.45	2.7422324[6]	−3.9759532[5]	1.064667[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−761.8381248	1636933.80	2.7330325[6]	−4.9274080[5]	1.015677[3]
	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	1/2	−761.5574730	1698529.76	2.7323022[6]	−4.9370078[5]	1.015397[3]
Cr XVIII									
$2s^22p^3\ ^4S^o$	(93%)	+ $2s^22p^3\ ^2P^o$	(6%)	3/2	−842.2293076	0.00	3.0198294[6]	−3.3090477[5]	1.350033[3]
$2s^22p^3\ ^2D^o$	(79%)	+ $2s^22p^3\ ^2P^o$	(17%)	3/2	−841.6537254	126325.70	3.0177403[6]	−3.3039730[5]	1.349910[3]
	(100%)			5/2	−841.5409414	151078.91	3.0175523[6]	−3.3067091[5]	1.350121[3]
$2s^22p^3\ ^2P^o$	(98%)	+ $2p^5\ ^2P^o$	(2%)	1/2	−841.1970964	226544.16	3.0162433[6]	−3.3171015[5]	1.348458[3]
	(75%)	+ $2s^22p^3\ ^2D^o$	(20%)	3/2	−841.0224727	264869.63	3.0158832[6]	−3.3256703[5]	1.348504[3]

Continued...

Table 13 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$2s2p^4\ ^4P$	(98%)	$+\ 2s2p^4\ ^2D$	(2%)	5/2	−839.1885970	667358.82	3.0088901[6]	−4.4284812[5]	1.287401[3]
	(99%)	$+\ 2s2p^4\ ^2D$	(1%)	3/2	−838.9742847	714394.94	3.0082712[6]	−4.4325592[5]	1.287295[3]
	(97%)	$+\ 2s2p^4\ ^2S$	(3%)	1/2	−838.8939099	732035.16	3.0080203[6]	−4.4317929[5]	1.287264[3]
$2s2p^4\ ^2D$	(96%)	$+\ 2s2p^4\ ^2P$	(3%)	3/2	−838.0233759	923095.29	3.0048511[6]	−4.4200386[5]	1.286254[3]
	(98%)	$+\ 2s2p^4\ ^4P$	(2%)	5/2	−837.9849846	931521.21	3.0048147[6]	−4.4240798[5]	1.286295[3]
$2s2p^4\ ^2S$	(78%)	$+\ 2s2p^4\ ^2P$	(20%)	1/2	−837.3880299	1062537.61	3.0025475[6]	−4.3773020[5]	1.285892[3]
$2s2p^4\ ^2P$	(96%)	$+\ 2s2p^4\ ^2D$	(3%)	3/2	−837.1996856	1103874.41	3.0019567[6]	−4.4015707[5]	1.284062[3]
	(80%)	$+\ 2s2p^4\ ^2S$	(19%)	1/2	−836.8949149	1170763.84	3.0011236[6]	−4.4029297[5]	1.284288[3]
$2p^5\ ^2P^o$	(98%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−834.3058495	1738998.00	2.9914520[6]	−5.4558734[5]	1.224381[3]
	(98%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	1/2	−833.9648440	1813840.05	2.9905495[6]	−5.4675007[5]	1.223996[3]
Mn XIX									
$2s^22p^3\ ^4S^o$	(91%)	$+\ 2s^22p^3\ ^2P^o$	(8%)	3/2	−918.5468980	0.00	3.2916836[6]	−3.6431564[5]	1.617899[3]
$2s^22p^3\ ^2D^o$	(76%)	$+\ 2s^22p^3\ ^2P^o$	(18%)	3/2	−917.9452447	132047.62	3.2895215[6]	−3.6388271[5]	1.617751[3]
	(100%)			5/2	−917.8046399	162906.80	3.2892585[6]	−3.6418364[5]	1.618003[3]
$2s^22p^3\ ^2P^o$	(98%)	$+\ 2p^5\ ^2P^o$	(2%)	1/2	−917.4410244	242711.18	3.2878660[6]	−3.6528734[5]	1.616049[3]
	(73%)	$+\ 2s^22p^3\ ^2D^o$	(22%)	3/2	−917.2152049	292272.83	3.2873739[6]	−3.6635286[5]	1.616080[3]
$2s2p^4\ ^4P$	(97%)	$+\ 2s2p^4\ ^2D$	(2%)	5/2	−915.3166077	708966.73	3.2800756[6]	−4.8754041[5]	1.542047[3]
	(99%)	$+\ 2s2p^4\ ^2D$	(1%)	3/2	−915.0579585	765733.67	3.2793218[6]	−4.8802729[5]	1.541900[3]
	(96%)	$+\ 2s2p^4\ ^2S$	(4%)	1/2	−914.9676014	785564.76	3.2790287[6]	−4.8787818[5]	1.541863[3]
$2s2p^4\ ^2D$	(95%)	$+\ 2s2p^4\ ^2P$	(4%)	3/2	−914.0748693	981496.81	3.2757789[6]	−4.8669893[5]	1.540684[3]
	(97%)	$+\ 2s2p^4\ ^4P$	(2%)	5/2	−914.0218080	993142.42	3.2757161[6]	−4.8720837[5]	1.540744[3]
$2s2p^4\ ^2S$	(75%)	$+\ 2s2p^4\ ^2P$	(22%)	1/2	−913.4097548	1127472.57	3.2733730[6]	−4.8237177[5]	1.540223[3]
$2s2p^4\ ^2P$	(95%)	$+\ 2s2p^4\ ^2D$	(4%)	3/2	−913.2087651	1171584.70	3.2727550[6]	−4.8492144[5]	1.538183[3]
	(78%)	$+\ 2s2p^4\ ^2S$	(21%)	1/2	−912.8388100	1252780.45	3.2717266[6]	−4.8507502[5]	1.538449[3]
$2p^5\ ^2P^o$	(98%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−910.1413649	1844801.22	3.2615970[6]	−6.0101658[5]	1.465773[3]
	(98%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	1/2	−909.7306708	1934938.14	3.2604936[6]	−6.0241316[5]	1.465252[3]
Fe XX									
$2s^22p^3\ ^4S^o$	(88%)	$+\ 2s^22p^3\ ^2P^o$	(10%)	3/2	−998.2630537	0.00	3.5753317[6]	−3.9922695[5]	1.927604[3]
$2s^22p^3\ ^2D^o$	(74%)	$+\ 2s^22p^3\ ^2P^o$	(18%)	3/2	−997.6305533	138817.79	3.5730920[6]	−3.9890837[5]	1.927436[3]
	(100%)			5/2	−997.4595788	176342.35	3.5727423[6]	−3.9923110[5]	1.927728[3]
$2s^22p^3\ ^2P^o$	(98%)	$+\ 2p^5\ ^2P^o$	(2%)	1/2	−997.0757770	260577.10	3.5712636[6]	−4.0038656[5]	1.925450[3]
	(71%)	$+\ 2s^22p^3\ ^2D^o$	(23%)	3/2	−996.7887765	323566.43	3.5706092[6]	−4.0169995[5]	1.925446[3]
$2s2p^4\ ^4P$	(97%)	$+\ 2s2p^4\ ^2D$	(3%)	5/2	−994.8336381	752669.70	3.5630275[6]	−5.3427115[5]	1.836342[3]
	(98%)	$+\ 2s2p^4\ ^2D$	(1%)	3/2	−994.5241995	820583.63	3.5621174[6]	−5.3484491[5]	1.836140[3]
	(95%)	$+\ 2s2p^4\ ^2S$	(5%)	1/2	−994.4245542	842453.24	3.5617810[6]	−5.3459582[5]	1.836100[3]
$2s2p^4\ ^2D$	(93%)	$+\ 2s2p^4\ ^2P$	(5%)	3/2	−993.5115405	1042836.57	3.5584616[6]	−5.3343754[5]	1.834728[3]
	(97%)	$+\ 2s2p^4\ ^4P$	(3%)	5/2	−993.4397742	1058587.45	3.5583622[6]	−5.3407151[5]	1.834812[3]
$2s2p^4\ ^2S$	(72%)	$+\ 2s2p^4\ ^2P$	(24%)	1/2	−992.8148798	1195735.93	3.5559515[6]	−5.2909479[5]	1.834153[3]
$2s2p^4\ ^2P$	(94%)	$+\ 2s2p^4\ ^2D$	(5%)	3/2	−992.5997475	1242952.00	3.5553016[6]	−5.3174736[5]	1.831894[3]
	(75%)	$+\ 2s2p^4\ ^2S$	(23%)	1/2	−992.1550647	1340548.59	3.5540467[6]	−5.3192986[5]	1.832196[3]
$2p^5\ ^2P^o$	(98%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−989.3557776	1954921.08	3.5434750[6]	−6.5900786[5]	1.744620[3]
	(98%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	1/2	−988.8651166	2062608.71	3.5421388[6]	−6.6067233[5]	1.743922[3]
Co XXI									
$2s^22p^3\ ^4S^o$	(84%)	$+\ 2s^22p^3\ ^2P^o$	(12%)	3/2	−1081.3922195	0.00	3.8707822[6]	−4.3561952[5]	2.283892[3]
$2s^22p^3\ ^2D^o$	(72%)	$+\ 2s^22p^3\ ^2P^o$	(17%)	3/2	−1080.7216053	147182.80	3.8684534[6]	−4.3546388[5]	2.283711[3]
	(100%)			5/2	−1080.5184342	191773.70	3.8680069[6]	−4.3580057[5]	2.284034[3]
$2s^22p^3\ ^2P^o$	(98%)	$+\ 2p^5\ ^2P^o$	(1%)	1/2	−1080.1140134	280533.79	3.8664393[6]	−4.3699296[5]	2.281402[3]
	(69%)	$+\ 2s^22p^3\ ^2D^o$	(25%)	3/2	−1079.7547930	359373.57	3.8655885[6]	−4.3859792[5]	2.281335[3]
$2s2p^4\ ^4P$	(96%)	$+\ 2s2p^4\ ^2D$	(4%)	5/2	−1077.7523819	798851.99	3.8577487[6]	−5.8302096[5]	2.174762[3]
	(97%)	$+\ 2s2p^4\ ^2D$	(2%)	3/2	−1077.3852838	879420.70	3.8566594[6]	−5.8368749[5]	2.174486[3]
	(93%)	$+\ 2s2p^4\ ^2S$	(6%)	1/2	−1077.2776240	903049.29	3.8562797[6]	−5.8330568[5]	2.174446[3]
$2s2p^4\ ^2D$	(91%)	$+\ 2s2p^4\ ^2P$	(6%)	3/2	−1076.3455565	1107614.46	3.8529008[6]	−5.8220341[5]	2.172855[3]
	(96%)	$+\ 2s2p^4\ ^4P$	(4%)	5/2	−1076.2504237	1128493.69	3.8527525[6]	−5.8298115[5]	2.172970[3]
$2s2p^4\ ^2S$	(69%)	$+\ 2s2p^4\ ^2P$	(27%)	1/2	−1075.6147692	1268003.72	3.8502822[6]	−5.7788716[5]	2.172149[3]
$2s2p^4\ ^2P$	(93%)	$+\ 2s2p^4\ ^2D$	(7%)	3/2	−1075.3840156	1318648.30	3.8495953[6]	−5.8061917[5]	2.169667[3]
	(73%)	$+\ 2s2p^4\ ^2S$	(25%)	1/2	−1074.8542716	1434913.66	3.8480800[6]	−5.8084545[5]	2.169995[3]
$2p^5\ ^2P^o$	(98%)	$+\ 2s^22p^3\ ^2P^o$	(2%)	3/2	−1071.9606492	2069990.35	3.8370852[6]	−7.1953931[5]	2.065126[3]
	(98%)	$+\ 2s^22p^3\ ^2P^o$	(1%)	1/2	−1071.3787472	2197703.06	3.8354811[6]	−7.2150872[5]	2.064203[3]
Ni XXII									
$2s^22p^3\ ^4S^o$	(80%)	$+\ 2s^22p^3\ ^2P^o$	(15%)	3/2	−1167.9496295	0.00	4.1780470[6]	−4.7347386[5]	2.692259[3]
$2s^22p^3\ ^2D^o$	(70%)	$+\ 2s^22p^3\ ^2P^o$	(16%)	3/2	−1167.2308798	157747.33	4.1756077[6]	−4.7353709[5]	2.692071[3]
	(100%)			5/2	−1166.9945181	209622.73	4.1750573[6]	−4.7387826[5]	2.692419[3]
$2s^22p^3\ ^2P^o$	(98%)	$+\ 2p^5\ ^2P^o$	(1%)	1/2	−1166.5690300	303006.56	4.1733976[6]	−4.7509094[5]	2.689401[3]
	(67%)	$+\ 2s^22p^3\ ^2D^o$	(26%)	3/2	−1166.1254521	400360.66	4.1723130[6]	−4.7703587[5]	2.689232[3]
$2s2p^4\ ^4P$	(96%)	$+\ 2s2p^4\ ^2D$	(4%)	5/2	−1164.0864174	847877.02	4.1642588[6]	−6.3377458[5]	2.562495[3]
	(96%)	$+\ 2s2p^4\ ^2D$	(2%)	3/2	−1163.6544850	942675.23	4.1629644[6]	−6.3453600[5]	2.562122[3]
	(92%)	$+\ 2s2p^4\ ^2S$	(8%)	1/2	−1163.5407280	967642.00	4.1625425[6]	−6.3398295[5]	2.562090[3]
$2s2p^4\ ^2D$	(89%)	$+\ 2s2p^4\ ^2P$	(8%)	3/2	−1162.5897286	1176362.24	4.1591109[6]	−6.3298724[5]	2.560248[3]

Continued...

Table 13 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
	(96%)	+ $2s2p^4\ ^4P$	(4%)	5/2	−1162.4659969	1203518.20	4.1588998[6]	−6.3392578[5]	2.560399[3]
$2s2p^4\ ^2S$	(65%)	+ $2s2p^4\ ^2P$	(29%)	1/2	−1161.8214180	1344986.92	4.1563688[6]	−6.2873672[5]	2.559387[3]
$2s2p^4\ ^2P$	(91%)	+ $2s2p^4\ ^2D$	(8%)	3/2	−1161.5735799	1399381.10	4.1556473[6]	−6.3153255[5]	2.556680[3]
	(71%)	+ $2s2p^4\ ^2S$	(27%)	1/2	−1160.9476140	1536764.72	4.1538328[6]	−6.3181701[5]	2.557019[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−1157.9681296	2190685.95	4.1424290[6]	−7.8258791[5]	2.432166[3]
	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1157.2826641	2341128.24	4.1405181[6]	−7.8490245[5]	2.430960[3]
Cu XXIII									
$2s^22p^3\ ^4S^o$	(76%)	+ $2s^22p^3\ ^2P^o$	(18%)	3/2	−1257.9512168	0.00	4.4971379[6]	−5.1277119[5]	3.158741[3]
$2s^22p^3\ ^2D^o$	(67%)	+ $2s^22p^3\ ^4S^o$	(18%)	3/2	−1257.1714840	171131.56	4.4945571[6]	−5.1311377[5]	3.158547[3]
	(100%)			5/2	−1256.9017827	230324.15	4.4938991[6]	−5.1344978[5]	3.158909[3]
$2s^22p^3\ ^2P^o$	(99%)	+ $2p^5\ ^2P^o$	(1%)	1/2	−1256.4547654	328433.10	4.4921442[6]	−5.1466455[5]	3.155476[3]
	(66%)	+ $2s^22p^3\ ^2D^o$	(27%)	3/2	−1255.9135458	447217.08	4.4907845[6]	−5.1700241[5]	3.155155[3]
$2s2p^4\ ^4P$	(95%)	+ $2s2p^4\ ^2D$	(5%)	5/2	−1253.8490764	900315.73	4.4825202[6]	−6.8649558[5]	3.005225[3]
	(95%)	+ $2s2p^4\ ^2D$	(3%)	3/2	−1253.3449811	1010951.85	4.4809955[6]	−6.8734955[5]	3.004722[3]
	(90%)	+ $2s2p^4\ ^2S$	(10%)	1/2	−1253.2276818	1036696.08	4.4805389[6]	−6.8658784[5]	3.004711[3]
$2s2p^4\ ^2D$	(87%)	+ $2s2p^4\ ^2P$	(9%)	3/2	−1252.2567891	1249782.39	4.4770627[6]	−6.8575690[5]	3.002590[3]
	(95%)	+ $2s2p^4\ ^4P$	(5%)	5/2	−1252.0987989	1284457.23	4.4767696[6]	−6.8687115[5]	3.002782[3]
$2s2p^4\ ^2S$	(61%)	+ $2s2p^4\ ^2P$	(31%)	1/2	−1251.4465708	1427604.75	4.4742029[6]	−6.8162964[5]	3.001549[3]
$2s2p^4\ ^2P$	(89%)	+ $2s2p^4\ ^2D$	(10%)	3/2	−1251.1806555	1485966.41	4.4734261[6]	−6.8443280[5]	2.998625[3]
	(69%)	+ $2s2p^4\ ^2S$	(28%)	1/2	−1250.4463441	1647129.12	4.4712781[6]	−6.8480804[5]	2.998953[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−1247.3909501	2317710.59	4.4595072[6]	−8.4812939[5]	2.851085[3]
	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1246.5884954	2493829.02	4.4572473[6]	−8.5083246[5]	2.849526[3]
Zn XXIV									
$2s^22p^3\ ^4S^o$	(71%)	+ $2s^22p^3\ ^2P^o$	(21%)	3/2	−1351.4135051	0.00	4.8280682[6]	−5.5349366[5]	3.689959[3]
$2s^22p^3\ ^2D^o$	(65%)	+ $2s^22p^3\ ^4S^o$	(22%)	3/2	−1350.5572532	187925.56	4.8253026[6]	−5.5417737[5]	3.689751[3]
	(100%)			5/2	−1350.2548152	254303.01	4.8245371[6]	−5.5450009[5]	3.690120[3]
$2s^22p^3\ ^2P^o$	(99%)	+ $2p^5\ ^2P^o$	(1%)	1/2	−1349.7857948	357241.10	4.8226836[6]	−5.5569732[5]	3.686241[3]
	(64%)	+ $2s^22p^3\ ^2D^o$	(27%)	3/2	−1349.1324519	500633.29	4.8210034[6]	−5.5848568[5]	3.685704[3]
$2s2p^4\ ^4P$	(94%)	+ $2s2p^4\ ^2D$	(6%)	5/2	−1347.0556898	956429.87	4.8125814[6]	−7.4117686[5]	3.509195[3]
	(94%)	+ $2s2p^4\ ^2D$	(4%)	3/2	−1346.4721917	1084492.90	4.8107983[6]	−7.4211265[5]	3.508524[3]
	(87%)	+ $2s2p^4\ ^2S$	(13%)	1/2	−1346.3545120	1110320.60	4.8103121[6]	−7.4110153[5]	3.508552[3]
$2s2p^4\ ^2D$	(84%)	+ $2s2p^4\ ^2P$	(11%)	3/2	−1345.3606251	1328453.56	4.8067918[6]	−7.4051845[5]	3.506116[3]
	(94%)	+ $2s2p^4\ ^4P$	(6%)	5/2	−1345.1624722	1371943.10	4.8063980[6]	−7.4181480[5]	3.506348[3]
$2s2p^4\ ^2S$	(58%)	+ $2s2p^4\ ^2P$	(33%)	1/2	−1344.5034836	1516574.36	4.8037926[6]	−7.3655159[5]	3.504859[3]
$2s2p^4\ ^2P$	(87%)	+ $2s2p^4\ ^2D$	(12%)	3/2	−1344.2185453	1579111.09	4.8029639[6]	−7.3933743[5]	3.501722[3]
	(66%)	+ $2s2p^4\ ^2S$	(30%)	1/2	−1343.3628095	1766923.39	4.8004369[6]	−7.3982828[5]	3.502011[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−1340.2424212	2451769.44	4.7883206[6]	−9.1613785[5]	3.327740[3]
	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1339.3083936	2656764.79	4.7856658[6]	−9.1927608[5]	3.325742[3]
Ga XXV									
$2s^22p^3\ ^4S^o$	(66%)	+ $2s^22p^3\ ^2P^o$	(24%)	3/2	−1448.3533909	0.00	5.1708351[6]	−5.9562394[5]	4.291029[3]
$2s^22p^3\ ^2D^o$	(62%)	+ $2s^22p^3\ ^4S^o$	(26%)	3/2	−1447.4026894	208654.85	5.1678320[6]	−5.9670960[5]	4.290787[3]
	(100%)			5/2	−1447.0686964	281957.83	5.1669622[6]	−5.9701348[5]	4.291154[3]
$2s^22p^3\ ^2P^o$	(99%)	+ $2p^5\ ^2P^o$	(1%)	1/2	−1446.5771895	389831.14	5.1650069[6]	−5.9817267[5]	4.286803[3]
	(63%)	+ $2s^22p^3\ ^2D^o$	(28%)	3/2	−1445.7959914	561284.29	5.1629564[6]	−6.0147339[5]	4.285970[3]
$2s2p^4\ ^4P$	(93%)	+ $2s2p^4\ ^2D$	(7%)	5/2	−1443.7211811	1016652.50	5.1544188[6]	−7.9779011[5]	4.079200[3]
	(92%)	+ $2s2p^4\ ^2D$	(5%)	3/2	−1443.0514079	1163650.72	5.1523503[6]	−7.9878698[5]	4.078309[3]
	(85%)	+ $2s2p^4\ ^2S$	(15%)	1/2	−1442.9369466	1188772.06	5.1518442[6]	−7.9749171[5]	4.078406[3]
$2s2p^4\ ^2D$	(80%)	+ $2s2p^4\ ^2P$	(12%)	3/2	−1441.9147341	1413121.77	5.1482751[6]	−7.9725591[5]	4.075620[3]
	(93%)	+ $2s2p^4\ ^4P$	(7%)	5/2	−1441.6705799	1466707.42	5.1477604[6]	−7.9873161[5]	4.075887[3]
$2s2p^4\ ^2S$	(54%)	+ $2s2p^4\ ^2P$	(35%)	1/2	−1441.0050493	1612774.51	5.1451194[6]	−7.9348490[5]	4.074103[3]
$2s2p^4\ ^2P$	(85%)	+ $2s2p^4\ ^2D$	(14%)	3/2	−1440.7006415	1679584.30	5.1442351[6]	−7.9621352[5]	4.070764[3]
	(64%)	+ $2s2p^4\ ^2S$	(31%)	1/2	−1439.7092770	1897163.65	5.1412839[6]	−7.9685558[5]	4.070979[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(2%)	3/2	−1436.5363164	2593547.99	5.1288572[6]	−9.8658643[5]	3.866613[3]
	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1435.4549165	2830887.82	5.1257578[6]	−9.9020978[5]	3.864078[3]
Ge XXVI									
$2s^22p^3\ ^4S^o$	(62%)	+ $2s^22p^3\ ^2P^o$	(26%)	3/2	−1548.7885785	0.00	5.5254610[6]	−6.3914430[5]	4.971268[3]
$2s^22p^3\ ^2D^o$	(60%)	+ $2s^22p^3\ ^4S^o$	(29%)	3/2	−1547.7234602	233766.44	5.5221569[6]	−6.4069067[5]	4.970957[3]
	(100%)			5/2	−1547.3594671	313653.68	5.5211888[6]	−6.4097340[5]	4.971318[3]
$2s^22p^3\ ^2P^o$	(99%)	+ $2p^5\ ^2P^o$	(1%)	1/2	−1546.8449816	426570.19	5.5191282[6]	−6.4207325[5]	4.966467[3]
	(62%)	+ $2s^22p^3\ ^2D^o$	(28%)	3/2	−1545.9188916	629823.44	5.5166539[6]	−6.4595257[5]	4.965241[3]
$2s2p^4\ ^4P$	(92%)	+ $2s2p^4\ ^2D$	(8%)	5/2	−1543.8616581	1081333.99	5.5080481[6]	−8.5631090[5]	4.724023[3]
	(89%)	+ $2s2p^4\ ^2D$	(7%)	3/2	−1543.0994578	1248617.63	5.5056666[6]	−8.5733545[5]	4.722845[3]
	(81%)	+ $2s2p^4\ ^2S$	(18%)	1/2	−1542.9919980	1272202.33	5.5051526[6]	−8.5573125[5]	4.723051[3]
$2s2p^4\ ^2D$	(76%)	+ $2s2p^4\ ^2P$	(13%)	3/2	−1541.9332756	1504565.03	5.5015233[6]	−8.5596107[5]	4.719882[3]
	(92%)	+ $2s2p^4\ ^4P$	(8%)	5/2	−1541.6377123	1569433.66	5.5008660[6]	−8.5760071[5]	4.720168[3]
$2s2p^4\ ^2S$	(49%)	+ $2s2p^4\ ^2P$	(37%)	1/2	−1540.9651827	1717036.85	5.4981910[6]	−8.5240807[5]	4.718044[3]
$2s2p^4\ ^2P$	(82%)	+ $2s2p^4\ ^2D$	(17%)	3/2	−1540.6413421	1788111.65	5.4972486[6]	−8.5503888[5]	4.714519[3]
	(62%)	+ $2s2p^4\ ^2S$	(32%)	1/2	−1539.4989184	2038844.66	5.4938239[6]	−8.5587455[5]	4.714614[3]

Continued...

Table 13 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−1536.2872662	2743720.81	5.4811265[6]	−1.0594462[6]	4.475955[3]
	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1535.0414215	3017152.13	5.4775274[6]	−1.0636082[6]	4.472765[3]
As XXVII									
$2s^22p^3\ ^4S^o$	(58%)	+ $2s^22p^3\ ^2P^o$	(29%)	3/2	−1652.7374195	0.00	5.8919747[6]	−6.8403583[5]	5.742124[3]
$2s^22p^3\ ^2D^o$	(58%)	+ $2s^22p^3\ ^4S^o$	(33%)	3/2	−1651.5362097	263635.08	5.8882995[6]	−6.8610038[5]	5.741693[3]
	(100%)			5/2	−1651.1439525	349725.59	5.8872405[6]	−6.8636264[5]	5.742043[3]
$2s^22p^3\ ^2P^o$	(99%)	+ $2p^5\ ^2P^o$	(1%)	1/2	−1650.6059901	467794.68	5.8850712[6]	−6.8738124[5]	5.736665[3]
	(61%)	+ $2s^22p^3\ ^2D^o$	(29%)	3/2	−1649.5166099	706885.99	5.8821147[6]	−6.9190984[5]	5.734926[3]
$2s2p^4\ ^4P$	(91%)	+ $2s2p^4\ ^2D$	(9%)	5/2	−1647.4940031	1150796.86	5.8734916[6]	−9.1671371[5]	5.454459[3]
	(85%)	+ $2s2p^4\ ^2D$	(9%)	3/2	−1646.6343239	1339474.62	5.8707730[6]	−9.1771881[5]	5.452913[3]
	(78%)	+ $2s2p^4\ ^2S$	(21%)	1/2	−1646.5374846	1360728.40	5.8702640[6]	−9.1579553[5]	5.453282[3]
$2s2p^4\ ^2D$	(72%)	+ $2s2p^4\ ^2P$	(14%)	3/2	−1645.4307191	1603635.35	5.8665520[6]	−9.1662647[5]	5.449694[3]
	(91%)	+ $2s2p^4\ ^4P$	(9%)	5/2	−1645.0791832	1680788.55	5.8657323[6]	−9.1840046[5]	5.449972[3]
$2s2p^4\ ^2S$	(45%)	+ $2s2p^4\ ^2P$	(39%)	1/2	−1644.3985213	1830176.56	5.8630216[6]	−9.1329586[5]	5.447458[3]
$2s2p^4\ ^2P$	(80%)	+ $2s2p^4\ ^2D$	(19%)	3/2	−1644.0558002	1905395.16	5.8620211[6]	−9.1579004[5]	5.443760[3]
	(60%)	+ $2s2p^4\ ^2S$	(33%)	1/2	−1642.7455364	2192964.82	5.8580694[6]	−9.1686914[5]	5.443682[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−1639.5106290	2902944.89	5.8451449[6]	−1.1346871[6]	5.165912[3]
	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1638.0819331	3216507.39	5.8409882[6]	−1.1394447[6]	5.161925[3]
Se XXVIII									
$2s^22p^3\ ^4S^o$	(54%)	+ $2s^22p^3\ ^2P^o$	(31%)	3/2	−1760.2184909	0.00	6.2703715[6]	−7.3027817[5]	6.611040[3]
$2s^22p^3\ ^2D^o$	(56%)	+ $2s^22p^3\ ^4S^o$	(36%)	3/2	−1758.8580496	298582.34	6.2662481[6]	−7.3291851[5]	6.610419[3]
	(100%)			5/2	−1758.4392957	390488.19	6.2651071[6]	−7.3316319[5]	6.610757[3]
$2s^22p^3\ ^2P^o$	(99%)	+ $2p^5\ ^2P^o$	(1%)	1/2	−1757.8773535	513820.25	6.2628252[6]	−7.3407852[5]	6.604826[3]
	(60%)	+ $2s^22p^3\ ^2D^o$	(29%)	3/2	−1756.6048653	793099.12	6.2593240[6]	−7.3933140[5]	6.602433[3]
$2s2p^4\ ^4P$	(90%)	+ $2s2p^4\ ^2D$	(10%)	5/2	−1754.6354142	1225343.66	6.2507396[6]	−9.7897176[5]	6.277481[3]
	(81%)	+ $2s2p^4\ ^2D$	(11%)	3/2	−1753.6746587	1436205.13	6.2476628[6]	−9.7989709[5]	6.275464[3]
	(75%)	+ $2s2p^4\ ^2S$	(25%)	1/2	−1753.5915046	1454455.33	6.2471720[6]	−9.7766191[5]	6.276066[3]
$2s2p^4\ ^2D$	(67%)	+ $2s2p^4\ ^4P$	(18%)	3/2	−1752.4214052	1711262.46	6.2433434[6]	−9.7924272[5]	6.272026[3]
	(90%)	+ $2s2p^4\ ^4P$	(10%)	5/2	−1752.0105758	1801429.09	6.2423443[6]	−9.8110789[5]	6.272256[3]
$2s2p^4\ ^2P$	(41%)	+ $2s2p^4\ ^2S$	(41%)	1/2	−1751.3200272	1952987.00	6.2395935[6]	−9.7611825[5]	6.269297[3]
	(78%)	+ $2s2p^4\ ^2D$	(21%)	3/2	−1750.9594740	2032119.27	6.2385366[6]	−9.7844221[5]	6.265443[3]
	(58%)	+ $2s2p^4\ ^2S$	(34%)	1/2	−1749.4631177	2360531.51	6.2340002[6]	−9.7982205[5]	6.265127[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−1746.2220466	3071864.37	6.2208993[6]	−1.2122769[6]	5.943000[3]
	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1744.5906993	3429903.71	6.2161210[6]	−1.2176910[6]	5.938053[3]
Br XXIX									
$2s^22p^3\ ^4S^o$	(50%)	+ $2s^22p^3\ ^2P^o$	(33%)	3/2	−1871.2512225	0.00	6.6606602[6]	−7.7784916[5]	7.588448[3]
$2s^22p^3\ ^2D^o$	(55%)	+ $2s^22p^3\ ^4S^o$	(39%)	3/2	−1869.7070847	338899.07	6.6560065[6]	−7.8112470[5]	7.587547[3]
	(100%)			5/2	−1869.2635338	436247.23	6.6547923[6]	−7.8135635[5]	7.587872[3]
$2s^22p^3\ ^2P^o$	(99%)	+ $2p^5\ ^2P^o$	(1%)	1/2	−1868.6771056	564953.36	6.6523941[6]	−7.8214640[5]	7.581367[3]
	(59%)	+ $2s^22p^3\ ^2D^o$	(29%)	3/2	−1867.2002122	889093.97	6.6482800[6]	−7.8820311[5]	7.578150[3]
$2s2p^4\ ^4P$	(89%)	+ $2s2p^4\ ^2D$	(11%)	5/2	−1865.3039913	1305266.35	6.6397981[6]	−1.0430573[6]	7.202901[3]
	(77%)	+ $2s2p^4\ ^2D$	(14%)	3/2	−1864.2402661	1538727.05	6.6363474[6]	−1.0438335[6]	7.200298[3]
	(71%)	+ $2s2p^4\ ^2S$	(28%)	1/2	−1864.1729603	1553498.95	6.6358861[6]	−1.0413102[6]	7.201217[3]
$2s2p^4\ ^2D$	(62%)	+ $2s2p^4\ ^4P$	(23%)	3/2	−1862.9202368	1828439.98	6.6318933[6]	−1.0437958[6]	7.196689[3]
	(89%)	+ $2s2p^4\ ^4P$	(11%)	5/2	−1862.4483300	1932011.54	6.6307015[6]	−1.0456994[6]	7.196816[3]
$2s2p^4\ ^2P$	(43%)	+ $2s2p^4\ ^2S$	(37%)	1/2	−1861.7456241	2086237.65	6.6279038[6]	−1.0408420[6]	7.193352[3]
	(75%)	+ $2s2p^4\ ^2D$	(24%)	3/2	−1861.3687164	2168959.33	6.6267946[6]	−1.0429698[6]	7.189361[3]
	(56%)	+ $2s2p^4\ ^2S$	(35%)	1/2	−1859.6664257	2542568.95	6.6216099[6]	−1.0447152[6]	7.188727[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−1856.4379861	3251129.52	6.6083884[6]	−1.2921824[6]	6.816399[3]
	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1854.5827297	3658311.22	6.6029215[6]	−1.2983177[6]	6.810300[3]
Kr XXX									
$2s^22p^3\ ^4S^o$	(47%)	+ $2s^22p^3\ ^2P^o$	(35%)	3/2	−1985.8542911	0.00	7.0628045[6]	−8.2672495[5]	8.678516[3]
$2s^22p^3\ ^2D^o$	(53%)	+ $2s^22p^3\ ^4S^o$	(41%)	3/2	−1984.1007161	384865.22	7.0575340[6]	−8.3069863[5]	8.677224[3]
	(100%)			5/2	−1983.6339451	487309.61	7.0562551[6]	−8.3092252[5]	8.677535[3]
$2s^22p^3\ ^2P^o$	(99%)			1/2	−1983.0225237	621501.10	7.0537372[6]	−8.3156591[5]	8.670442[3]
	(59%)	+ $2s^22p^3\ ^2D^o$	(29%)	3/2	−1981.3183873	995515.79	7.0489376[6]	−8.3851045[5]	8.666204[3]
$2s2p^4\ ^4P$	(88%)	+ $2s2p^4\ ^2D$	(12%)	5/2	−1979.5171106	1390850.31	7.0406279[6]	−1.1089408[6]	8.234569[3]
	(71%)	+ $2s2p^4\ ^2D$	(17%)	3/2	−1978.3502903	1646937.77	7.0367953[6]	−1.1094966[6]	8.231249[3]
	(68%)	+ $2s2p^4\ ^2S$	(31%)	1/2	−1978.2998867	1658000.08	7.0363712[6]	−1.1067201[6]	8.232580[3]
$2s2p^4\ ^2D$	(57%)	+ $2s2p^4\ ^4P$	(28%)	3/2	−1976.9412418	1956188.16	7.0321506[6]	−1.1102631[6]	8.227523[3]
	(88%)	+ $2s2p^4\ ^4P$	(12%)	5/2	−1976.4081218	2073194.48	7.0307599[6]	−1.1121501[6]	8.227483[3]
$2s2p^4\ ^2P$	(45%)	+ $2s2p^4\ ^2S$	(33%)	1/2	−1975.6906122	2230669.62	7.0279059[6]	−1.1074310[6]	8.223451[3]
	(73%)	+ $2s2p^4\ ^2D$	(26%)	3/2	−1975.2991518	2316585.26	7.0267505[6]	−1.1093460[6]	8.219347[3]
	(54%)	+ $2s2p^4\ ^2S$	(36%)	1/2	−1973.3693913	2740118.71	7.0208490[6]	−1.1115292[6]	8.218300[3]
$2p^5\ ^2P^o$	(98%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−1970.1742211	3441377.49	7.0075719[6]	−1.3743679[6]	7.789644[3]
	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−1968.0722776	3902700.75	7.0013426[6]	−1.3812935[6]	7.782176[3]
Mo XXXVI									

Continued...

Table 13 (continued)

Level composition in LSJ coupling				J	Energy (E_h)	ΔE (cm^{-1})	$\widetilde{K}_\mathrm{NMS}$ (GHz u)	$\widetilde{K}_\mathrm{SMS}$ (GHz u)	$\widetilde{\mathcal{F}}$ (GHz/fm^2)
$2s^22p^3\ ^2P^o$	(41%)	+ $2s^22p^3\ ^4S^o$	(36%)	3/2	−2749.7273173	0.00	9.7261275[6]	−1.1458348[6]	1.855781[4]
$2s^22p^3\ ^4S^o$	(50%)	+ $2s^22p^3\ ^2D^o$	(48%)	3/2	−2746.0988862	796348.57	9.7150883[6]	−1.1556487[6]	1.855011[4]
$2s^22p^3\ ^2D^o$	(100%)			5/2	−2745.5180675	923823.52	9.7135763[6]	−1.1559409[6]	1.855036[4]
$2s^22p^3\ ^2P^o$	(99%)			1/2	−2744.7460262	1093266.99	9.7102563[6]	−1.1552912[6]	1.853940[4]
	(55%)	+ $2s^22p^3\ ^2D^o$	(29%)	3/2	−2741.1042042	1892554.51	9.6994982[6]	−1.1696174[6]	1.852247[4]
$2s2p^4\ ^4P$	(83%)	+ $2s2p^4\ ^2D$	(17%)	5/2	−2740.4215834	2042372.47	9.6940252[6]	−1.5401785[6]	1.757102[4]
	(49%)	+ $2s2p^4\ ^2S$	(47%)	1/2	−2738.7235517	2415047.34	9.6877959[6]	−1.5348400[6]	1.756630[4]
$2s2p^4\ ^2D$	(83%)	+ $2s2p^4\ ^4P$	(17%)	5/2	−2735.2190483	3184196.90	9.6777034[6]	−1.5483715[6]	1.755315[4]
$2s2p^4\ ^2P$	(53%)	+ $2s2p^4\ ^4P$	(32%)	1/2	−2734.3534636	3374170.78	9.6742524[6]	−1.5440566[6]	1.754397[4]
	(44%)	+ $2s2p^4\ ^2S$	(38%)	1/2	−2730.0641923	4315556.98	9.6610009[6]	−1.5515314[6]	1.753265[4]
$2p^5\ ^2P^o$	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	3/2	−2727.6045428	4855387.65	9.6490752[6]	−1.9131285[6]	1.658336[4]
	(99%)	+ $2s^22p^3\ ^2P^o$	(1%)	1/2	−2723.4503387	5767130.03	9.6364344[6]	−1.9265111[6]	1.656062[4]
W LXVIII									
$2s^22p^3\ ^2P^o$	(49%)	+ $2s^22p^3\ ^2D^o$	(27%)	3/2	−9302.7182563	0.00	3.1051381[7]	−3.2315779[6]	5.054766[5]
$2s^22p^3\ ^4S^o$	(55%)	+ $2s^22p^3\ ^2D^o$	(45%)	3/2	−9251.0505799	11339743.90	3.0886313[7]	−3.4384315[6]	5.037473[5]
$2s^22p^3\ ^2D^o$	(100%)			5/2	−9249.8310483	11607400.14	3.0882627[7]	−3.4385258[6]	5.037493[5]
$2s^22p^3\ ^2P^o$	(100%)			1/2	−9248.3654393	11929064.12	3.0877449[7]	−3.4313786[6]	5.037197[5]
$2s2p^4\ ^2S$	(65%)	+ $2s2p^4\ ^4P$	(25%)	1/2	−9235.2148740	14815279.51	3.0860275[7]	−4.4304563[6]	4.726262[5]
$2s2p^4\ ^2P$	(52%)	+ $2s2p^4\ ^2D$	(35%)	3/2	−9234.9227026	14879403.72	3.0859816[7]	−4.4165435[6]	4.724963[5]
$2s^22p^3\ ^2P^o$	(51%)	+ $2s^22p^3\ ^2D^o$	(28%)	3/2	−9196.4732118	23318091.30	3.0712310[7]	−3.6530543[6]	5.016029[5]
$2s2p^4\ ^4P$	(85%)	+ $2s2p^4\ ^2D$	(10%)	3/2	−9186.2604959	25559523.29	3.0703680[7]	−4.6432241[6]	4.709432[5]
$2s2p^4\ ^2P$	(65%)	+ $2s2p^4\ ^4P$	(35%)	1/2	−9182.3586975	26415869.03	3.0691766[7]	−4.6116068[6]	4.706982[5]
$2s2p^4\ ^2D$	(55%)	+ $2s2p^4\ ^2P$	(44%)	3/2	−9181.8460915	26528373.04	3.0690350[7]	−4.6112499[6]	4.707171[5]
$2p^5\ ^2P^o$	(99%)			3/2	−9168.5689588	29442366.76	3.0670564[7]	−5.6011064[6]	4.399653[5]
$2s2p^4\ ^4P$	(40%)	+ $2s2p^4\ ^2S$	(35%)	1/2	−9130.0438073	37897659.95	3.0524448[7]	−4.8190543[6]	4.690210[5]
$2p^5\ ^2P^o$	(100%)			1/2	−9115.7785445	41028523.14	3.0502636[7]	−5.7962112[6]	4.377606[5]

Table 14

Comparison of MCHF and MCDHF specific mass shift parameters for Ne IV (in atomic units $E_\mathrm{h}m_e$).

	MCHF	MCDHF		
	K^1_SMS	J	K^1_SMS	K_SMS
$2s^22p^3\ ^4S^o$	−8.1008	3/2	−8.0918	−8.0570
$2s^22p^3\ ^2D^o$	−8.0133	5/2	−8.0086	−7.9746
		3/2	−8.0083	−7.9732
$2s^22p^3\ ^2P^o$	−8.0209	1/2	−8.0207	−7.9865
		3/2	−8.0204	−7.9873
$2s2p^4\ ^4P$	−11.1298	5/2	−11.1401	−11.0858
		3/2	−11.1326	−11.0879
		1/2	−11.1292	−11.0901
$2s2p^4\ ^2D$	−10.9247	5/2	−10.9608	−10.9123
		3/2	−10.9599	−10.9109
$2s2p^4\ ^2S$	−10.5174	1/2	−10.5672	−10.5186
$2s2p^4\ ^2P$	−10.4440	3/2	−10.4310	−10.3761
		1/2	−10.4228	−10.3800
$2p^5\ ^2P^o$	−13.4948	3/2	−13.5525	−13.4843
		1/2	−13.5426	−13.4911